




AXIAL JOINT for AGRALE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	801210340008T	Length 175 Threads M18 * 1,5 RHT	5085.4
TIE ROD for AGRALE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-MF0022	8009103245000	Length 450 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft ⁴⁰	
	TKR-MF0028	8009103244003	Length 463 Cones 23,7 / 26,7 Threads M24 * 1,5 RHT Tube / Shaft ⁴⁰	
TIE ROD END for ALLIS CHALMERS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-AC0001	70265527	Length 120 Cones 24,5 / 28,5 Threads W1 1/18" * 18 G RHT	7000- 7010- 7020- 7030- 7040- 7045- 7050- 7060- 7080- 8010- 8030- 8050- 8070
OUTER TIE ROD for ALLIS CHALMERS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-AC0003	70254662	Length 422 Cones 16,4 / 18,4 Tube / Shaft 20,5 Slots 13	WD45- D14- D15- D17- D19- 170-180- 185
	TRB-AC0004	70269353	Length 535 Cones 24,5 / 28,5 Tube / Shaft 38 Slots 8	7000- 7010- 7020- 7030- 7040- 7045- 7050- 7080- 7060- 8010- 8030- 8050- 8070
INNER TIE ROD for ALLIS CHALMERS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-AC0002	70254661	Length 443 Cones 16,4 / 18,4 Tube / Shaft ²⁶	WD45- D14- D15- D17- D19- 170-180- 185
TIE ROD END for BARREIROS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0032	4881310005	Length 92 Cones 16,2 / 18,5 Threads M20 * 1,5 RHT	

	TRB-DG0033	4881308005	Length 92 Cones 16,2 / 18,5 Threads M20 * 1,5 LHT	
TIE ROD END for BOBCAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	100400-14J	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
INNER TIE ROD for BOBCAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0016	81517.5	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0012	6962519	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for BOBCAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	6962518	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0006	350505	Length 167,5 Threads M18 * 1,5 RHT	
TIE ROD for BOBCAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0001	M75767.4	Length 363 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0004	M63224.0	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	


	<p>TKR-CA0009</p>	<p>6962517</p>	<p>Length 285 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26</p>	
	<p>TKR-CA0013</p>	<p>81518.3</p>	<p>Length 354 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34</p>	
	<p>TKR-CA0017</p>	<p>75723.7</p>	<p>Length 457 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34</p>	

TIE ROD for BOBCAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0038	71065.7	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD END for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	87031	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
	TRB-CA0051	351209	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 RHT	
	TRB-CA0052	351238	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 LHT	
TIE ROD END for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0057	75477	Length 95 Cones 14,3 / 16,4 Threads M18 * 1,5 RHT	
	TRB-CA0058	75478	Length 95 Cones 14,3 / 16,4 Threads M18 * 1,5 LHT	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0012	350643	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0013	350669	Length 263 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	

	<p>TRB-CA0014</p>	<p>350960</p>	<p>Length 328 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut</p>	
--	--------------------------	---------------	---	--

INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0015	350735	Length 328 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0016	350969	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0017	351035	Length 318 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0018	351144	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0019	351219	Length 278 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0020	351384	Length 295 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0021	351473	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0022	351471	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0023	351705	Length 356 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	

	TRB-CA0024	351696	Length 240 Cones 23,5 / 26 Threads Notes M24 * 1,5 RHT Tube / Shaft 34 With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0025	351775	Length 314 Cones 27 / 30,5 Threads Notes M24 * 1,5 RHT Tube / Shaft 34 With nut	
	TRB-CA0026	351809	Length 530 Cones 23,5 / 26 Threads Notes M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0027	351887	Length 250 Cones 23,5 / 26,5 Threads Notes M24 * 1,5 RHT Tube / Shaft 34 With nut	
	TRB-CA0028	351976	Length 417 Cones 27 / 30,5 Threads Notes M24 * 1,5 RHT Tube / Shaft 34 With nut	
	TRB-CA0029	351974	Length 395 Cones 27,1 / 30 Threads Notes M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0030	351968	Length 501 Cones 27,1 / 30 Threads Notes M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0031	352082	Length 367 Cones 28,9 / 32 Threads Notes M28 * 1,5 RHT Tube / Shaft 40	

	TRB-CA0032	352200	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
--	-------------------	--------	---	--

	TRB-CA0033	352201	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0034	352151	Length 97 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0035	352152	Length 97 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0036	352263	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0037	352296	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0038	352297	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0039	352329	Length 721 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0040	352343	Length 238 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO


	TRB-CA0041	352265	Length 405 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
--	-------------------	--------	---	--

	TRB-CA0042	352172	Length 353 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0043	351788	Length 478 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0044	351939	Length 53 Cones 19,9 / 22 Threads M18 * 1,5 RHT	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRB-DG0068	352260	Length 280 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0049	350001	Length 173 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 25 Notes With nut	
	TRB-CA0001	48983 340034	Length 221 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0002	340047	Length 85 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Notes With nut	
	TRB-CA0003	340046	Length 85 Cones 19,9 / 22,3 Threads M18 * 1,5 LHT Notes With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0004	350962	Length 202 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	

	TRB-CA0005	340444	Length 260 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0006	350438	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0007	350957	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
INNER TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0008	350496	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0009	350961	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0010	350502	Length 126 Cones 19,9 / 22,3 Threads M18 * 1,5 LHT Tube / Shaft 26 Notes With nut	
	TRB-CA0011	350501	Length 126 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0011	340054	Length 175,5 Threads M18 * 1,5 RHT	
	TRM-CA0001	340054	Length 178 Threads M18 * 1,5 RHT	

	TRM-CA0002	350400	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0003	350449	Length 138 Threads M18 * 1,5 RHT	
AXIAL JOINT for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	350440	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0005	350507	Length 167,5 Threads M18 * 1,5 LHT	
	TRM-CA0006	350505	Length 167,5 Threads M18 * 1,5 RHT	
	TRM-CA0007	350878	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0008	351504	Length 209 Threads M24 * 1,5 RHT	
AXIAL JOINT for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0009	351918	Length 211 Threads M28 * 1,5 RHT	
	TRM-CA0010	351940	Length 110 Threads M18 * 1,5 RHT	

TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0020	121924	Length 398 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT Tube / Shaft ³⁶	
	TKR-CA0007	128471	Length 276 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
	TKR-CA0008	128472	Length 276 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0009	129988	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
	TKR-CA0010	130168	Length 407 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
	TKR-CA0011	130593	Length 470 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0012	130594	Length 470 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft ²⁶	
	TKR-FR0021	121925	Length 398 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft ³⁶	

	TKR-CA0013	131808	Length 354 Cones 23,5 / 26,5 Threads M24 <small>* 1,5 RHT Tube / Shaft ³⁴</small>	
--	-------------------	--------	--	--

	TKR-CA0014	132390	Length 469 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26	
	TKR-CA0015	132751	Length 400 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0016	134036	Length 422 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26	
	TKR-CA0017	135578	Length 457 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
	TKR-CA0018	136001	Length 427 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
	TKR-CA0019	136002	Length 427 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0020	138334	Length 502 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26	
	TKR-CA0021	138648	Length 395 Cones 23 / 26 * 1,5 RHT Threads M24 * Tube / Shaft 34	
	TKR-CA0001	120305	Length 363 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26	

	TKR-CA0022	139168	Length 425 Cones 23 / 26 1,5 RHT Tube / Shaft 34 Threads M24 *	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0023	139491	Length 690 Cones 23 / 26 1,5 RHT Tube / Shaft 34 Threads M24 *	
	TKR-CA0024	140265	Length 413 Cones 23,5 / 26,5 * 1,5 RHT Tube / Shaft 34 Threads M24	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0025	140803	Length 577 Cones 27,1 / 30 1,5 RHT Tube / Shaft 34 Threads M24 *	
	TKR-CA0026	140805	Length 555 Cones 27,1 / 30 1,5 RHT Tube / Shaft 34 Threads M24 *	
	TKR-CA0027	140921	Length 662 Cones 27,1 / 30 1,5 RHT Tube / Shaft 34 Threads M24 *	
	TKR-CA0002	120594	Length 228 Cones 19,9 / 22,3 * 1,5 RHT Tube / Shaft 26 Threads M18	

TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0028	142328	Length 557 Cones 28,9 / 32 Threads M28 * 1,5 RHT Tube / Shaft 40	
	TKR-CA0029	143234	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0030	143235	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0031	143692	Length 223 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0032	143693	Length 223 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0033	144641	Length 441 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0034	144824	Length 570 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0003	122441	Length 228 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TKR-CA0035	144825	Length 570 Cones 27,1 / 30 Threads M24 * Tube / Shaft 34	
	TKR-CA0036	145481	Length 426 Cones 23,5 / 26,5 Threads M24 Tube / Shaft 34	
	TKR-CA0037	145482	Length 403 Cones 23,5 / 26,5 Threads M24 Tube / Shaft 34	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0038	123153	Length 420 Cones 23,5 / 26 Threads M24 * Tube / Shaft 34	
	TKR-CA0039	124889	Length 315 Cones 19,9 / 22,2 Threads M18 Tube / Shaft 26	
	TKR-CA0040	143727	Length 566 Cones 23,5 / 26,5 Threads M24 Tube / Shaft 34	

TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0004	122599	Length 355 Cones ^{23 / 26} 1,5 RHT ³⁶ Tube / Shaft Threads M24 *	
	TKR-CA0041	143007	Length 513 Cones ^{27,1 / 30} 1,5 RHT ³⁴ Tube / Shaft Threads M24 *	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0042	350353	Length 489,7 Cones ^{15,4 / 17,9} Tube / Shaft ²⁸	
	TKR-CA0043	146611	Length 220 Cones ^{19,9 / 22,2} * 1,5 RHT ²⁶ Tube / Shaft Threads M18	
	TKR-CA0044	139104	Length 640 Cones ^{27,1 / 30} 1,5 RHT ³⁴ Tube / Shaft Threads M24 *	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0046	146134	Length 404 Cones ^{27 / 30,5} 1,5 RHT ³⁴ Tube / Shaft Threads M24 *	
	TKR-CA0005	127456	Length 344 Cones ^{19,9 / 22} 1,5 RHT ²⁶ Tube / Shaft Threads M18 *	
	TKR-CA0047	147889	Length 485 Cones ^{27,1 / 30} 1,5 RHT ³⁸ Tube / Shaft Threads M24 *	

	TKR-CA0048	147890	Length 485 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 38	
TIE ROD for CARRARO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0006	127724	Length 176 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0025	3224265R92 3223997R1	Length 95 Cones 18 / 20,25 Threads M24 * 1,5 RHT	743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 845- 845XL- 1046- 1046- 1056- 1056XL- 856- 856XL- 956- 956XL
	TRB-IH0027	3141531R91	Length 75 Cones 18 / 20 Threads M20 * 1,5 6G RHT	433- 533- 633- 733- 1046- 1246- 946- 654 724- 824
	TRB-IH0028	3131021R2	Length 95 Cones 16,2 / 18,2 Threads M20 * 1,5 LHT	2120 (All models)- 2130 (All models)- 2140 (All models)- PJ55 (All models)- PJ65 (All models)- PJ75 (All models)- PJN55 (All models)- PJN65 (All models)- PJN75 (All models)- PJV55 (All models)- PJV65 (All models)- PJV75 (All models)
	TRB-IH0029	3221932R92	Length 75 Cones 20 / 22,2 Threads M20 * 1,5 6G RHT	433- 533- 633- 733- 833- 440- 540- 640- 740- 840- 940-
	TRB-IH0030	292562A1 435664A1	Length - Cones 28,2 / 31,7 Threads W1 * 16 RHT	MX180- MX200- MX210- MX220- MX230- MX240- MX255- MX270- MX285

TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0033	3230364R1	Length 115 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT	1055 (APL1552)- 1055XL (APL1552)- 955 (APL1552)- 955XL (APL1552)- 1056 (APL1552)- 1056XL (APL1552)- 956 (APL1552)- 956XL (APL1552)
	TRB-IH0034	716195R91 717678R91	Length 96 Cones 14,4 / 16,25 Threads M16 * 1,5 RHT	D320- D322- D324- D326- D430- D432- D436- D439- D440
	TRB-IH0042	1277261C1	Length 80 Cones 24,7 / 28	MX180- MX200- MX220- MX240- MX270- 5088- 5288- 5488- 7110- 7120- 7130- 7140- 7150- 7210- 7220- 7230- 7240- 7250- 8910- 8920- 8930- 8940- 8950-
	TRB-CA0050	3523985M91	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	Backhoe: 580F- 580G
	TRB-CA0051	6190217M91	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 RHT	
TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0052	6190218M91	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 LHT	
	TRB-DG0119	1004723C2	Length 76 Cones 18,2 / 22,1 Threads W7/8" * 18 2A RHT	
	TRB-DG0130	3131016R1	Length 66 Threads M18 * 1,5 RHT	433- 533- 633- 733- 833- 323- 353- 383- 423- 453
	TRB-CE0002	3116407R2 3116407R3	Length 95 Cones 15,6 / 17,9 Threads W7/8" * 16 RHT	SERIE:3000- 4000- 85- 95- BD- C- CX- MX- INDUSTRIAL TRACTOR

	<p>TRB-CE0003</p>	<p>3040922R91 3040922R92 3071056R91</p>	<p>Length 80 Cones 16,9 / 18,42 Threads R3/8" * 19 BSP RHT</p>	<p>SERIE;44- 84- BD- INDUSTRIAL TRACTOR SERIE;238- SERIE;CLASSIGUE</p>
<p>TIE ROD END for CASE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-CE0004</p>	<p>3040920R92 3071097R91</p>	<p>Length 85 Cones 14,5 / 16 Threads W3/4" * 16 G RHT</p>	<p>SERIE;44- 84- BD- INDUSTRIAL TRACTOR SERIE;238- SERIE;CLASSIGUE</p>
	<p>TRB-CE0005</p>	<p>527658R91</p>	<p>Length 80 Cones 15,5 / 18,88 Threads W11/16" * 18 G RHT</p>	<p>385-454-485-574-674</p>
	<p>TRB-CE0006</p>	<p>384006R92</p>	<p>Length 101 Cones 17 / 19,38 Threads W1" * 16 2A RHT</p>	<p>1026-1066-1086-1206-1256-1456-1466-1 6-1568-1586- 460- 544- 560- 656- 660- 666- 706- 756- 766- 806- 826- 856- 966- 986-100-186- 70 ALL HYDRO 5088- 5288 5488</p>
	<p>TRB-CE0009</p>	<p>3040921R1 3045309R91 3071055R91</p>	<p>Length 78 Cones 16,8 / 18,5 Threads R3/8" * 19 G BSP LHT</p>	<p>SERIE;44- 84- BD- INDUSTRIAL TRACTOR SERIE;238- SERIE;CLASSIGUE</p>
	<p>TRB-CE0010</p>	<p>3147510R1</p>	<p>Length 92 Cones 14,4 / 16,31 Threads M20 * 1,5 RHT</p>	<p>SERIE;33- 43- 44- 45</p>

TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0014	3148926R1	Length 102 Cones 16,2 / 18,3 Threads M20 * 1,5 RHT	SERIE;33- 40- 43- 44- 45- 46- 55
	TRB-CE0015	K262982	Length 106 Cones 19,4 / 22,3 Threads M24 * 1,5 RHT	580F- 580G
	TRB-CE0016	K262981	Length 106 Cones 19,5 / 22,4 Threads M24 * 1,5 LHT	580F- 580G
	TRB-CE0018	3116407R5	Length 100 Cones 15,3 / 18,3 Threads W7/8" * 16 2A RHT	SERIE;3000- 4000- 85- 95- BD- C- CX- MX
	TRB-CE0022	128609A1	Length 320 Cones 24,5 / 28 Threads W1/4" * 12 L 2A LHT	SERIE;7100- 7200- 8900
TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0023	1277451C1	Length 139 Cones 24,5 / 28 Threads W1 1/8" * 12 2A RHT	5120- 5130- 5140- 5220- 5230- 5240- 5250- 7110- 7120- 7130- 7140- 7150
	TRB-CE0024	1277452C1	Length 139 Cones 24,5 / 28 Threads W1 1/8" * 12 2A LHT	7110- 7120- 7130- 7140
	TRB-CE0025	1280658C1	Length 120 Cones 25,15 / 28 Threads W1 1/8" * 12 2A RHT	SERIE;5000- 7100- 7200- 8900-MX- MXM
	TRB-CE0025	406054A1	Length 120 Cones 25,15 / 28 Threads W1 1/8" * 12 2A RHT	SERIE;5000- 7100- 7200- 8900-MX- MXM

	<p>TRB-CE0028</p>	<p>1531204C1</p>	<p>Length 106 Cones 20 / 22 Threads M24 * 1,5 RHT</p>	<p>SERIE:33- 40- 5120- 5130- 5140- 5220- 5230- 5240- 5250</p>
<p>TIE ROD END for CASE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-CE0029</p>	<p>128604A1</p>	<p>Length 320 Cones 24,5 / 28 Threads W1 1/4" * 12 2A RHT</p>	<p>SERIE:7100- 7200- 8900</p>
	<p>TRB-CE0032</p>	<p>A40962</p>	<p>Length 50,5 Cones 19,4 / 22,3 Threads W11/16" * 18 2A RHT</p>	<p>480- 480B- 480C- 480D- 480E- 580- 580B- 580C- 580D- 580E</p>
	<p>TRB-CE0037</p>	<p>3229222R91</p>	<p>Length 140 Cones 34,3 / 37,9 Threads M30 * 1,5 RHT</p>	<p>1255- 1255XL- 1455- 1455XL</p>
	<p>TRB-CE0038</p>	<p>3229223R91</p>	<p>Length 122 Cones 34,3 / 37,9 Threads M24 * 1,5 RHT</p>	<p>1255- 1255XL- 1455- 1455XL</p>
	<p>TRB-CE0039</p>	<p>3230099R91</p>	<p>Length 106 Cones 18,2 / 20,4 Threads M24 * 1,5 RHT</p>	<p>644- 743- 743XL- 744- 744S- 745- 745XL- 844- 844S- 844XL- 845- 845XL- 856XL- 1046- 1055- 1055XL- 955-955XL- 1056- 1056XL- 856- 856XL- 956- 956XL</p>

TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0040	742968C91	Length 85 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT	584- 684- 784- 884- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 258
	TRB-FE0059	5198880	Length 120 Cones 23,5 / 26 Threads M24 * 1,5 RHT	MXM135- MXM150- MXM165- MXM180- MXM120- MXM130- MXM140- MXM155- MXM175- MXM190
	TRB-DB0001	K262853	Length 92 Cones 15,5 / 18 Threads W3/4" * 20 G RHT	1200- 1210 (Lateral cyl.)- 1212 (Lateral cyl.)- 1410- 1412- 770- 780- 850- 880- 885- 1190- 1290- 1390- 1490- 1690- 950- 990- 995- 996
	TRB-DB0002	K262852	Length 100 Cones 18,5 / 20,5 Threads W3/4" * 20 RHT	1200- 1210- 1212- 1190- 1290- 1390- 990 995- 996- 1494- 1594
	TRB-IH0002	3058207R91	Length 92 Cones 14,4 / 16,25 Threads M18 * 1,5 RHT	
TIE ROD END for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0003	3141530R91	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	433 (433E-433V)- 533- 633 (633E-633V) 733 (733E-733V)- 833 (833E-833V)- 440 540- 640- 740- 840- 940- 644- 744- 844- 844S- 844XL- 1046- 1246- 946- 553 (533E-533V)- 654- 724- 734- 824
	TRB-IH0004	3141532R93	Length 70 Threads M20 * 1,5 RHT Tube / Shaft 30	433- 533- 633- 733- 833- 440- 540- 640- 740- 840- 940- 644- 744- 844- 844S- 844XL- 1046- 1246- 946- 553- 654- 724- 734- 824
	TRB-IH0007	3221270R91	Length 20 Cones 27 / 30,5 Threads M30 * 1,5 RHT	1055- 1055XL- 955- 955XL- 1056- 1056XL- 956- 956XL
	TRB-IH0008	3233188R91	Length 80 Cones 23,50 Threads M22 * 1,5 RHT	

	<p>TRB-IH0010</p>	<p>1537872C1</p>	<p>Length 95 Cones 15,4 / 18,2 Threads W7/8" * 16 6G RHT</p>	<p>3210- 3220- 3230- 4210- 4220- 4230- 4240- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 258- 268- 288- C50- C60- C70- C80- C90- CX100- CX50- CX60- CX70- CX80- CX90- MX100C- MX80C- MX90C- 238- 248- 258- 268- 288</p>
<p>TIE ROD END for CASE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-IH0014</p>	<p>3141529R91</p>	<p>Length 115 Cones 23,5 / 26,5 Threads M30 * 1,5 6G RHT</p>	<p>433- 533- 633- 733- 743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 1046- 1246- 946- 856- 856XL- 584- 684- 784- 884- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 258- 268- 278- 654- 724- 824- 248- 258- 268</p>
	<p>TRB-IH0019</p>	<p>3146035R92</p>	<p>Length 80 Cones 23,5 / 26,5 Threads M20 * 1,5 RHT Tube / Shaft 32</p>	<p>743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 845- 845XL- 584- 684- 784- 884- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 258- 268- 278- 258- 268</p>
	<p>TRB-IH0020</p>	<p>3232877R91 3232877R92</p>	<p>Length 101 Cones 20 / 22,2 Threads M28 * 1,5 6G RHT</p>	<p>743 (Heavy duty)- 743XL (Heavy duty)- 844 (Heavy duty)- 844S (Heavy duty)- 844XL (Heavy duty)- 745S (Heavy duty)- 745XL (Heavy duty)- 845 (Heavy duty)- 845XL (Heavy duty)- 1055 (Heavy duty)- 1055XL (Heavy duty)- 1255 (Heavy duty)- 1255XL (Heavy duty)- 955 (Heavy duty)- 955XL (Heavy duty)- 1056 (Heavy duty)- 1056XL (Heavy duty)- 856 (Heavy duty)- 856XL (Heavy duty)- 956 (Heavy duty)- 956XL (Heavy duty)</p>
	<p>TRB-IH0024</p>	<p>3058214R91</p>	<p>Length 92 Threads M18 * 1,5 RHT</p>	<p>Classique 553- 654- 724- 824</p>

OUTER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0036	302645A1	Length 514 Cones 28,2 / 31,7 Threads W3/8" * 12 2A RHT Tube / Shaft 40	MX180- MX200- MX210- MX220- MX230- MX240- MX255- MX270- MX285
	TRB-IH0037	302643A1	Length 514 Cones 28,2 / 31,7 Threads W3/8" * 12 2A LHT Tube / Shaft 40	MX180- MX200- MX210- MX220- MX230- MX240- MX255- MX270- MX285
	TRB-IH0040	3148925R1	Length 200 Cones 14,4 / 16,3 Slots 4	Serie; 33- 433- 533- 633- 733- 833-
	TRB-CE0001	3116406R2 3116406R3 3125172R92	Length 382 Cones 15,6 / 17,44 Tube / Shaft 20,5 Slots 6	SERIE:3000- 4000- 85- 95- BD- C- CX- MX- INDUSTRIAL TRACTOR
	TRB-CE0007	359984R93	Length 400 Cones 16,8 / 19,2 Tube / Shaft 23,4 Slots 6	1026-1066-1086-1206-1256-1456-1466-1 486-1568-1586- 460- 544- 560- 656- 660- 666- 706- 756- 766- 806- 826- 856- 966- 986-100-186- 70 ALL HYDRO 5088- 5288- 5488
OUTER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0011	3040919R92 3071096R91	Length 800 Cones 14,5 / 16 Tube / Shaft 18,9 Slots 6	AGRICULTURAL-INDUSTRIAL TRACTOR 275- 276- 354- 374- 384- 414- 434- 444- 238
	TRB-CE0017	3116406R4 3116406R5	Length 382 Cones 15,3 / 18,3 Tube / Shaft 20,5 Slots 6	SERIE:32- 74- 84- 85 SERIE UTILITY;3200- 4200- 85- 95- SERIE:CX- SERIE;MX
	TRB-CE0026	1280662C1 406053A1	Length 388 Cones 25,2 / 28,05 Tube / Shaft 30 Slots 7	SERIE:5000- 7100- 7200- 8900-MX- MXM
	TRB-CE0027	1531203C1	Length 934,3 Cones 20 / 22,2 Tube / Shaft 28 Slots 8	5120- 5130- 5140- 5220- 5230- 5240- 5250

	TRB-FR0065	81864106	Length 500 Cones 23,9 / 27,4 Tube / Shaft 34,8 Slots 8	MAXXUM SERIE; 100- 110- 115- MXU SERIE; 100- 110- 125- 130- 135
OUTER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0001	3058213R91	Length 352 Cones 14,4 / 16,4 Tube / Shaft 18 Slots 6	Classique- 323- 353- 383- 423- 453- 553- 654- 724- 824
	TRB-IH0005	3125171R1	Length 382 Cones 15,6 / 17,9 Tube / Shaft 20,5 Slots 6	3210- 3220- 3230- 4210- 4220- 4230- 4240- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 258- 268- 288- C50- C60- C70- C80- C90- CX100- CX50- CX60- CX70- CX80- CX90- MX100C- MX80C- MX90C- 238- 248- 258- 268- 288
	TRB-IH0009	1332805C2	Length 365 Cones 15,4 / 18,2 Tube / Shaft 20,5 Slots 6	3210- 3220- 3230- 4210- 4220- 4230- 4240- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 258- 268- 288- C50- C60- C70- C80- C90- CX100- CX50- CX60- CX70- CX80- CX90- MX100C- MX80C- MX90C- 238- 248- 258- 268- 288
	TRB-IH0011	3223996R1	Length 726 Tube / Shaft 26 Slots 6	
	TRB-IH0013	3148923R1	Length 722 Cones 16,2 / 18,5 Tube / Shaft 22 Slots 6	433- 533- 633- 743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 845- 845XL









OUTER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0015	3217563R1	Length 722 Tube / Shaft 22 Slots 6	433- 533- 633- 733- 833- 440- 540- 640- 740- 840- 940- 644- 744- 844- 844S- 844XL
	TRB-IH0016	3224261R1	Length 450 Tube / Shaft 26 Slots 4	743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 845- 845XL- 1046- 1246- 946- 1055- 1055XL- 955- 955XL- 1056- 1056XL- 856- 856XL- 956- 956XL
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0026	1968469C1	Length 385 Cones 23,5 / 26,5 Threads M22 * 1,5 6G RHT	1056 (APL345)- 1056XL (APL345)- 956 (APL345)- 956XL (APL345)
			Tube / Shaft 42	
	TRB-IH0032	354730A1	Length 183 Cones 23,5 / 26,5 Threads M22 * 1,5 6G RHT	743- 743XL- 644- 744- 844- 844S- 844XL- 745S- 745XL- 845- 845XL- 856- 856XL- CS78 (-> 12/98)- CS86 (-> 12/98)- CS94 (-> 12/98)
			Tube / Shaft 6	
	TRB-IH0035	1968473C1	Length 385 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 42	1056 (APL345)- 1056XL (APL345)- 956 (APL345)- 956XL (APL345)
	TRB-IH0038	340483A1 247523A1	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT	
	TRB-IH0039	411904A1	Length 243 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT Tube / Shaft 34	CS100 (Late models type B- C- D)- CS110 (Late models type B- C- D)- CS120 (Late models type B- C- D)- CS130 (Late models type B- C- D)- CS150 (Late models type B- C- D)- MX150- MX170-
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0041	3224266R92	Length 70 Threads M20 * 1,5 RHT	1046- 1055- 1056- 1246- 433- 533- 633- 644- 733- 743- 744- 745- 745S- 833- 844- 844S- 845- 856- 946- 955- 956-
	TRB-MF0062	1968464C1	Length 255 Cones 20 / 22,2 Threads M22 * 1,5 RHT Tube / Shaft 30	238- 248- 258- 268- 288- 385- 395- 385- 395- 395XL- 495- 495XL- 585- 585XL- 595- 595XL- 685- 685XL- 695- 695XL- 743- 743XL- 745S- 745XL- 785- 785XL- 795- 795XL- 844- 844S- 844XL- 845- 845XL- 856- 856XL- 885- 885XL- 895- 895XL- 956- 956XL- 985- 995- 995XL-










				1056- 1056XL-
	TRB-MF0105	9968016	Length 210 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250
	TRB-CA0002	135824A1 299935A1	Length 85 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Notes With nut	
	TRB-CA0003	133741674 135823A1	Length 85 Cones 19,9 / 22,3 Threads M18 * 1,5 LHT Notes With nut	
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0005	112513A1	Length 260 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0006	112510A1	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0007	338993A1	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0010	130161A1	Length 126 Cones 19,9 / 22,3 Threads M18 * 1,5 LHT Tube / Shaft 26 Notes With nut	
	TRB-CA0011	130152A1	Length 126 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	

INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0012	133743603	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	CS75- CS86- CS94
	TRB-SY0007	133743010	Length 183 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	CS48- CS52- CS58- CS63- CS75
	TRB-CA0017	85805977	Length 318 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0019	401054A1	Length 278 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0021	340482A1	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0023	390031A1	Length 356 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0029	85825030	Length 395 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0032	133743015	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0033	133743014	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	


	TRB-SY0008	133743617	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	CS130- CS-150- CVX130- CVX150
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0174	87714434	Length 238 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	CS SERIE; 100- 110- 120- 130- 150- MX SERIE; 150- 170
	TRB-SY0010	133743619	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	CS130- CS-150- CVX130- CVX150
	TRB-CE0012	3140943R1 3134240R91	Length 146 Cones 27 / 30 Threads M36 * 1,5 RHT	946- 1046- 1255- 1255XL- 1455- 1455XL CALSSIGUE 553- 654- 724- 824
	TRB-CE0013	3146733R1	Length 141 Cones 23,5 / 26,5 Threads M36 * 1,5 RHT	SERIE;43- 44- 45- 46- 55- 56
	TRB-FR0077	137048A1	Length 173 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	238- 248- 258- 268- 288- 395- 495- 595- 695- 795- 895- 995- 3210- 3220- 3230- 4210- 4220- 4230- 4240- BD SERIE; 238- 258- 268- 288- C SERIE; 50- 60- 70- 80- 90- CS PRO SERIE; 80- 85- 90- 95- 100- 105- CX SERIE; 50- 60- 70- 80- 90- 100- XL SERIE; 495- 595- 695- 795- 895- 995

INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DB0008	K929057 K26281	Length 75 Cones 18,3 / 20,3 Threads W7/8" * 1,8 2A RHT Tube / Shaft 35	1210- 885- 990- 995- 996
	TRB-FR0078	137047A1	Length 173 Cones 19,9 / 22,2 Threads M18 * 1,5 LHT Tube / Shaft 26	238- 248- 258- 268- 288- 395- 495- 595- 695- 795- 895- 995- 3210- 3220- 3230- 4210- 4220- 4230- 4240- BD SERIE; 238- 258- 268- 288- C SERIE; 50- 60- 70- 80- 90- CS PRO SERIE; 80- 85- 90- 95- 100- 105- CX SERIE; 50- 60- 70- 80- 90- 100- XL SERIE; 495- 595- 695- 795- 895- 995
	TRB-IH0006	3221271R91	Length 95 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TRB-FR0081	81863802	Length 130 Cones 27,6 / 31,7 Threads W1 1/8" * 16 RHT	MAXXUM SERIE; 100- 110- 115- 125- 140- MXU SERIE; 100- 110- 115
	TRB-IH0017	126145A1	Length 210 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT Tube / Shaft 34	5120 (Carraro 709)- 5130 (Carraro 709)- 5140 (Carraro 709)- 5150 (Carraro 709)- 5220 (Carraro 709)- 5230 (Carraro 709)- 5240 (Carraro 709)- 5250 (Carraro 709)-
INNER TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0018	126144A1	Length 210 Cones 23,5 / 26,5 Threads M24 * 1,5 6G LHT Tube / Shaft 34	5120 (Carraro 709)- 5130 (Carraro 709)- 5140 (Carraro 709)- 5150 (Carraro 709)- 5220 (Carraro 709)- 5230 (Carraro 709)- 5240 (Carraro 709)- 5250 (Carraro 709)-
	TRB-IH0021	132665A1 E49590	Length 240 Cones 23,5 / 26,5 Threads M24 * 1,5 6G LHT Tube / Shaft 36	
AXIAL JOINT for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0002	N14388	Length 208 Threads M24 * 1,5 LHT	1896- 2096- 5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250




	TRM-IH0001	354731A1 31798520	Length 204 Threads M22 * 1,5 6G RHT	CS78 (-> 12/98)- CS86 (-> 12/98)- CS94 (-> 12/98)
	TRM-MF0002	N14377	Length 209 Threads M24 * 1,5 RHT	1896- 2096- 5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250- MX SERIE: 80C- 90C- 100- 100C- 110- 120- 135-
	TRM-MF0003	1968463C1	Length 180 Threads M22 * 1,5 RHT	238- 248- 258- 268- 288- 385- 395- 385- 395- 395XL- 495- 495XL- 585- 585XL- 595- 595XL- 685- 685XL- 695- 695XL- 743- 743XL- 745S- 745XL- 785- 785XL- 795- 795XL- 844- 844S- 844XL- 845- 845XL- 856- 856XL- 885- 885XL- 895- 895XL- 956- 956XL- 985- 995- 995XL- 1056- 1056XL-
	TRM-CA0003	112514A1	Length 138 Threads M18 * 1,5 RHT	
AXIAL JOINT for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	85805975	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0005	130162A1	Length 167,5 Threads M18 * 1,5 LHT	
	TRM-CA0006	130153A1	Length 167,5 Threads M18 * 1,5 RHT	
	TRM-CA0012	133743613	Length 209 Threads M24 * 1,5 RHT	CS110- CS120
	TRM-DG0017	133743604	Length 176 Threads M18 * 1,5 RHT	CS68- CS75- CS78- CS86- CS94








AXIAL JOINT for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-DG0017	112509A1	Length 176 Threads M18 * 1,5 RHT	CS68- CS75- CS78- CS86- CS94
	TRM-SY0001	133743011	Length 204 Threads M22 * 1,5 RHT	C55- C64- CS48- CS-52 CS58- CS63- CS68- CS75
	TRM-FR0003	041063R1	Length 208 Threads M24 * 1,5 RHT	1896- 2096- CARRARO TYPE; 5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250- MX100- MX80C- MX90C- MX100C- MX110- MX120- MX135
	TRM-SY0002	133743003	Length 161,5 Threads M22 * 1,5 RHT	CS68- 01/99> - CS75 - >12/98
	TRM-FR0004	1966127C1	Length 175 Threads M18 * 1,5 LHT	248- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 2120- 2130- 2140- 2150- 3210- 3220- 3230- 4210- 4220- 4230- 4240- C50- C60- C70- C80- C90- CS PRO SERIE: 80- 85- 90- 95- 100- 105- CX50- CX60- CX70- CX80- CX100
AXIAL JOINT for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	85805975	Length 175 Threads M18 * 1,5 RHT	CS68- CS75- CS78- C86- CS94
	TRM-CE0001	311446A1	Length 209 Threads M24 * 1,5 RHT	SERIE;CVX- 1170- 1190- 1195- 175- 195-
	TRM-FR0006	1968468C1	Length 191 Threads M22 * 1,5 RHT	395- 485- 495- 585- 595- 685- 695- 743- 745- 745S- 785- 795- 844- 844S- 845- 856- 885- 895- 956- 985- 995- 1056
	TRM-JD0017	1966125C1	Length 175,5 Threads M18 * 1,5 RHT	SERIE;2000- 3000- 4000- 95- BD- C- CS- CX- MX



	<p>TRM-JD0018</p>	<p>N14377</p>	<p>Length 209 Threads M24 * 1,5 RHT</p>	<p>2096-5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250- 1896- MX100- MX-110- MX120- MX135- MX80C- MX90C</p>
<p>AXIAL JOINT for CASE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRM-CA0002</p>	<p>247522A1</p>	<p>Length 209 Threads M24 * 1,5 RHT</p>	<p>5120, (Front axle 4wd,CAR709) - 5130, (Front axle 4wd,CAR709) - 5140, (Front axle 4wd,CAR709) - 5150, (Front axle 4wd,CAR709) - 5220, (Front axle 4wd,CAR709) - 5230, (Front axle 4wd,CAR709) - 5240, (Front axle 4wd,CAR709) - 5250, (Front axle 4wd,CAR709) - MX100, 4wd,CAR2022) - MX100C, (Front axle 4wd,CAR2019) - MX100C, (Front axle 4wd,CAR2022) - MX110, (Front axle 4wd,CAR2019) - MX110, (Front axle 4wd,CAR2022) - MX120, (Front axle 4wd,CAR2019) - MX120, (Front axle MX135, (Front axle 4wd,CAR2022) - MX150, (Front axle 4wd,CAR2019) - MX150, (Front axle 4wd,CAR2022) - MX170, (Front axle 4wd,CAR2019) - MX170, (Front axle 4wd,CAR2022) - MX90C, (Front axle 4wd,CAR2019)- MX90C, (Front axle 4wd,CAR2022)-</p>
<p>TIE ROD for CASE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TKR-FR0021</p>	<p>E49589</p>	<p>Length 398 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36</p>	
	<p>TKR-FR0037</p>	<p>9968015</p>	<p>Length 367 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36</p>	<p>5120-5130-5140-5220-5230-5240-5250</p>
	<p>TKR-IH0003</p>	<p>223313</p>	<p>Length 600 Cones 16,9 / 19,3 Tube / Shaft 32</p>	<p>HYDRO 100- HYDRO 186- HYDRO 70- 1026- 1066- 1086- 1206- 1256- 1456- 1466- 1486- 1566- 1568- 1586- 3088- 3288- 3488- 3688- 460- 5088(STANDARD AXLE; 2WD)- 5288(STANDARD AXLE; 2WD)544- 5488(STANDARD AXLE; 2WD)560- 656- 660- 666- 686- 706- 756- 766- 786- 806- 826- 856- 966- 986-</p>
	<p>TKR-IH0004</p>	<p>3057165R91</p>	<p>Length 690 Cones 14,4 / 16,2 Tube / Shaft 24</p>	<p>523- 553- 624- 654- 724- 824</p>
	<p>TKR-CA0002</p>	<p>1966203C1</p>	<p>Length 228 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26</p>	

TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0003	133741673 1966246C1	Length 228 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0004	37700430804 1997712C1 1997712C2 9968015	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0009	354716A1	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0009	445625A0	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0010	144457A1	Length 407 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	570L- 580L- 580SL- 580M- 580SM-
	TKR-CA0014	85805974	Length 469 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0015	247521A1	Length 400 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0016	401052A1	Length 422 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TKR-CA0018	340503A1	Length 427 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0019	340485A1	Length 427 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0020	313260A1	Length 502 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0021	411905A1 B509620	Length 395 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	MX150- MX170-
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0022	311445A1	Length 425 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0029	133743013	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0030	133743012	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0036	133743621	Length 426 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0037	133743622	Length 403 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	

TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0038	D142916	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0039	1537620C2	Length 315 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0042	1538016C1	Length 489,7 Cones 15,4 / 17,9 Tube / Shaft 28	74 Series ; 574- 84 Series ; 584- 684- 784- 884- 85 Series ; 385- 485- 685- 785- 885- 485 XL- 685 XL- 785 XL- 885 XL- CX Series ; CX70- CX80- CX90- CX100- CX50- CX60- MX Series ; MX80 C- MX Series / MX90 C- MX Series ; MX100 C- International ; 454- 474- 475- 484- 685 XL- 784- 785- 32 Series ; 3230- Industrial ; 238- 248- 258- 268- 3200- Utility Series ; 3210- 3220- 4200 Utilit Series ; 4210- 4220- 4230- 4240- 85 Utility Serie ; 585- 585 XL- 95 Utility Series ; 695- 795- 395- 395 XL- 495- 495 XL- 595- 595 XL- 695 XL- 895 895 XL- 95 Utility Series; 995 XL- Utility Series; 674-
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0044	85807974	Length 640 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-DG0059	3230081R91	Length 1220 Cones 18 / 20,2 Threads M24 * 1,5 RHT Tube / Shaft 30	743- 743XL- 644- 744- 844- 844S- 844XL- 845- 845XL
	TKR-DG0067	3058842R94 3131017R1	Length 1178 Cones 16,2 / 18,5 Threads M20 * 1,5 LHT Tube / Shaft 28	353- 423
	TKR-DG0069	3142619R91	Length 1090 Cones 16,2 / 18,5 Threads M20 * 1,5 LHT Tube / Shaft 26	
	TKR-CE0002	3058843R93 3058843R91	Length 433,5 Cones 14,4 - 16,4 / 16,4 - 18,4 Threads M18 * 1,5 RHT Tube / Shaft 26	480- 480B- 580- 580B
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TKR-CE0002	3058843R93	Length 433,5 Cones 14,4 - 16,4 / 16,4 - 18,4 Threads M18 * 1,5 RHT Tube / Shaft 26	323- 383- 423- 453
	TKR-CE0003	3145397R92 3145397R91	Length 1210 Cones 16,2 - 19,9 / 18,2 - 19,9 Threads M20 * 1,5 RHT Tube / Shaft 30	644- 744- 844- 844S- 946- 955- 1046- 1055-124
	TKR-CE0005	3216556R91 3217281R1	Length 1224 Cones 22 / 22,2 Threads M24 * 1,5 RHT Tube / Shaft 30	533- 633- 733- 833
	TKR-CE0006	5168933 84484866 84484868	Length 1475 Cones 18,2 / 20,4 Threads M20 * 1 RHT Tube / Shaft 35	JX100U- JX1070U- JX1080U- JX1090U- JX1100U- JX55- JX60- JX65- JX70- JX70U- JX75- JX80- JX80U- JX85- JX90- JX90U- JX95
	TKR-CE0008	3230318R91	Length 1335 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 32	1055- 1055XL- 955- 955XL- 1056- 1056XL- 956- 956XL
TIE ROD for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-IH0001	3113665R91 3116321R93 527497R91 527807R92	Length 499 Cones 15,6 / 17,9 Tube / Shaft 28	
TIE ROD TUBE for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-CE0001	383917R1	Length 460 Threads W1" * 16 GR RHT Tube / Shaft 32	1026-1066-1086-1206-1256-1456-1466-1 486-1568-1586- 460- 544- 560- 656- 660- 666- 706- 756- 766- 806- 826- 856- 966- 986-100-186- 70 ALL HYDRO 5088- 5288- 5488
	TBR-CE0002	3125172R1	Length 382 Threads W7/8" * 16 UN 2B RHT Tube / Shaft 28	84- 268- 278- 584- 585- 595- 684- 685- 695- 784- 785- 884- 885- 895
	TRM-CE0002	1969842C1	Length 1265 Threads W1 1/8" * 16 RHT Tube / Shaft 38	7110- 7120- 7130- 7140-7150

	<p>TBR-CE0003</p>	<p>1280657C1</p>	<p>Length 434 Threads W1 1/8" * 12 RHT Tube / Shaft 42</p>	<p>7110- 7120- 7130- 7140- 7150- 5088- 5288- 5488</p>
	<p>TBR-CE0004</p>	<p>1534224C1</p>	<p>Length 912 Threads M24 * 1,5 RHT Tube / Shaft 30</p>	<p>5120- 5130- 5140- 5220- 5230- 5240- 5250</p>

TIE ROD TUBE for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-CE0005	247290A1	Length 847 Threads W1 1/4" * 12 RHT Tube / Shaft 42	8910- 8920- 8930- 8940- 8950
	TBR-CE0006	128642A1	Length 950 Threads W1 1/4" * 12 RHT Tube / Shaft 42	7110- 7120- 7130- 7140- 7150- 7210- 7220- 7230- 7240- 7250
	TBR-CE0007	1531201C1	Length 995 Threads M24 * 1,5 RHT Tube / Shaft 36	5120- 5130- 5140- 5220- 5230- 5240- 5250-5088- 5288- 5488- 7110- 7120- 7130- 7140- 7150
	TRM-CE0003	A35567	Length 938 Tube / Shaft 25	530CK- 580CK
	TRM-CE0004	A39120	Length 940 Tube / Shaft 28	
TIE ROD TUBE for CASE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-CE0008	D73397	Length 1067 Threads W7/8" * 18 RHT Tube / Shaft 36	480D- 480E- 480C- 580C- 580D- 580E
	TBR-IH0001	3116408R1	Length 412 Threads W7/8" * 16 2A RHT Tube / Shaft 28	
TIE ROD END for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-VP0002	3215030	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
INNER TIE ROD for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-CA0016	3240540 2111462	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0036	2164459	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0037	2198749	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0038	2198750	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0041	2172883	Length 405 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
AXIAL JOINT for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0008	2043080	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0009	2172910	Length 211 Threads M28 * 1,5 RHT	
TIE ROD for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0013	ABP3004404 2113400	Length 354 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	

	<p>TKR-CA0040</p>	<p>2099886</p>	<p>Length 566 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	<p>414E- 416D- 416E- 420D- 420E- 422E- 424D- 428D- 428E- 430D- 430E- 432D- 432E- 442D- 442E- ENGINE - MACHINE; 3054- 054B- 3054C- C4.4-</p>
	<p>TKR-CA0041</p>	<p>2097480</p>	<p>Length 513 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	<p>ENGINE - MACHINE; 3054C- 3054E- TELEHANDLER; TH220B- TH330B-</p>
	<p>TKR-CA0017</p>	<p>3241450</p>	<p>Length 457 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	
	<p>TKR-CA0026</p>	<p>2172915</p>	<p>Length 555 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	



TIE ROD for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0028	1987834	Length 557 Cones 28,9 / 32 Threads M28 * 1,5 RHT Tube / Shaft 40	
	TKR-CA0033	2074272	Length 441 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0034	2167465	Length 570 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD for CATERPILLAR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0035	2167468	Length 570 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CBT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0161	N7AS1160 0900801006	Length 101 Cones 16,3 / 19,8 Threads W1** 16 G 2A RHT	VT0133
	TRB-DG0162	N7AS1161 0900801005	Length 101 Cones 16,3 / 19,8 Threads W1** 16 G 2A LHT	VT0134
	TRB-DG0163	2100803055	Length 70 Cones 19,6 / 22,7 Threads W1** 16 G 2A RHT	VT0169
	TRB-DG0164	2500901086	Length 70 Cones 16,3 / 19,8 Threads W1** 16 G 2A LHT	VT0170
AXIAL JOINT for CBT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRM-MF0012	1500801094	Length 210 Threads M24 * 1,5 RHT	8060- 8260- 8460
TIE ROD for CBT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-MF0022	1500801093	Length 450 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 40	8060- 9450
	TKR-MF0028	1500801092	Length 463 Cones 23,7 / 26,7 Threads M24 * 1,5 RHT Tube / Shaft 40	8060- 8450
TIE ROD END for CHAMBERLAIN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CM0001	70728	Length 97 Cones 16,8 / 19,8 Threads W1" * 16 2A LHT	CHAMPION SERIE; 236- 306- MKIII- C6100- COUNTRYMAN 306- 354- C670
	TRB-CM0002	70727	Length 97 Cones 16,8 / 19,8 Threads W1" * 16 2A RHT	CHAMPION SERIE; 236- 306- MKIII- C6100- COUNTRYMAN 306- 354- C670
TIE ROD END for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0051	67681.0	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 RHT	
	TRB-CA0052	067681.0	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 LHT	
	TRB-VP0001	03215040	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 LHT	

	<p>TRB-VP0002</p>	<p>03215030</p>	<p>Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT</p>	
<p>INNER TIE ROD for CLAAS</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-JD0153</p>	<p>6000103260</p>	<p>Length 200 Cones 19,9 / 22,25 Threads M18 * 1,5 RHT</p>	<p>Ceres Serie; 65- 75- 85- 95- Cergos Serie; 340- 350- Ergos Serie; 85- 95- 105</p>
	<p>TRB-CA0005</p>	<p>6000103042</p>	<p>Length 260 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut</p>	
	<p>TRB-CA0006</p>	<p>6000103037</p>	<p>Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut</p>	
	<p>TRB-CA0007</p>	<p>6000104954</p>	<p>Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut</p>	
	<p>TRB-CA0012</p>	<p>6005018332</p>	<p>Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut</p>	

INNER TIE ROD for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0016	0324054.0 67680.0	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0024	6000103523	Length 240 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0026	0069788.0	Length 530 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0032	6000104513	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0033	6000104516	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
INNER TIE ROD for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
		319639.0 67682.0	Length 297 Cones 23,5 / 26 Threads M24 * 1,5 RHT	
AXIAL JOINT for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0002	0069789.0 6000103524	Length 209 Threads M24 * 1,5 RHT	Ares 547,Claas (Front axle 4wd, Claas)- Ares 557,Claas (Front axle 4wd, Claas) Überblick- Ares 567,Claas (Front axle 4wd, Claas)- Ares 577,Claas (Front axle 4wd, Claas)- Ares 617,Claas (Front axle 4wd, A87-2)- Ares 657,Claas (Front axle 4wd, Claas)- Ares 697,Claas (Front axle 4wd, Claas)
	TRM-MF0002	3196370 6000104512	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0011	6000103261	Length 175,5 Threads M18 * 1,5 RHT	
			Length 140 Threads M18 * 1,5 RHT	50 12LB- 50 12V- 55 12F- 55 12LB- 55 12V- 55 14LB- 55 14V- 55 14S- 70 12F- 70 12LB- 70 12SP- 70 14F- 70 14LB- 70

	TRM-DG0013	6000103045		14SP- 70 14V- 701 4F- 80 12F- 80 12SP- 80 12TX- 80 12V- 80 14F- 80 14SP- 80 14TX- 80 14V- DIONIS SERIE; 110- 120- 130- 140
	TRM-DG0017	6000103040	Length 176 Threads M18 * 1,5 RHT	70 14F- 80 14F- FRUCTUS SERIE; 130- 140
TIE ROD for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0030	6000104515	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0038	6000103323	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	Ares 547,Claas(Front axle 4wd Claas)- Ares 557,Claas(Front axle 4wd Claas)- Ares 567,Claas(Front axle 4wd Claas)- Ares 577,Claas(Front axle 4wd Claas)- Ares 617,Claas(Front axle 4wd Claas)- Ares 657,Claas(Front axle 4wd Claas)-
TIE ROD for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0002	6000102199	Length 228 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0003	6000102198	Length 228 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-DG0052	6000104511	Length 412 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	ARES SERIE; 547- 557- 567- 577- 617- 657- 697
	TKR-CA0005	6000103259	Length 344 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CLAAS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0009	6005018333	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	

	<p>TKR-CA0013</p>	<p>326936.0</p>	<p>Length 354 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	
	<p>TKR-CA0017</p>	<p>324145.0</p>	<p>Length 457 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	
	<p>TKR-CA0021</p>	<p>6000103518</p>	<p>Length 395 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	
	<p>TKR-CA0023</p>	<p>0069787.0</p>	<p>Length 690 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34</p>	

TIE ROD END for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0083	84272161 84488799	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	
	TRB-FT0084	84440541 84022165	Length 108 Cones 19,9 / 22,3 Threads W13/16" * 16 RHT	TX66- TX68
	TRB-FT0096	322169500	Length 65 Cones 20,00 Threads M20 * 1,5 RHT	L518- L520- L523- L525- L627
	TRB-FT0097	84039559	Length 66 Cones 20,00 Threads M20 * 1,5 RHT	CS540- CS640- CS6050- CS6080
	TRB-FT0098	89817755	Length 103 Cones 18,00 Threads M24 * 1,5 RHT	TC56- TC5070- TC5040
TIE ROD END for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0111	89811506	Length 58 Cones 18,2 / 20,4 Threads M20 * 1,5 RHT	TC56- TC5070- TC5040
	TRB-FT0026	5117314	Length 106 Cones 19,9 / 22,2 Threads M24 * 1,5 RHT	LAVERDA
	TRB-CE0022	86507390 86024884	Length 320 Cones 24,5 / 28 Threads W1/4" * 12 L 2A LHT	
	TRB-CE0029	86507389 86024885	Length 320 Cones 24,5 / 28 Threads W1 1/4" * 12 2A RHT	G170- G190- G190- G210- G240 - 8670- 8770- 8870- 8970

	TRB-FT0069	5117285	Length 106 Cones 20 / 22,2 Threads M24 * 1,5 RHT	
TIE ROD END for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0089	5098628	Length 100 Cones 18 / 20,2 Threads M20 * 1 LHT	TT55- TT65
	TRB-CA0050	83930617	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	Backhoe: 550- 555- 555A- 555B- 655- 655A
INNER TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0077	5143151	Length 1468 Cones 18 / 20,2 Threads M20 * 1 RHT Tube / Shaft 35	70 90DT- 80 90DT- 85 90DT- 72 93DT- 82 93DT- 88 93DT- 72 94DT- 82 94DT- 88 94DT
	TRB-CA0017	85805977	Length 318 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0028	85817682	Length 417 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0029	85825030	Length 395 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0043	85807976	Length 478 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO







	TRB-CA0044	5194240	Length 53 Cones 19,9 / 22 Threads M18 * 1,5 RHT	
	IRB-DG0017	81887549	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT Tube / Shaft 34	
	TRB-FT0076	5168932 84484867 84483769	Length 1428 Cones 18 / 20,2 Threads M20 * 1 RHT Tube / Shaft 35	TD80D- TD90D- TD95D- TL80- TL90- TL100- TL80A- TL90A- TL100A- TS80- TS90- -TS100- TS110- TS115
AXIAL JOINT for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0003	2026053 9967707	Length 138 Threads M18 * 1,5 RHT	
	TRM-CA0004	85805975	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0010	5194241	Length 110 Threads M18 * 1,5 RHT	

TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FT0045	5098653 5135076	Length 1370 Cones 18 / 20,2 Tube / Shaft 32	TD65- TD75
	TKR-FT0057	84488512 84245558 84488520	Length 1024 Cones 16,2 / 18,3 Tube / Shaft 28	
	TKR-FR0025	ZP0750137056	Length 518 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	TW5- TW15- TW25
	TKR-FR0026	ZP0750137057	Length 518 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	TW5- TW15- TW25
	TKR-FR0027	E1NN3A302AA	Length 461 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 22	5610- 6610- 7610- 7710- 7910- 8210
TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0028	ZP0501205206	Length 478 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT Tube / Shaft 36	5000- 5600- 5610- 6600- 6610- 7000- 7600- 7610
	TKR-FR0029	ZP0501205207	Length 478 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT Tube / Shaft 36	5000- 5600- 5610- 6600- 6610- 7000- 7600- 7610
	TKR-FR0030	E3NN3304BA	Length 1230 Cones 18 / 20,2 Tube / Shaft 30	4610
	TKR-FR0031	E6NN3280AA	Length 1455 Cones 17,3 / 19,8 Threads W1" * 16 2A RHT Tube / Shaft 35	455- 550- 555- 555A- 555B- 655










TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0004	9968015 CAR122599	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0006	9967709	Length 176 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0014	85805974	Length 469 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0025	85817683	Length 577 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0039	83983308	Length 315 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0044	85807974	Length 640 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0045	5194239 140316	Length 178 Cones 19,9 / 22 Threads M18 * 1,5 RHT	
TIE ROD for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DG0074	354729A1	Length 340 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	









	TKR-FT0036	5142245	Length 1650 Cones 18 / 20,2 Tube / Shaft 32	70 66- 80 66- 90 90- 100 90- 110 90- F100- F110- F115
	TKR-FT0039	5166075	Length 1030 Cones 18,2 / 20,2 Tube / Shaft 28	T3020- T3030- T3040- T4020- T4030- T4040
	TKR-FT0054	5168933 84484866 84483768 84483790	Length 1475 Cones 18 / 20,2 Tube / Shaft 35	TD80D- TD90D- TD95D- TL80- TL90- TL100- TL80A- TL90A- TL100A- TS80- TS90- -TS100- TS110- TS115
	TKR-FT0055	5143152 84423918	Length 1520 Cones 18 / 20,2 Tube / Shaft 35	70 90DT- 80 90DT- 85 90DT- 72 93DT- 8 93DT- 88 93DT- 72 94DT- 82 94DT- 88 94DT
TIE ROD TUBE for CNH / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-FT0001	588308	Length 400 Threads M20 * 1 RHT Tube / Shaft 26	400DT- 450DT- 615DT- 715DT- 315DT- 415DT









TIE ROD END for DAVID BROWN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0066	K965270	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	990 (AD4/47)- 990 (AD4/49)- 995- 996- 1290- 1390- 1490
	TRB-DB0003	K207721 K923766	Length 65 Cones 18,5 / 20,5 Threads W3/4" * 20 G RHT	1210- 1212- 1410- 1412- 885- 1190- 1290 1390- 1490- 1690- 990- 995- 996- 1194- 1294- 1394
	TRB-DB0004	K929057	Length 72,5 Cones 18,5 / 20,3 Threads W7/8" * 18 2A RHT Tube / Shaft ³¹	1210- 885- 990- 995- 996
	TRB-DB0007	K262850	Length 65 Cones 18,2 / 20,3 Threads W3/4" * 20 2A RHT	1210- 1212- 1410- 1412- 885- 1190- 1290 1390- 1490- 1690- 990- 995- 996- 1194- 1294- 1394
	TRB-CA0050	K260254	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	90 Series: 1690- 1690 Turbo- 94 Series: 1394- 1494- 1594- 1694
TIE ROD END for DAVID BROWN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0067	K965269	Length 95 Cones 16,2 / 18,3 Threads M22 * 1,5 LHT	990 (AD4/47)- 990 (AD4/49)- 995- 996- 1290- 1390- 1490
	TRB-CE0020	D88492	Length 95 Cones 19,5 / 22 Threads W7/8" * 18 LHT	200B-300B -400B- 430-430CK- 480B- 480CK- 530- 530CK- 580CK- 630- 580B
	TRB-CE0021	G45368	Length 80 Cones 15,5 / 17,7 Threads W11/16" * 18 G RHT	200B-300B -400B- 430-430CK- 480B- 480CK- 530- 530CK- 580CK- 630- 580B

	TRB-CE0030	D88491	Length 95 Cones 19,5 / 22 Threads W7/8" * 18 2A RHT	580F- 580G
TIE ROD END for DAVID BROWN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0031	G45369	Length 80 Cones 15,5 / 17,7 Threads W11/16" * 18 G LHT	
	TRB-DB0001	K908071	Length 92 Cones 15,5 / 18 Threads W3/4" * 20 G RHT	1200- 1210 (Lateral cyl.) - 1212 (Lateral cyl.) - 1410- 1412- 770- 780- 850- 880- 885- 1190- 1290- 1390- 1490- 1690- 950- 990- 995- 996
	TRB-DB0002	K207722 K915962	Length 100 Cones 18,5 / 20,5 Threads W3/4" * 20 RHT	1200- 1210- 1212- 1190- 1290- 1390- 990- 995- 996- 1494- 1594
TIE ROD END for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DZ0012	04310401	Length 62 Cones 28,8 / 32,3 Threads M18 * 1,5 6G RHT	10006- 6806- 7206- 8006- 6807- 7007- 7807- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- Agroprima 6.06- DX4.10- DX4.30- DX4.50- DX4.70- DX6.05- DX6.10- DX8.30- DX6.50- DX7.10- Dxab 110- Dxab 120- Dxab 145- Dxab 160- Dxab 250- Dxab 80- Dxab 85- Dxab 86- Dxab 90- Dxab 92- Dxbis 110- Dxbis 120- Dxbis 140- Dxbis 145- Dxbis 160- Dxbis 230- Dxbis 85- Dxbis 90- Wrac 2004
	TRB-DZ0011	02382013	Length 125 Cones 23,5 / 26,4 Threads M30 * 1,5 RHT	2505- 3005- 4005- 4505- 5005- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 10006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 6206- 6206F- 6206U- 6806- 6806F- 6806U- 7006- 7006F- 7006U 7206- 7206A- 7206F- 7206U- 7506- 7506F- 7506U- 8006- 8006F- 8006U- 9006- 9006A- 9006F- 9006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- 40- 50- DX110- DX110A- DX120- DX120A- DX80- DX80A- DX85- DX85A- DX86- DX86A- DX90- DX90A- DX92- DX92A
	TRB-DZ0013	03388475	Length 103 Cones 16,2 / 18,5 Threads M16 * 1,5 6G RHT	2505- 3005- 4005- 4505- 5005- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 10006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 6206- 6206F- 6206U- 6806- 6806F- 6806U- 7006- 7006F- 7006U 7206- 7206A- 7206F- 7206U- 7506- 7506F- 7506U- 8006- 8006F- 8006U- 9006- 9006A- 9006F- 9006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- 40- 50- DX110- DX110A- DX120- DX120A- DX80- DX80A- DX85- DX85A- DX86- DX86A- DX90- DX90A- DX92- DX92A
	TRB-DZ0016	02311074 02382761	Length 100 Cones 16,2 / 18,3 Threads M16 * 1,5 RHT	2505- 3005- 4005- 4505- 5005- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 10006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 6206- 6206F- 6206U- 6806- 6806F- 6806U- 7006- 7006F- 7006U 7206- 7206A- 7206F- 7206U- 7506- 7506F- 7506U- 8006- 8006F- 8006U- 9006- 9006A- 9006F- 9006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- 40- 401S- 402- 50- 501S- 502- 50/S
		02381195	Length 106	D SERIE, 2506- 3006- 4006- 4506- 4007- 4507- 4807- 5207- 6007- 6207

INNER TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DZ0004	04415653	Length 340 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT 38 Tube / Shaft	Agrotron 100 (APL2025) - Agrotron 110- Agrotron 80 (APL2025) - Agrotron 90 (APL2025) - Agrotron 100 (APL2025) - Agrotron 110- Agrotron 80 (APL2025) - Agrotron 90 (APL2025) - Agrotron 6.01 (APL2025) - Agrotron K100- Agrotron K90- Agrotron 100MKIII (APL2025) - Agrotron 105MKIII (APL2025) - Agrotron 80MKIII- Agrotron 85MKIII- Agrotron 90MKIII
	TRB-DZ0005	04415652	Length 340 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT 38 Tube / Shaft	Agrotron 100 (APL2025) - Agrotron 110- Agrotron 80 (APL2025) - Agrotron 90 (APL2025) - Agrotron 100 (APL2025) - Agrotron 110- Agrotron 80 (APL2025) - Agrotron 90 (APL2025) - Agrotron 6.01 (APL2025) - Agrotron K100- Agrotron K90- Agrotron 100MKIII (APL2025) - Agrotron 105MKIII (APL2025) - Agrotron 80MKIII- Agrotron 85MKIII- Agrotron 90MKIII- Agrotron 110- Agrotron 80- Agrotron 90-
	TRB-DZ0006	04415662	Length 330 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT 38 Tube / Shaft	Agrotron 120 (APL2045) - Agrotron 135 (APL2045) - Agrotron 150 (APL2045) - Agrotron 6.15 (APL2045) - Agrotron 6.20 (APL2045) - Agrotron 6.30 (APL2045) - Agrotron 120MKIII (APL2045) - Agrotron 135MKIII (APL2045) - Agrotron 150MKIII (APL2045) - Agrotron TTV1130 (APL2045) - Agrotron TTV1145 (APL2045) - Agrotron TTV1160 (APL2045)
	TRB-DZ0007	04415661	Length 330 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT 38 Tube / Shaft	Agrotron 120 (APL2045) - Agrotron 135 (APL2045) - Agrotron 150 (APL2045) - Agrotron 6.15 (APL2045) - Agrotron 6.20 (APL2045) - Agrotron 6.30 (APL2045) - Agrotron 120MKIII (APL2045) - Agrotron 135MKIII (APL2045) - Agrotron 150MKIII (APL2045) - Agrotron TTV1130 (APL2045) - Agrotron TTV1145 (APL2045) - Agrotron TTV1160 (APL2045)
	TRB-DZ0008	04415658	Length 390 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT Tube / Shaft 38	Agrotron 106 (APL2035) - Agrotron 110 (APL2035) - Agrotron 115 (APL2035) - Agrotron 6.00 (APL2035) - Agrotron 6.05 (APL2035) - Agrotron 106MKIII (APL2035) - Agrotron 110MKIII (APL2035) - Agrotron 115MKIII (APL2035)
INNER TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DZ0009	04415657	Length 390 Cones 24,6 / 28,5 Threads M24 * 1,5 RHT 38 Tube / Shaft	Agrotron 106 (APL2035) - Agrotron 110 (APL2035) - Agrotron 115 (APL2035) - Agrotron 6.00 (APL2035) - Agrotron 6.05 (APL2035) - Agrotron 106MKIII (APL2035) - Agrotron 110MKIII (APL2035) - Agrotron 115MKIII (APL2035) - Agrotron 108- Agrotron 118- Agrotron 128
	TRB-DZ0014	04358286	Length 225 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	6000- 6100- 6200- 6250HI- 6300- 6350HI- 6400- 6550HI- 6600- 6600E- 6650HI- 6750HI- 6800- 6800E- 6850HI- 6900- 8000- 8000LS- 8050- 8050E- 8050HI- 8050LS- 8100- 8100E- 8100LS- 8150- 8150HI- 8150LS- 8200- 8200E- 8350HI- 8400- 8400E- 8450- 8450E- 8450HI- 8550- 8550E- 8550HI- 8750- 8750E- 8950HI- T120- T130
	TRB-DZ0001	04388223	Length 271 Cones 23,5 / 26,5 Threads M22 * 1,5 6G RHT 36 Tube / Shaft	Agroprima 6.06- Agroprima 6.16- Agrostar 4.61- Agrostar 4.71- Agrostar 6.11- Agrostar 6.21- Agrostar 6.31- Agrostar 6.61- Agrostar 4.68 Freisicht- Agrostar 4.78 Freisicht- Agrostar 6.08 Freisicht- Agrostar 6.28 Freisicht- Agrostar 6.38 Freisicht- Agroextra 6.07- Agroextra 6.17

	TRB-DG0082	04383057	Length 365 Cones 23,5 / 26,4 Threads M22 * 1,5 RHT Tube / Shaft 40	AGROPRIMA SERIE- AGROSTAR SERIE- AGROSTAR FREISICHT SERIE- AGROXTRA SERIE- DX6 SERIE
	TRB-DZ0002	04392038	Length 209 Cones 23,5 / 26,5 Threads M22 * 1,5 6G RHT Tube / Shaft 36	Agroprima 4.31- Agroprima 4.56- Agroxtra 3.57- Agroxtra 4.07- Agroxtra 4.17- Agroxtra 4.47- Agroxtra 4.57
AXIAL JOINT for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0004	04358287	Length 202 Threads M22 * 1,5 RHT	AGROPRIMA 4.31- DX3 SERIE; 10SC- 10V- 10VC- 30SC- 30V/F- 30VC- 50S- 50SC- 50V/F- 50VC- 60SC- 60VC- 65SC- 65VC- 70SC- 70V/F- 70VC- 75VC- 80SC- 90F- 90S- 90SC- 90VC- DX4.11
	TRM-JD0035	04435178	Length 235 Threads M28 * 1,5 RHT	160- 175- 200- 230- 260- 210- 235- 265
	TRM-DG0016	04401801	Length 240 Threads M28 * 1,5 RHT	AGROSTAR (01-1990<=>12/1997)- AGROTRON (01/1995>)
	TRM-DZ0001	04388153	Length 209 Threads M22 * 1,5 RHT	Agroprima Serie; 4.31- 4.51- 4.56- 6.06- 6.16- Agrostar Serie; 4.61- 4.68- 4.71- 4.78- 6.08- 6.11- 6.21- 6.28- 6.31- Agrotron Serie; 6.00- 6.05- 6.07- 6.17- Agroxtra Serie; 3.57- 4.07- 4.17- 4.47- 4.57- 6.07- 6.17- DX6 Serie; 6.10- 6.11- 6.15- 6.17- 6.20- 6.21- 6.28- 6.30- 6.31- 6.38- 6.45- 6.50
	TRM-DZ0001	04383056	Length 136 Threads M22 * 1,5 6G RHT	Agroprima 6.06- Agroprima 6.16- Agrostar 4.61- Agrostar 4.71- Agrostar 6.11- Agrostar 6.21- Agrostar 6.31- Agrostar 6.61- Agrostar 4.68 Freisicht- Agrostar 4.78 Freisicht- Agrostar 6.08 Freisicht- Agrostar 6.28 Freisicht- Agrostar 6.38 Freisicht- Agroxtra 6.07- Agroxtra 6.17- DX6.10 (Bridge seat)- DX6.30 (Bridge seat)- DX6.50 (Bridge seat)
TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DZ0005	02311076	Length 990 Cones 14,4 / 16,25 Tube / Shaft 22	2505- 3005- 4005- 4505- 5005- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 0006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- Classique 40- 401S- 402- 50- 501S- 502- 50S-
	TKR-DZ0006	02372883	Length 1050 Cones 16,2 / 18,3 Tube / Shaft 30	2505- 3005- 4005- 4505- 5005- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 0006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- Classique 40- 401S- 402- 50- 501S- 502- 50S-

	TKR-DZ0007	03387874	Length 835-845,5-860,5 Cones 14,4 / 16,25 Tube / Shaft 22	2505-3005-4005-4505-5005-5505-7505-7505F-7505U 9005-9005F-9005U-0006-10006F-10006U-13006- 16006-2506-3006-3006F-4006-4006F/S-4006U-4506- 4506F-4506US-5006-5006F-5006U-5206-5206F- 5206U-5506-5506F-5506U-6006-6006F-6006U-2807- 3607-3607F-4007-4007F-4007U-4507-4507A-4507F- 4807-4807A-4807F-5207-5207A-5207F-6007-6007A- 6007F-6207-6207A-6207F-6507-6507A-6507F-6807- 6807A-6907-7007-7007A-7207-7207A-7807-7807A- 4507C-4807C-5207C-6007C-6207C-6507C-6807C- 6907C-7007C-7207C-7807C- Classique 40-401S-402-50-501S-502-50S-
	TKR-DZ0010	02382758	Length 963 Cones 12,6 / 14,2 Threads M16 * 1,5 RHT Tube / Shaft 22	05-4005-06-2506-3006-4006-4506-
	TKR-DZ0011	03387861	Length 970 Cones 14,4 / 18,1 Tube / Shaft 24	Classique 40
TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DZ0012	02315659	Length 1165 Cones 16,2 / 18,2 Tube / Shaft 28	06-5506-6206-07-6207-6507-6907
	TKR-DZ0013	03387880	Length 1030 Cones 12,6 / 14,2 Threads M16 * 1,5 RHT Tube / Shaft 22	Classique-25-30-40-
	TKR-DZ0014	02382763	Length 960 Cones 14,4 / 16,2 Tube / Shaft 30	4006-4506-5206-5506-6206
	TKR-DZ0015	02372884	Length 1045 Cones 16,2 / 18,2 Tube / Shaft 26	
	TKR-DZ0016	03389813	Length 1199 Cones 16,2 / 18,2 Tube / Shaft 26	

TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DZ0017	03387877	Length 975 Cones 12,6 / 14,2 Tube / Shaft 26	Classique- 25- 30- 40
	TKR-DZ0018	02382765	Length 975 Cones 16,2 / 18,2 Tube / Shaft 26	4006- 4506- 5006- 5206
	TKR-DZ0019	02311093	Length 960 Cones 16,2 / 18,2 Threads M16 * 1,5 RHT 26 Tube / Shaft	2505- 3005- 4005- 4505- 5005- 5505- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 10006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U/S- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 6206- 6206F- 6206U- 6806- 6806F- 6806U- 7006- 7006F- 7006U 7206- 7206A- 7206F- 7206U- 7506- 7506F- 7506U- 8006- 8006F- 8006U- 9006- 9006A- 9006F- 9006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- 40- 40/1S- 40/2- 50- 50/1S- 50/2- 50/S
	TKR-DZ0021	02315578	Length 1088 Cones 20 / 22,2 Threads M24 * 1,5 RHT Tube / Shaft 35	10006- 7006- 8006
	TKR-DZ0024	02382767 02311890	Length 1100-1130 Cones 16,2 / 18,2 Tube / Shaft 26	
	TKR-DZ0026	02315361	Length 1030 Cones 16,2 / 18,5 Tube / Shaft 28	4507 (Hydrostatic steering)- 4807 (Hydrostatic steering)- 5207 (Hydrostatic steering)- 6007 (Hydrostatic steering)
	TKR-DZ0027	02322881	Length 1453 Cones 16,2 / 18,3 Tube / Shaft 40	2505- 3005- 4005- 4505- 5005- 5505- 5505- 7505- 7505F- 7505U 9005- 9005F- 9005U- 10006- 10006F- 10006U- 13006- 16006- 2506- 3006- 3006F- 4006- 4006F/S- 4006U- 4506- 4506F- 4506U/S- 5006- 5006F- 5006U- 5206- 5206F- 5206U- 5506- 5506F- 5506U- 6006- 6006F- 6006U- 6206- 6206F- 6206U- 6806- 6806F- 6806U- 7006- 7006F- 7006U 7206- 7206A- 7206F- 7206U- 7506- 7506F- 7506U- 8006- 8006F- 8006U- 9006- 9006A- 9006F- 9006U- 2807- 3607- 3607F- 4007- 4007F- 4007U- 4507- 4507A- 4507F- 4807- 4807A- 4807F- 5207- 5207A- 5207F- 6007- 6007A- 6007F- 6207- 6207A- 6207F- 6507- 6507A- 6507F- 6807- 6807A- 6907- 7007- 7007A- 7207- 7207A- 7807- 7807A- 4507C- 4807C- 5207C- 6007C- 6207C- 6507C- 6807C- 6907C- 7007C- 7207C- 7807C- 40- 40/1S- 40/2- 50- 50/1S- 50/2- 50/S
	TKR-DG0036	02311074 02382761	Length 967 Cones 12,4 / 14,5 Tube / Shaft 26	2505- 3005- 4005- 4505- 5005- 5505- 5505- 7505- 9005- 10006- 3006- 4006- 5006- 7006- 7206- 2807- 3607- 4007- 4507- 5207- 6007- 4507- 4807- 5207- 6007- 40- 40/1S- 40/2- 50- 50/1S- 50/2- 50/S

	TKR-DG0038	3388983	Length 975 Cones 14,4 / 16,3 Tube / Shaft 22	2505-3005-4005-4505-5005-5505-7505-9005-10006-3006-4006-5006-7006-7206-2807-3607-4007-4507-5207-6007-4507-4807-5207-6007-40-40/1S-40/2-50/1S-50/2-50/S
TIE ROD for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DG0039	04433874	Length 470 Cones 28 / 32,3 Threads M28 * 1,5 RHT Tube / Shaft 40	
	TKR-DZ0003	03387860	Length 850 Cones 14,5 / 16,5 Tube / Shaft 21,3	2505-3005-4005-4505-5005-5505-7505-7505F-7505U-9005-9005F-9005U-0006-10006F-10006U-13006-16006-2506-3006-3006F-4006-4006F/S-4006U-4506-4506F-4506US-5006-5006F-5006U-5206-5206F-5206U-5506-5506F-5506U-6006-6006F-6006U-2807-3607-3607F-4007-4007F-4007U-4507-4507A-4507F-4807-4807A-4807F-5207-5207A-5207F-6007-6007A-6007F-6207-6207A-6207F-6507-6507A-6507F-6807-6807A-6807F-7007-7007A-7207-7207A-7807-7807A-4507C-4807C-5207C-6007C-6207C-6507C-6807C-6907C-7007C-7207C-7807C-7807C-Classicque-40-40/1S-40/2-50-50/1S-50/2-50/S
	TKR-DZ0004	02311068	Length 975 Cones 14,5 / 16,5 Tube / Shaft 21,3	2505-3005-4005-4505-5005-5505-7505-7505F-7505U-9005-9005F-9005U-0006-10006F-10006U-13006-16006-2506-3006-3006F-4006-4006F/S-4006U-4506-4506F-4506US-5006-5006F-5006U-5206-5206F-5206U-5506-5506F-5506U-6006-6006F-6006U-2807-3607-3607F-4007-4007F-4007U-4507-4507A-4507F-4807-4807A-4807F-5207-5207A-5207F-6007-6007A-6007F-6207-6207A-6207F-6507-6507A-6507F-6807-6807A-6807F-7007-7007A-7207-7207A-7807-7807A-4507C-4807C-5207C-6007C-6207C-6507C-6807C-6907C-7007C-7207C-7807C-Classicque-40-40/1S-40/2-50-50/1S-50/2-50/S
TIE ROD TUBE for DEUTZ	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-SY0003	02378936	Length 1105 Threads M24 * 1,5 RHT Tube / Shaft 40	5006-5206-5506-6206
TIE ROD END for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FE0070	G155302120150	Length 70 Cones 20 / 22,2 Threads M20 * 1,5 RHT	Farmer 100-102-102LS-102LSA-102S-102SA-103-103LS-103LSA-103S-103SA-105-105LS-105LSA-105S-105SA-Farmer 300-303LS (2WD + 4WD)-304LS (2WD + 4WD)-304LSA (2WD + 4WD)-305LS (2WD + 4WD)-305LSA (2WD + 4WD)-306LS (2WD + 4WD)-306LSA (2WD + 4WD)-307 (2WD + 4WD)-307C (2WD + 4WD)-307LS (2WD + 4WD)-307LSA (2WD + 4WD)-308 (2WD + 4WD)-308C (2WD + 4WD)-308LS (2WD + 4WD)-308LSA (2WD + 4WD)-309 (2WD + 4WD)-309C (2WD + 4WD)-311LSA (2WD + 4WD)-Favorit 600-600LS-600LSA-610LS-610LSA-610S-610SA-611LS-611LSA-611S-611SA-612LSA-612SA-614LSA-614SA-615LSA-622LSA-628LSA-F360GTF-F360GTH-F380GT-F380GTA-F380GTH
	TRB-FE0071	F150403090050	Length 60 Cones 20 / 22,2 Threads M18 * 1,5 RHT	Favorit 600-600LS-600LSA-610LS-610LSA-610S-610SA-611LS-611LSA-611S-611SA-612LSA-612SA-614LSA-614SA-615LSA-615LSA-615LSA-622LSA-628LSA
	TRB-FE0072	X800210029000	Length 92 Cones 14,4 / 16,2 Threads M18 * 1,5 RHT	Farmer 100-102-102LS-102LSA-102S-102SA-103-103LS-103LSA-103S-103SA-105-105LS-105LSA-105S-105SA



	<p>TRB-FE0073</p>	<p>F150403090040</p>	<p>Length 70 Cones 19,95 / 22,3 Threads M18 * 1,5 RHT</p>	<p>Favorit 600- 600LS- 600LSA- 610LS- 610LSA- 610S- 610SA- 611LS- 611LSA- 611S- 611SA- 612LSA- 612SA- 612SA- 614LSA- 614SA- 615LSA- 622LSA- 626LSA</p>
	<p>TRB-FE0059</p>	<p>X800210015000</p>	<p>Length 120 Cones 23,5 / 26 Threads M24 * 1,5 RHT</p>	<p>Farmer 300- 303LS (2WD)- 304LS (2WD)- 304LSA (2WD)- 305LS (2WD)- 305LSA (2WD)- 306LS (2WD)- 306LSA (2WD)- 307 (2WD)- 307C (2WD)- 307LS (2WD)- 307LSA (2WD)- 308 (2WD)- 308C (2WD)- 308LS (2WD)- 308LSA (2WD)- 309 (2WD)- 309C (2WD)- 309LS (2WD)- 309LSA (2WD)- 310 (2WD)- 310LSA (2WD)- 311 (2WD)- 311LSA (2WD)</p>
	<p>TRB-FE0075</p>	<p>X800210032000</p>	<p>Length 146 Cones 27 / 30,5 Threads M36 * 1,5 6G RHT Tube / Shaft ⁵⁰</p>	<p>Farmer 100- 102- 102LS- 102LSA- 102S- 102SA- 103- 103LS- 103LSA- 103S- 103SA- 105- 105LS- 105LSA- 105S- 105SA</p>
	<p>TRB-FE0077</p>	<p>X800210051000</p>	<p>Length 70 Cones 20 / 22,2 Threads M20 * 1,5 RHT</p>	<p>Farmer 100- 102- 102LS- 102LSA- 102S- 102SA- 103- 103LS- 103LSA- 103S- 103SA- 105- 105LS- 105LSA- 105S- 105SA- Farmer 300- 303LS- 304LS- 305LS- 306LS- 307LS- 308LS- Favorit 600- 600LS- 600LSA- 610LS- 610LSA- 610S- 610SA- 611LS- 611LSA- 611S- 611SA- 612LSA- 612SA- 614LSA- 614SA- 615LSA- 622LSA- 626LSA</p>
	<p>TRB-FE0078</p>	<p>X800210028000</p>	<p>Length 92 Cones 14,4 / 16,2 Threads M20 * 1,5 RHT</p>	<p>Farmer 100- 102- 102LS- 102LSA- 102S- 102SA- GT Kommunal- F231GT Kommunal (2WD) - GT Porte-outils- F231GT (2WD)</p>
	<p>TRB-FE0082</p>	<p>G222302120210</p>	<p>Length 85 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT</p>	<p>206S- 207S- 208P- 208PNA- 209S</p>
	<p>TRB-FE0060</p>	<p>X800210024000</p>	<p>Length 101 Cones 18,1 / 20,6 Threads M20 * 1,5 6G LHT</p>	<p>102- 102LS- 102LSA- 102S- 102SA- 103- 103LS- 103LSA- 103S- 103SA- 104LS- 104LSA- 104S- 104SA- 105- 105LS- 105LSA- 105S- 105SA- 108LS- 108LSA- 108S- 108SA</p>

TIE ROD END for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FE0083	G222302120200	Length 85 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	206S- 207S- 208P- 208PNA- 209S
	TRB-FE0086	F168300100010	Length 340 Cones 20 / 22,2 Threads M22 * 1,5 6G RHT Tube / Shaft 34	Farmer 300- 312- 312LSA- Favorit 500- 512- 514- 515- GT Porte-outils- F390GTA- F395GTA
	TRB-FE0087	F168300100020	Length 340 Cones 20 / 22,2 Threads M22 * 1,5 6G RHT Tube / Shaft 34	Farmer 300- 312- 312LSA- Favorit 500- 512- 514- 515- GT Porte-outils- F390GTA- F395GTA
	TRB-FE0092	G155302120160	Length 72 Cones 20 / 22,2 Threads M20 * 1,5 LHT	Farmer 200- 250S (4WD) - 250SA (4WD) - 250V (4WD) - 250VA (4WD) - 260P (4WD) - 260PA (4WD) - 260S (4WD) - 260SA (4WD) - 260VA (4WD) - 260VA (4WD) - 270P (4WD) - 270PA (4WD) - 270V (4WD) - 270VA (4WD) - 275SA (4WD) - 275VA (4WD) - 280P (4WD) - 280PA (4WD)
	TRB-FE0061	X800210023000	Length 106 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT	106LS- 106LSA- 106S- 106SA- 108LS- 108LSA- 108S- 108SA- 303LS (2WD + 4WD) - 304LS (2WD + 4WD) - 304LSA (2WD + 4WD) - 305LS (2WD + 4WD) - 305LSA (2WD + 4WD) - 307 (2WD + 4WD) - 307C (2WD + 4WD) - 307LS (2WD + 4WD) - 307LSA (2WD + 4WD) - 308 (2WD + 4WD) - 308C (2WD + 4WD) - 308LS (2WD + 4WD) - 308LSA (2WD + 4WD) - 309 (2WD + 4WD) - 309C (2WD + 4WD) - 309LS (2WD + 4WD) - 309LSA (2WD + 4WD) - 310 (2WD + 4WD) - 310LSA (2WD + 4WD) - 311 (2WD + 4WD) - 311LSA (2WD + 4WD)
TIE ROD END for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FE0093	G155302120200	Length 77 Cones 20 / 22,2 Threads M22 * 1,5 6G RHT	Farmer 200- 250S (4WD) - 250SA (4WD) - 250V (4WD) - 250VA (4WD) - 260P (4WD) - 260PA (4WD) - 260S (4WD) - 260SA (4WD) - 260VA (4WD) - 270P (4WD) - 270PA (4WD) - 270V (4WD) - 270VA (4WD) - 275SA (4WD) - 275VA (4WD) - 280P (4WD) - 280PA (4WD)
	TRB-FE0094	G155302120210	Length 77 Cones 20 / 22,2 Threads M22 * 1,5 6G RHT	Farmer 200- 250S (4WD) - 250SA (4WD) - 250V (4WD) - 250VA (4WD) - 260P (4WD) - 260PA (4WD) - 260S (4WD) - 260SA (4WD) - 260VA (4WD) - 270P (4WD) - 270PA (4WD) - 270V (4WD) - 270VA (4WD) - 275SA (4WD) - 275VA (4WD) - 280P (4WD) - 280PA (4WD)
	TRB-FE0095	X800210019000	Length 52 Cones 20 / 22,2 Threads M20 * 1,5 6G RHT	Farmer 300- 312- 312LSA
	TRB-FE0096	F380306100020	Length 445 Cones 20 / 22,2 Threads M22 * 1,5 6G RHT	

	TRB-FE0097	X800210056000	Length 82 Cones 20 / 22,2 Threads M20 * 1,5 6G RHT	BD-DGD4 (2WD)
INNER TIE ROD for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0013	X800210044000	Length 141 Cones 23,5 / 26,5 Threads M36 * 1,5 RHT	600LS-600LSA-610LS-610LSA-610S-610SA-611LS-611LSA-611S-611SA-612LSA-612SA-614LSA-614SA-615LSA-622LSA-626LSA
	TRB-FE0064	F816300100010	Length 410 Cones 28,8 / 32,3 Threads M28 * 1,5 6G RHT Tube / Shaft 40	Favorit 800-816-818-822-824- Favorit 900-916-920-924-926
	TRB-FE0065	F168303100030	Length 333 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	Farmer 300-303LS-304LS-304LSA-305LS-305LSA-306LS-306LSA-307-307C-307LS-307LSA-308-308C-308LS-308LSA- GT Porte-outils- F380GT- F380GTA- F380GTH
	TRB-FE0066	F816300100020	Length 410 Cones 28,8 / 32,3 Threads M28 * 1,5 6G RHT Tube / Shaft 40	Farmer 300-307-307C-307LS-307LSA-308-308C-308LS-308LSA- Favorit 800-816-818-822-824- Favorit 900-916-920-924-926- GT Porte-outils- F380GT- F380GTA- F380GTH
	TRB-FE0067	F514300100020	Length 415 Cones 24,6 / 28,5 Threads M22 * 1,5 6G RHT Tube / Shaft 36	Farmer 300-312-312LSA- Favorit 500-512-514-515- GT Porte-outils- F390GTA- F395GTA
INNER TIE ROD for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FE0068	F514300100010	Length 415 Cones 24,6 / 28,5 Threads M22 * 1,5 6G RHT Tube / Shaft 36	Farmer 300-312-312LSA- Favorit 500-512-514-515- GT Porte-outils- F390GTA- F395GTA
	TRB-FE0069	F198300100010	Length 385 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT Tube / Shaft 36	Farmer 300-309-310-311- GT Porte-outils- F380GT- F390GTA
			Length 385 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT	Farmer 300-309-310-311- GT Porte-outils- F380GT- F390GTA

	TRB-FE0074	F198300100020	Tube / Shaft 46	
	TRB-FE0076	F385300100010	Length 225 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	Favorit 600- 600LS- 600LSA- 610LS- 610LSA- 610S- 610SA- 611LS- 611LSA- 611S- 611SA- 612LSA- 612SA- 614LSA- 614SA- 615LSA- 622LSA- 626LSA
	TRB-FE0079	F716300100010	Length 395 Cones 24,7 / 28,5 Threads M26 * 1,5 RHT Tube / Shaft 38	FAVORIT SERIE: 711- 712- 712NA- 714- 714NA- 716- 716NA- 718- 815- 815NA- 817- 817NA- 818- 818NA- 820
INNER TIE ROD for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FE0080	F409302110010	Length 313 Cones 24,625 / 28,5 Threads M26 * 1,5 6G RHT Tube / Shaft 38	Farmer 400- 409- 409NA- 410- 410NA- 411- 411NA- 412- 412NA
	TRB-FE0081	F926301100020	Length 350 Cones 34,3 / 38,3 Threads M28 * 1,5 RHT Tube / Shaft 40	FAVORIT SERIE: 816- 818- 822- 824- 916- 918NA- 920- 920NA- 924- 924NA- 926- 926NA- 930- 930NA
	TRB-FE0084	F411301101010	Length 360 Cones 24,6 / 28,475 Threads M26 * 1,5 6G RHT Tube / Shaft 38	Farmer 400- 409- 409NA- 410- 410NA- 411- 411NA- 412- 412NA
	TRB-FE0085	F716300100020	Length 395 Cones 24,7 / 28,6 Threads M26 * 1,5 RHT Tube / Shaft 38	FAVORIT SERIE: 711- 712- 712NA- 714- 714NA- 716- 716NA- 718- 815- 815NA- 817- 817NA- 818- 818NA- 820
	TRB-FE0091	F411301100010	Length 365 Cones 24,65 / 28,525 Threads M26 * 1,5 6G RHT Tube / Shaft 38 Notes With nut	

	TRM-FE0008	F198300100030 F380306100010		F380GT- F380GTA- F380GTH
	TRM-FE0009	F816300100060	Length 245,5 Threads M28 * 1,5 6G RHT	Favorit 800- 816- 818- 822- 824- Favorit 900- 916- 920- 924- 926
AXIAL JOINT for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FE0010	F385300100020	Length 204 Threads M24 * 1,5 6G RHT	Favorit 600- 611LS- 611LSA- 611S- 611SA- 612LSA- 612SA- 614LSA- 614SA- 615LSA
TIE ROD for FENDT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FE0012	F138314020010	Length 1275 Cones 20 / 22,2 Threads M24 * 1,5 6G RHT Tube / Shaft 30	Farmer 300- 312- 312LSA- Favorit 500- 512- 514- 515- GT Porte-outils- F390GTA- F395GTA
	TKR-FE0013	G231401030012	Length 514 Cones 14,4 / 16,2 Threads M20 * 1,5 6G RHT Tube / Shaft 24	
	TKR-FE0014	G231401030022	Length 465 Cones 14,4 / 16,2 Threads M20 * 1,5 6G RHT Tube / Shaft 24	
TIE ROD END for FERMEC	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	3523985M91	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
	TRB-CA0051	6190217M91	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 RHT	
	TRB-CA0052	6190218M91	Length 115 Cones 23,5 / 26 Threads M28 * 1,5 LHT	
TIE ROD for FERMEC	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TKR-CA0015	6193675M91	Length 400 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0038	6194019M91	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD END for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0010	44078662 62750013 62750017 62751001 5178390	Length 101 Cones 18 / 20,3 Threads M24 * 1,5 RHT	CLASSIQUE SERIE- SOMECA; 40- 45- 50- 55- 511- 615- 715- 800-
	TRB-FT0012	4954941 4987961 5109526	Length 80 Cones 16,2 / 18,3 Threads M20 * 1 RHT	SERIE; 46- 56- 66- 76- 86- 88- 90- 93- 94- CLASSIQUE; 350DT- 466- 466DT- 566- 570- 580- 650- 666- 670- 680- 750- 780- 880- 980- WINNER SERIE; F100DaI- f100Fino- f110- f120- f130- f140
	TRB-FT0013	4955011 4982356 5109553	Length 80 Cones 18 / 20,2 Threads M20 * 1 RHT	SERIE; 46- 56- 66- 76- 86- 88- 90- 93- 94- CLASSIQUE; 350DT- 466- 466DT- 566- 570- 580- 650- 666- 670- 680- 750- 780- 880- 980- SERIE L; L60- L65- L75- L85(09/95->12/98)- L95(09/95->12/98)- WINNER SERIE; F100DaI- f100Fino- f110- f120- f130- f140
	TRB-FT0019	4956562	Length 80 Cones 18,2 / 20,2 Threads M20 * 1 RHT	SERIE; 46- 56- 66- 76- 86- 88- 90- 93- 94- CLASSIQUE; 350DT- 466- 466DT- 566- 570- 580- 650- 666- 670- 680- 750- 780- 880- 980- SERIE L; L60- L65- L75- L85(09/95->12/98)- L95(09/95->12/98)- WINNER SERIE; F100DaI- f100Fino- f110- f120- f130- f140
	TRB-FT0020	44078446 44078668	Length 80 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	CLASSIQUE SERIE; 570- 580- 650 (Spécial)- 666- 670- 680- 750 (Spécial)- 780- 850- 880- 980- SOMECA SERIE; SOM40- SOM45- SOM50- SOM511- SOM55- SOM615- SOM715- SOM800










TIE ROD END for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0021	5119377	Length 90 Cones 20 / 22,3 Threads M24 * 1,5 RHT	55 46- 80 66-
	TRB-FT0023	5085077	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	54C
	TRB-FT0003	588309	Length 92 Cones 14,8 / 15,9 Threads M20 * 1,5 RHT	250DT- 300DT- 312R- 315- 400- 400DT- 415- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640
	TRB-FT0025	4988567	Length 92 Cones 14,8 / 15,9 Threads M22 * 1,5 RHT	450- 450DT
	TRB-FT0026	5117314 87542553	Length 106 Cones 19,9 / 22,2 Threads M24 * 1,5 RHT	70 66DT- 80 66DT- 100 90DT- 110 90DT- 115 90DT- 130 90DT- 140 90DT- 160 90DT- 180 90DT- CLASIQUE SERIE; 1180- 1280- 1380- 1580- 1880- WINNER SERIE; F120- F130- F140
TIE ROD END for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0027	5115341	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 RHT	CLASSIQUE; 1000- 1000DT- 1000N- 1000S- 1180- 1180DT- 1280- 1280DT- 1300DT- 1380- 1380DT- 1580- 1580DT- 1880- 1880DT- 650- 750- 850 SPECIAL- 880- 900- SOMECA; SOM40- SOM45- SOM50- SOM511- SOM55- SOM615- SOM715- SOM800
	TRB-FT0028	5106716	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 RHT	650- 650DT- 750DT- 850- 1000- 1300- 880- 980- 1280- 1380- 1580
	TPR-FT0001	9960076	Length 361 Cones 18 / 20 Threads M16 * 1,5 RHT Tube / Shaft ²²	SERIE 46- SERIE 56- SERIE 66- SERIE 76- SERIE 86- SERIE 88- SERIE 90- SERIE 93- SERIE 94
	TRB-FT0004	588310	Length 92 Cones 14,8 / 15,9 Threads M22 * 1,5 RHT	250DT- 300DT- 312R- 315- 400- 400DT- 415- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640

	TPR-FT0004	9962673	Length 334 Threads M16 * 1,5 RHT Tube / Shaft ²² Notes Only for Turkish Models	SERIE 56- SERIE 66- SERIE 76- SERIE 86- SERIE 88- SERIE 90- SERIE 93- SERIE 94
TIE ROD END for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TPR-FT0005	9962188	Length 346,5 Threads M18 * 1,5 RHT Tube / Shaft ²⁵ Notes Only for Turkish Models	80 66
	TRB-FT0047	44908514	Length 100 Cones 19,9 / 22,3 Threads M24 * 1,5 RHT	60 76F- 60 76FDT- 80 76DT- 80 76F- 62 86F- 82 86DT- 82 86F- 82 86LP
	TPR-FT0006	9957923	Length 361 Cones 18 / 20,2 Threads M16 * 1,5 RHT Tube / Shaft ²²	850DT- 1000DT- 1300DT
	TPR-FT0011	5080092	Length 361 Cones 18 / 20 Threads M16 * 1,5 RHT Tube / Shaft ²² Notes Only for Turkish Models	80 66DT
	TPR-FT0012	5080087	Length 334 Threads M16 * 1,5 RHT Tube / Shaft ²² Notes Only for Turkish Models	54C
TIE ROD END for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0006	5085075	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	55 46- 55 46DT- 60 46- 60 46DT- 65 46- 65 46DT-
	TRB-FT0074	5178390	Length 100 Cones 18 / 20,2 Threads M24 * 1,5 RHT	L60- L65- L75- L85- L95
	TRB-DG0073	SF078474	Length 54 Cones 19,9 / 22,2 Threads M18 * 1,5 LHT	SOMECA;SOM40- SOM45- SOM50- SOM511- SOM55- SOM615- SOM715

	<p>TRB-FT0007</p>	<p>5085076</p>	<p>Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 LHT</p>	<p>55 46- 55 46DT- 60 46- 60 46DT- 65 46- 65 46DT-</p>
<p>OUTER TIE ROD for FIAT</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-FT0001</p>	<p>596196</p>	<p>Length 285 Cones 14,8 / 15,9 Tube / Shaft 19,7 Slots 5 Notes Only for Turkish Models</p>	<p>411- 415- 450- 480</p>
	<p>TRB-FT0009</p>	<p>5011757</p>	<p>Length 390 Cones 18,2 / 20,4 Tube / Shaft 20 Slots 7</p>	<p>570- 670- 580- 680- 780- 850- 900- 1000</p>
	<p>TRB-FT0011</p>	<p>44078666</p>	<p>Length 390 Cones 16,2 / 18,3 Tube / Shaft 20 Slots 7</p>	<p>650- 650 SPECIAL- 750 SPECIAL- 580- 680- 780- 880</p>
	<p>TRB-FT0014</p>	<p>62750005 62751009</p>	<p>Length 380 Cones 18,2 / 20,2 Tube / Shaft 22 Slots 7</p>	<p>CLASSIQUE SERIE; 1000 (Osborne)- 1000 Sup (Osborne)- 1000DT (Osborne)- 1000N (Osborne)- 1000S (Osborne)-900 (Osborne)</p>
	<p>TRB-FT0015</p>	<p>62750004 62751006</p>	<p>Length 380 Cones 18,2 / 20,2 Tube / Shaft 22 Slots 7</p>	<p>CLASSIQUE SERIE; 1000 (Osborne)- 1000 Sup (Osborne)- 1000DT (Osborne)- 1000N (Osborne)- 1000S (Osborne)-900 (Osborne)</p>

OUTER TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0016	4998775 4998975 5109530	Length 640 Cones 16,2 / 18,3 Tube / Shaft 20 Slots 6	SERIE 46- SERIE 56- SERIE 66- SERIE 76- SERIE 86- SERIE 88- SERIE 90- SERIE 93- SERIE 94- CLASSIQUE SERIE; 466- 466DT- 566- 570- 580- 650- 666- 670- 680- 766- 780- 880- 980- WINNER SERIE; F100Dal- F100Fino- F110- F115- F120- F130- F140
	TRB-FT0022	594409	Length 385 Cones 14,8 / 15,9 Tube / Shaft 19,7 Slots 7	400- 480- 500- 540- 550- 600- 640
	TRB-FT0024	5087289	Length 230 Cones 16,2 / 18,3 Tube / Shaft 20 Slots 3	54C SPECIAL
	TRB-FT0033	62750007	Length 415 Cones 16,2 / 18,2 Tube / Shaft 20 Slots 7	CLASSIQUE SERIE; 750 SPECIAL- 850- SOMECA SERIE; SOM715- SOM800
	TRB-FT0045	5109529	Length 390 Cones 16,2 / 18,3 Tube / Shaft 20 Slots 6	SERIE 46- SERIE 56- SERIE 66- SERIE 76- SERIE 86- SERIE 88- SERIE 90- SERIE 93- SERIE 94- CLASSIQUE SERIE; 466- 466DT- 566- 570- 580- 650- 666- 670- 680- 780- 880- 980
OUTER TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0048	596196 4988565	Length 375 Cones 14,5 / 15,6 Tube / Shaft 22 Slots 7	400- 400DT- 415- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640
	TRB-FT0005	5085085	Length 540 Cones 16,2 / 18,3 Tube / Shaft 20 Slots 4	55 46- 55 46DT- 60 46- 60 46DT- 65 46- 65 46DT-
	TRB-FT0073	5178378	Length 888 Cones 18,2 / 20,5 Tube / Shaft 23,8 Slots 7	L60- L65- L75- L85- L95
	TRB-FT0075	62750010	Length 415 Cones 16,2 / 18,5 Tube / Shaft 20 Slots 7	CLASSIQUE SERIE; 650 SPECIAL- 850- SOMECA SERIE; SOM800




	TRB-FT0090	5166077	Length 740 Cones 18 / 20 Tube / Shaft Slots 19,7 7	TL65- TL70- TL80- TL90- TL100- TN55- TN65- TN70- TN75- 3430- 3930- 4130- 4630- 6830- 5030- 5635- 6635
OUTER TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0074	4954942	Length 385 Cones 16,2 / 18 Tube / Shaft 19,7 Slots 7	650- 650 S- 750- 750 S- 60 66- 70 66- 80 66- 60 76- 70 76- 80 76- 62 86- 70 86- 82 86
INNER TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0008	569338	Length 490 Cones 15 / 16,7 Tube / Shaft 26	411R- 421
	TRB-FT0002	596200	Length 457 Cones 14,8 / 15,9 Tube / Shaft 26	411- 415- 450- 480- 540- 640
	TRB-FT0017	4961757	Length 440 Cones 15 / 16,6 Tube / Shaft 26	CLASSIQUE SERIE; 400- 400DT- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640
	TRB-FT0018	4961886	Length 417 Cones 14,8 / 15,9 Tube / Shaft 26	450- 500
AXIAL JOINT for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	85805975	Length 175 Threads M18 * 1,5 RHT	ALLIS
TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FT0001	44078661	Length 1327 Cones 18 / 20,3 Threads M24 * 1,5 RHT Tube / Shaft 28	2011- 2511- 3011- 3511- 3513- 3545- 4011- 4511- 4611- SOM750DT

	TKR-FT0002	5113776	Length 1050 Cones 14,8 / 15,9 Tube / Shaft 26	415- 450- 480- 500- 540
	TKR-FT0003	5113782	Length 1167 Cones 14,8 / 15,9 Tube / Shaft 26	600- 640
	TKR-FT0004	5085073	Length 1200 Cones 16,2 / 18,3 Tube / Shaft 28	55 46- 65 46
	TKR-FT0006	5088271	Length 1043 Cones 16,2 / 18,3 Tube / Shaft 28	54C SPECIAL
TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FT0007	5085080	Length 1215 Cones 16,2 / 18,3 Tube / Shaft 28 Notes Only for Turkish Models	55 46- 65 46
	TKR-FT0008	4961754	Length 480 Cones 14,8 / 15,9 Tube / Shaft 26	CLASSIQUE SERIE; 400- 400DT- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640
	TKR-FT0053	5142233 5098651 5098996 5098999 84303366	Length 1515 Cones 20 / 22,2 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-FT0018	4982359	Length 175 Cones 18,2 / 20,2 Threads M20 * 1 RHT Tube / Shaft 28	CLASSIQUE SERIE; 450DT- 480DT- 500- 500DT- 540DT- 540S- 600- 640
	TKR-FT0025	5085083 5086974	Length 1077 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT Tube / Shaft 28	55 46- 55 56- 70 56- 70 66- 65 46- 60 56- 80 66- 54C

TIE ROD for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FT0026	5088291	Length 1046 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT Tube / Shaft 28 Notes Only for Turkish Models	54C JUNIOR
	TKR-FT0027	5090597 5094440	Length 1043 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT Tube / Shaft 28 Notes Only for Turkish Models	54C
	TKR-FT0052	87349837 5098626 5098652	Length 1375 Cones 18 / 20,2 Tube / Shaft 32	TT55- TT65
	TKR-FT0040	5178665		L60- L65- L75- L85- L95
	TKR-FT0044	5101179	Length 1165 Cones 16,2 / 18,3 Tube / Shaft 34	780- 55 46- 65 56- 55 88- 55 90- 60 66- 60 88- 60 90- 70 56- 70 66- 70 76- 82 94- 85 90- 100 90- 110 90- F100- F115- F120- F130- F140
TIE ROD TUBE for FIAT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-FT0003	5011756	Length 430 Threads M20 * 1 RHT Tube / Shaft 26	CASSIQUE SERIE; 400- 400DT- 450- 450DT- 480- 480DT- 500- 500DT- 540- 540DT- 540S- 550- 600- 640- 680
	TBR-FT0004	5085084	Length 992 Threads M22 * 1,5 RHT Tube / Shaft 28	CLASSIQUE SERIE; 570- 580 650- 666- 670- 680- 780- 880- 980
	TBR-FT0001	4962035	Length 400 Threads M20 * 1 RHT Tube / Shaft 26	480- 640
	TBR-FT0002	588307	Length 400 Threads M22 * 1,5 RHT Tube / Shaft 26	480- 640

TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0026	5102501 5116002	Length 106 Cones 19,9 / 22,2 Threads M24 * 1,5 RHT	8160- 8240- 8260- 8340- 8360- 8560- T6030- T6050- T6070- T6080- TM SERIE- TS100- TS110- TS115- TS125- TS135- TN65F- TN70F- TN75F- TN80F- TN90F- TN95F
	TRB-FR0011	1802867 957E3290B	Length 103 Cones 14,2 / 16,2 Threads W11/16" * 18 G LHT	230A- 2000- 2100- 2110- 2150- 2300- 2310- 2600- 2600N- 2600R- 2600V- 2610- 2610N- 2610V- 2810- 2910- 3000- 3055- 3100- 3110- 3300- 3310- 3150- 3190- 3330- 3600- 3600N- 3600NO- 3600R- 3600V- 3610- 3610N- 3610NO- 3610V- 3900- 3910- 3910H- 3910R- 3910V- 4100- 4110- 4110N- 4110O- DEXTA
	TRB-FR0012	1717427 957E3307B	Length 103 Cones 17 / 19 Threads W11/16" * 18 G RHT	2000- 2100- 2110- 2150- 2300- 2310- 2600- 2600N- 2600R- 2600V- 2610- 2610N- 2610V- 2810- 2910- 3000- 3055- 3100- 3110- 3300- 3310- 3150- 3190- 3330- 3600- 3600N- 3600NO- 3600R- 3600V- 3610- 3610N- 3610NO- 3610V- 3900- 3910- 3910H- 3910R- 3910V- 4100- 4110- 4110N- 4110O- DEXTA
	TRB-FR0013	1802867 957E3290B	Length 103 Cones 14,6 / 15,9 Threads M22 * 1,5 LHT Notes Only for Turkish Models	2000- 2100- 2110- 2150- 2300- 2310- 2600- 2600N- 2600R- 2600V- 2610- 2610N- 2610V- 2810- 2910- 3000- 3055- 3100- 3110- 3300- 3310- 3150- 3190- 3330- 3600- 3600N- 3600NO- 3600R- 3600V- 3610- 3610N- 3610NO- 3610V- 3900- 3910- 3910H- 3910R- 3910V- 4100- 4110- 4110N- 4110O- DEXTA
	TRB-FR0014	1717427 957E3307B	Length 98 Cones 17,1 / 18,6 Threads M22 * 1,5 RHT Notes Only for Turkish Models	2000- 2100- 2110- 2150- 2300- 2310- 2600- 2600N- 2600R- 2600V- 2610- 2610N- 2610V- 2810- 2910- 3000- 3055- 3100- 3110- 3300- 3310- 3150- 3190- 3330- 3600- 3600N- 3600NO- 3600R- 3600V- 3610- 3610N- 3610NO- 3610V- 3900- 3910- 3910H- 3910R- 3910V- 4100- 4110- 4110N- 4110O- DEXTA
TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0015	C5NN3304T	Length 101 Cones 16,8 / 19,8	5000 (01/68>)- 5100 (01/68>)- 5110- 5190 (01/68>)- 5200 (01/68>)- 5550 (01/68>)- 5600- 5610- +410- 6550- 6600- 6610- 7000- 7100- 7550- 7600
	TRB-FR0017	1802873 C5NN3A300B	Length 92 Cones 14,8 / 15,8 Threads W3/4" * 16 G LHT	231- 233- 333- 335- 420- 2000- 2100- 2110- 2120- 2300- 2310- 2600- 2610- 2810- 2910- 3000- 3100- 3120- 3300- 3310- 3400- 3500- 3600- 3610- 3900- 3910- 4100- 4110- RICE SERIE; 2150- 3150- SKIDDED SERIE; 3190
	TRB-FR0019	1817836 C5NN3307A C5NN3307E	Length 127 Cones 16,8 / 19,8 Threads W1" * 16 G RHT	5000 (>12/67)- 5100 (>12/67)- 5190 (>12/67)- 5200 (>12/67)- 5550 (>12/67)
	TRB-FR0020	1802894 1817837 3946546 C5NN3308C C5NN3308D C7NN3308D	Length 101 Cones 16,8 / 19,8 Threads W1" * 16 G LHT	5000 (>08/70)- 5100 (>08/70)- 5200 (>08/70)- SKIDDED SERIE; 5190 (>08/70)- 5550 (>08/70)

		E3NN3308BA		
	TRB-FR0021	3948964 E3NN3N981AA	Length 72 Cones 24,1 / 27,4 Threads W1 1/4" * 12 G RHT	5110- 5610 (04/85>)- 5610S- 5900- 6410- 6610 (04/85>)- 6610S- 6810- 6810S- 7010- 7610 (04/85>)- 7610S- 7810- 7810S- 8010
TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0026	D8NN3A540ABF	Length 42 Cones 17,7 / 19,9 Threads W11/16" * 18 2A RHT	
	TRB-FR0027	3906918 3929289 D5NN3289A E1NN3289AA	Length 225 Cones 16,8 / 19,8 Threads W1" * 16 6G RHT	5700- 6700- 6710- 7700- 7710- 7910- 8210- 8700- 9700- TW10- TW15- TW20- TW25- TW5
	TRB-FR0029	Q374R	Length 100 Cones 17,4 / 19,8 Threads W7/8" * 14G RHT	5000
	TRB-FR0030	Q374L	Length 100 Cones 17,4 / 19,8 Threads W7/8" * 14G LHT	5000
	TRB-FR0035	1802890 C5NN3307F E3NN3307AA	Length 101 Cones 16,8 / 19,8 Threads W1" * 16 2A RHT	515- 4000- 4140- 4400- 5000- 5100- 5340- 5600- 5610- 6600- 6610- 7000- 7100- 7200- 7600- 7610- 7810
TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0037	NAA33271AA	Length 103 Cones 14,4 / 15,8 Threads W11/16" * 18 2A RHT	NAA- 600- 800- 2000 (01/62<=>12/64)- 2031- 2120- 2131- 4000 (01/62<=>12/64)- 4031- 4120- 4131
	TRB-FR0038	NAA3270A	Length 103 Cones 14,4 / 15,8 Threads W11/16" * 18 LHT	NAA- 600- 601- 800- 801- 2000- 4000

	<p>TRB-FR0039</p>	<p>8N3270</p>	<p>Length 92 Cones 14,4 / 15,8 Threads W11/16" * 18 LHT</p>	<p>8N SERIE</p>
	<p>TRB-FR0041</p>	<p>3906190 3913086 D5NN3A302D D8NN3A302AA</p>	<p>Length 100 Cones 27,5 / 31,3 Threads W1" * 16 RHT</p>	<p>5700- 6700- 6710- 7700- 7710- 7910- 8210- 8700- 9700- TW10- TW15- TW20- TW25- TW5</p>
	<p>TRB-FR0042</p>	<p>3434991 3904282 3927291 3934991 3959499 D5NN3B539C D8NN3B539AA D8NN3B539AB E6NN3B539AA</p>	<p>Length 90 Cones 27,5 / 31,3 Threads W7/8" * 18 RHT</p>	<p>5700- 6700- 6710- 7700- 7710- 7910- 8210- 8700- 9700- TW10- TW15- TW20- TW25- TW5</p>

TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0064	C7NN3289C	Length 165 Cones 17,4 / 19,8 Threads W1" * 16 G RHT	5200- 7200- 8000- 8200- 8400- 8600- 8700- 9000- 9200- 9600
	TRB-FR0008	1822051 C7NN3289D	Length 101 Cones 16,8 / 19,8 Threads W1" * 16 G RHT	5600- 5610- 6600- 6600C- 6600O- 6610- 7000- 7600- 7600C- 7610- 7610O
	TRB-FR0066	3930053 CAR98854	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	2810- 2910- 3600- 3910- 3910R- 4110- 4110O- 4600- 4600SU- 4610- 4610NO
	TRB-FR0067	3930054 CAR98855	Length 95 Cones 16,2 / 18,3 Threads M22 * 1,5 LHT	2810- 2910- 3600- 3910- 3910R- 4110- 4110O- 4600- 4600SU- 4610- 4610NO
	TRB-FR0069	83958352	Length 53 Cones 17,6 / 19,8 Threads W11/16" * 18 G RHT	550- 555- 555A- 555B- 655- 655A
TIE ROD END for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0070	3930620 CAR88759	Length 106 Cones 20 / 22,2 Threads M24 * 1,5 LHT	250C- 260C- 345C- 445- 445A- 445C- 445D- 455C- 455D- 545- 545A- 545C- 545D- 550- 555- 555A- 555B- 555C- 555D- 575D- 655- 655A- 655C- 655D- 675D-
	TRB-FR0071	3930110 CAR107634	Length 95 Cones 16,2 / 18,4 Threads M20 * 1,5 LHT	2600- 2600N- 2600R- 2600V- 2610- 2810- 2910- 3600- 3600N- 3600NO- 3600R- 3600V- 3610- 3910- 3930N- 3930NO- 4100- 4110- 4110N- 4110R- 4110O- 4130N- 4130NO- 4610- 4610N- 4610NO- 4610O- 4630N- 4630NO- 4830- 4830N- 4830O- 5030- 5030O
	TRB-FR0073	D9NN3A303AB	Length 50 Cones 17,5 / 19,5 Threads W11/16" * 18 2A RHT	550- 555- 555A- 555B- 655- 655A- 4000- 4200
	TRB-FR0079	83930109 CAR107633	Length 92 Cones 16,2 / 18,2 Threads M20 * 1,5 RHT	2120- 2130- 2140- 2150- PJ SERIE; PJ55- PJ65- PJ75- PJN55- PJN65- PJN75- PJV55- PJV65- PJV75

	TRB-FR0085	81864115 E9NN3N981AA	Length 74 Cones 27,6 / 31,6 Threads W1 1/4" * 12 RHT	5640- 6640- 7740- 7840- SERIE TS; 80- 90- 100- 110
OUTER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0016	3932649 E1NN3A300AA	Length 228 Cones 17,8 / 20,1 Tube / Shaft 22 Slots 6	420- 3430 (>05/93)- 3930 (>05/93)- 4000- 4100- 4110- 4130 (>05/93)- 4140- 4190- 4200- 4400- 4450- 4500- 4550- 4600- 4610- 4630 (>05/93)- 4830 (>05/93)- 5030 (>05/93)
	TRB-FR0023	2980034 3957771 E3NN3278AB	Length 448 Cones 21 / 23,8 Tube / Shaft 31 Slots 7	5110- 5610 (04/85>)- 5610S- 5900- 6410- 6610 (04/85>)- 6610S- 6810- 6810S- 7010- 7610 (04/85>)- 7610S- 7810- 7810S- 8010
	TRB-FR0024	3947645 E3NN3278AA	Length 448 Cones 21 / 23,8 Tube / Shaft 30 Slots 7	5610- 6610- 7610- 7810
	TRB-FR0025	1802856 C5NN3281C	Length 395 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 7	5000 (>12/67)- 5100 (>12/67)- 5190 (>12/67)- 5200 (>12/67)- 5550 (>12/67)
	TRB-FR0028	3929292 D5NN3280A E1NN3280AA	Length 835 Cones 16,8 / 19,8 Tube / Shaft 30 Slots 8	5700- 6700- 6710- 7700- 7710- 7910- 8210- 8700- 9700- TW10- TW15- TW20- TW25- TW5
OUTER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0033	1802851 C5NN3280F	Length 395 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 7	5000 (>12/67)- 5100 (>12/67)- 5200 (>12/67)- 5550 (>12/67)- SKIDDED SERIE; 5190 (>12/67)
	TRB-FR0005	1825393 C5NN3280N C7NN3280F	Length 395 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 7	5000- 5100- 5110- 5190- 5200- 5550- 5600-5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600
	TRB-FR0036	1820107 C7NN3280D	Length 495 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 9	8000- 8200- 8400- 8600- 8700- 9000- 9200- 9600- TW10- TW20- TW30

	TRB-FR0006	1802849 C5NN3278A	Length 480 Cones 17,2 / 19,3 Tube / Shaft 18,8 Slots 7	3430 (>05/93)- 3930 (>05/93)- 4000-4100- 4110- 4130 (>05/93)- 4140- 4190- 4200- 4400- 4450- 4500- 4550- 4600- 4610- 4630 (>05/93)- 4830 (>05/93)- 5030 (>05/93)
	TRB-FR0007	1825595 3980679 C5NN3A300A D0NN3A300A	Length 228 Cones 17,2 / 19,3 Tube / Shaft 22 Slots 6	3430 (>05/93)- 3930 (>05/93)- 4000-4100- 4110- 4130 (>05/93)- 4140- 4190- 4200- 4400- 4450- 4500- 4550- 4600- 4610- 4630 (>05/93)- 4830 (>05/93)- 5030 (>05/93)
OUTER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0009	1825395 C5NN3A300D C7NN3A300A	Length 200 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 4	5000- 5100 (01/68>)- 5110- 5190 (01/68>)- 5200 (01/68>)- 5550 (01/68>)- 5600- 5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600
	TRB-FR0003	1822049 1859488 2938967 C5NN3208B C5NN3280B C5NN3280C C5NN3280E C7NN3280E	Length 385 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 7	5000- 5600- 5610- 6600- 6610- 6710- 7000- 7600- 7610-
INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0018	1802877 C5NN3A302B C5NN3A303B	Length 49 Cones 17,2 / 18,7 Threads W7/16" * 20 G RHT	2100- 2120- 2150- 2600- 2610- 3000- 3055- 3100- 3120- 3150- 3600- 3610- 4000- 4100- 4110- 4140
	TKR-FR0001	1821968 C7NN3307A	Length 1020 Cones 17,1 / 19,1 Tube / Shaft 28	3430 (>05/93)- 3930 (>05/93)- 4000- 4100- 4110- 4130 (>05/93)- 4140- 4190- 4200- 4400- 4450- 4500- 4550- 4600- 4610- 4630 (>05/93)- 4830- 5030 (>05/93)
	TRB-FR0001	1822048 C7NN3B161A D6NN3B161A	Length 460 Cones 16,8 / 19,8 Tube / Shaft 32	5000-5600-5900-6600-5610-6610-7000-7600-7610-5100-7100 (from 09/1970 to 04/1985 power steering)
	TRB-FR0022	3948951 E3NN3B539AA	Length 90 Cones 24,1 / 27,4 Threads W7/8" * 14G RHT	5110- 5610 (04/85>)- 5610S- 5900- 6410- 6610 (04/85>)- 6610S- 6810- 6810S- 7010- 7610 (04/85>)- 7610S- 7810- 7810S- 8010
	TRB-FR0004	1816030 1825394 C5NN3289D C7NN3289E	Length 106 Cones 16,8 / 19,8 Threads W15/16" * 16 RHT	5000- 5100- 5110- 5190- 5200- 5550- 5600-5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600








INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TRB-FR0031</p>	<p>Q123R</p>	<p>Length 109 Cones 17,4 / 19,8 Threads W1" * 16 G RHT</p>	<p>5000</p>
	<p>TRB-FR0032</p>	<p>Q123L</p>	<p>Length 109 Cones 17,4 / 19,8 Threads W1" * 16 G LHT</p>	<p>5000</p>
	<p>TRB-FR0034</p>	<p>2980040 3947648 E3NN3289AA</p>	<p>Length 125 Cones 21 / 23,8 Threads W1" * 16 2A RHT</p>	<p>5110- 5610 (04/85>)- 5610S- 5900- 6410- 6610 (04/85>)- 6610S- 6810- 6810S- 7010- 7610 (04/85>)- 7610S- 7810- 7810S- 8010</p>
	<p>TKR-FR0005</p>	<p>1825596 D0NN3307A</p>	<p>Length 1050 Cones 17,2 / 19,3 Tube / Shaft 28</p>	<p>4000- 4100- 4110- 4130- 4140- 4200- 4400- 4450- 4500- 4550- 4600- SKIDDED SERIE; 4190</p>
	<p>TRB-FR0040</p>	<p>1816032 1825397 C5NN3307N C7NN3307B</p>	<p>Length 205 Cones 16,8 / 19,8 Tube / Shaft 32</p>	<p>5000 (01/68>)- 5100 (01/68>)- 5110- 5200 (01/68>)- 5550 (01/68>)- 5600- 5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600- SKIDDED SERIE; 5190</p> <p>(01/68>)-</p>

INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0043	1878554 3949424 3957751 CAR48987 CAR49007	Length 220 Cones 19,9 / 22,3 Threads M18 * 1,5 LHT Notes With nut	5610- 6610- 7610- 7630- 7710- 7810
	TRB-FR0044	1878555 3957757 CAR48983 CAR49005	Length 220 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	CARRARO TYPE; 5110- 5610- 6410- 6610- 6610S- 6810- 6810S- 7010- 710- 7610S- 7710- 7810- 7810S- 7910- 8010
	TRB-FR0045	3957797 CAR49012	Length 165 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT Tube / Shaft 34	8210
	TRB-FR0046	3957789 CAR49014	Length 165 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	8210
	TRB-FR0047	3959474 3984962 ZP0501206190	Length 343 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT Tube / Shaft 36	5110- 5610- 6610- 6710- 7610- 7710
INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0048	3959475 3984963 ZP0501206191	Length 343 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT Tube / Shaft 36	5110- 5610- 6610- 6710- 6810- 7610- 7710
	TRB-FR0049	3959471 ZP0501205464	Length 320 Cones 23,5 / 26,5 Threads M18 * 1,5 RHT Tube / Shaft 34	6710- 7610- 7710- 7910- 8210
	TRB-FR0050	3959470 ZP0501205463	Length 320 Cones 23,5 / 26,5 Threads M18 * 1,5 RHT Tube / Shaft 34	6710- 7610- 7710- 7910- 8210

	TRB-FR0051	3902604 D4NN3278A	Length 353 Cones 17 / 18,3 Tube / Shaft 28	231- 233- 333- 335- 420- 2310- 2600- 2610- 2810- 2910- 3600- 3610- 3910- 4100- 4110
	TRB-FR0052	CAR48978 81878547	Length 240 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	5640- 6640- 7740- 7840
INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0053	81878548 CAR48979	Length 242 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	5640- 6640- 7740- 7840
	TRB-FR0072	3901713 3918929 3936699 83958351 C5NN3A302D D9NN3A302AA D9NN3A302AB E3NN3A302AA	Length 65 Cones 17,6 / 19,8 Threads W11/16" * 18 2A RHT	550- 555- 555A- 555B- 655- 655A
	TRB-FR0074	3956527 ZP0501205072	Length 70 Cones 20 / 22,2 Threads M18 * 1,5 RHT	5610- 6610- 6710- 6810- 7610- 7710- 7910- 8210
	TRB-FR0077	1878543	Length 173 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	3230- 3430- 3930- 4130- 4630- 4830- 5030
	TRB-FR0078	1878537	Length 173 Cones 19,9 / 22,2 Threads M18 * 1,5 LHT Tube / Shaft 26	3230- 3430- 3930- 4130- 4630- 4830- 5030
INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0014	3932651 83932651 E1NN3307AA	Length 1050 Cones 17,8 / 20,1 Tube / Shaft 28	4610- 4630- 4830- 5030
	TRB-FR0010	1815989 C5NN3280C	Length 101 Cones 17 / 19,6 Threads W3/4" * 16 RHT Tube / Shaft 26	3430 (>05/93)- 3930 (>05/93)- 4000- 4100- 4110- 4130 (>05/93)- 4140- 4190- 4200- 4400- 4450- 4500- 4550- 4600- 4610- 4630 (>05/93)- 4830 (>05/93)- 5030

		CONIN3289C		(>05/93)
	TRB-IH0021	1863221 1878547 1863335 CAR48978 CAR49021	Length 240 Cones 23,5 / 26,5 <small>Threads</small> M24 * 1,5 6G LHT Tube / Shaft 36	
INNER TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0001	81878555 81878545	Length 221 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	10 Series; 5110- 5610- 5610S- 6410- 6610- 6610S- 7610- 7610S- 7710- 7810- 7810S- 7910- 8010 (CAR709 Axles)
AXIAL JOINT for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0002	3957796 CAR49008	Length 208 Threads M24 * 1,5 LHT	5640- 6640- 7740- 7840- 8210- 8240- 8340
	TRM-FR0003	3957792 3962754 CAR49013 ZP0750125010	Length 208 Threads M24 * 1,5 RHT	CARRARO TYPE; 5640- 6640- 7740- 7840- 8210- 8240- 8340
	TRM-FR0004	3957148 CAR49006	Length 175 Threads M18 * 1,5 LHT	CARRARO TYPE; 3230- 3430- 3930- 4130- 4630- 4830- 5030- 5110- 5610- 6410- 6610- 6610S- 6810- 6810S- 7010- 7610- 7610S- 7710- 7810- 7810S- 7910-
	TRM-MF0001	3957758 CAR49001	Length 175 Threads M18 * 1,5 RHT	CARRARO TYPE; 3230- 3430- 3930- 4130- 4630- 4830- 5030- 5110- 5610- 6410- 6610- 6610S- 6810- 6810S- 7010- 7610- 7610S- 7710- 7810- 7810S- 7910-
	TRM-FR0006	3957098 ZP0501310060	Length 191 Threads M22 * 1,5 RHT	5110- 5610- 6610- 6710- 6810- 7610- 7710
AXIAL JOINT for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0007	3957097 ZP0501204982	Length 175 Threads M18 * 1,5 RHT	6710- 7610- 7710- 7910- 8210
			Length 175 Threads M18 * 1,5 RHT	6710- 7610- 7710- 7910- 8210

	TRM-FR0008	3974364 ZP0750125014		
	TRM-FR0009	3957100 ZP0501308461	Length 425 Threads M18 * 1,5 RHT	5610- 6610- 6710- 6810- 7610- 7710- 7910- 8210
	TRM-FR0011	3957095 ZP0501205394	Length 231 Threads M28 * 1,5 RHT	8530- 8630- 8730- 8830- TW25- TW35
	TRM-MF0002	3957096	Length 209 Threads M24 * 1,5 RHT	5640- 6640- 7740- 7840- 8210- 8240- 8340- TW15- TW25- TW5
AXIAL JOINT for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0010	83957796		5640- 6640- 7640- 7740- 7840- 8210- 8240- 8340
	TRM-JD0017	5705915	Length 175,5 Threads M18 * 1,5 RHT	5110- 5610- 6410- 6610- 6810- 7010- 7610- 7710- 7810- 7910- 8010- 3230- 3430- 3930- 4130- 4630- 4830- 5030
	TRM-DG0015	9968018	Length 208 Threads M24 * 1,5 RHT	5640- 6640- 7740- 7840- 8240- 8340

TIE ROD for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0002	1822052 3925158 C7NN3304B E0NN3304CA	Length 1285 Cones 16,8 / 19,8 Tube / Shaft 32	5000 (09/70>)- 5100 (09/70>)- 5200 (09/70>)- 5550 (09/70>)- 5600- 5610 (>03/85)- 6550- 6600- 6610 (04/85>)- 7000- 7100- 7550- 7600- 7610 (>03/85)- SKIDDED SERIE; 5190 (09/70>)
	TKR-FR0004	1825396 C7NN3304C	Length 1245 Cones 16,8 / 19,8 Tube / Shaft 32	5000 (01/68>)- 5100 (01/68>)- 5110- 5200 (01/68>)- 5550 (01/68>)- 5600- 5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600- SKIDDED SERIE; 5190 (01/68>)
	TKR-FR0006	1802891 C5NN3307G	Length 755 Cones 17,2 / 18,8 Threads W3/4" * 16 RHT Tube / Shaft 28	231- 233- 333- 335- 420- 2000- 2100- 2110- 2120- 2300- 2310- 2600- 2610- 2810- 2910- 3000- 3100- 3120- 3300- 3310- 3400- 3500- 3600- 3610- 3900- 3910- 4100- 4110- RICE SERIE; 2150- 3150- SKIDDED SERIE; 3190
	TKR-FR0007	1802895 C5NN3308E	Length 785 Cones 17,2 / 18,8 Threads W3/4" * 16 RHT Tube / Shaft 28	231- 233- 333- 335- 420- 2000- 2100- 2110- 2120- 2300- 2310- 2600- 2610- 2810- 2910- 3000- 3100- 3120- 3300- 3310- 3400- 3500- 3600- 3610- 3900- 3910- 4100- 4110- RICE SERIE; 2150- 3150- SKIDDED SERIE; 3190
	TKR-FR0008	1717426 E1ADDN3304B	Length 1147 Cones 19,1 / 22,1 Tube / Shaft 28	MAJOR- SUPER MAJOR- POWER MAJOR
TIE ROD TUBE for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-FR0001	C7NN3B624B	Length 486 Threads W1" * 16 G RHT Tube / Shaft 32	5000- 7000- 5600- 6600- 7600- 5610- 6610- 7610 (03/81<=>12/85)
ADJUSTMENT SHAFT for FORD	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0001	81816513 C5NN3282F	Length 443 Threads W15/16" * 16 RHT Tube / Shaft 23,8 Slots 7	5000 (01/68>)- 5100 (01/68>)- 5110- 5200 (01/68>)- 5550 (01/68>)- 5600- 5610- 6410- 6550- 6600- 6610- 7000- 7100- 7550- 7600- SKIDDED SERIE; 5190 (01/68>)
TIE ROD END for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0019	5117220	Length 80 Cones 18,2 / 20,2 Threads M20 * 1 RHT	450- 540- 550- 740- TD5010- TD5020- TD5030- TD5050- TD60D- TD70D- TL100- TL70- TL80- TL90- TN55- TN55D
			Length 120 Cones 24,4 / 28,1	420- 535- 650- 750- 755- 755A- 755B- 3500- 3550- 5500- 5550- 6500- 7500

	TRB-FR0088	C7NN3289B 81817084	Threads W1 1/8" * 12 2A RHT	
	TRB-FR0089	E6NN3A303AA 83958470	Length 55 Cones 17,5 / 19,9 Threads W1 1/16" * 18 2A RHT	455- 555- 555A- 555B- 655- 655A- 755
	TRB-FR0090	86020750	Length 185 Cones 28,5 / 31,9 Threads W1 1/4" * 12 2A RHT	8670- 8670A- 8770- 8770A- 8870- 8870A- 8970- 8970A
	TRB-FR0091	E6NN3289AA 83960300	Length 105 Cones 17,5 / 19,9 Threads W11/16" * 18 2A RHT	8160- 8240- 8260- 8340- 8360- 8560- 550- 555- 555A- 555B- 655- 655A- M SERIE; 100- 115- 135- 160- TD SERIE; 80TD- 90D- 95D- TM SERIE; 110- 115- 120- 125- 130- 135- 140- 150- 155- 165- TS SERIE; 100- 100A- 110- 110A- 115- 115A- 125A- 130A- 135A-
TIE ROD END for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0092	E6NN3290AA 83960301	Length 101 Cones 17,4 / 19,8 Threads W1" * 16 2A LHT	234- 334- 335- 455- 550- 555- 555A- 555B- 655- 655A- 2310- 2610- 2810- 2910- 3610- 3910- 4100- 4110
	TRB-FR0094	E7NN3N981AA 83983437	Length 61 Cones 21 / 23,8 Threads W1 1/4" * 12 2A RHT	3230- 3430- 3930- 4630- 4630N- 4830- 4830N- 5030- 5030O
	TRB-FR0096	86020751	Length 185 Cones 28,5 / 31,9 Threads W1 1/4" * 12 2A LHT	8670- 8670A- 8770- 8770A- 8870- 8870A- 8970- 8970A
	TRB-FR0008	C7NN3289D	Length 101 Cones 16,8 / 19,8 Threads W1" * 16 G RHT	5600- 5610- 6600- 6600C- 6600C- 6610- 7000- 7600- 7600C- 7610- 7610O
	TRB-FR0097	E9NN3N981BA 81863815	Length 80 Cones 30,9 / 35 Threads W1 1/4" * 12 2A RHT	8240- 8340- SERIE TS; 80- 90- 100- 110
TIE ROD END for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-FR0098	5178338	Length 120 Cones 19,9 / 22,3 Threads M22 * 1,5 RHT	8160- 8260- 8360- 8560- SERIE TM; 115- 120- 125- 130- 135- 140- 150- 155- 165
	TRB-FR0102	86502997	Length 105 Cones 25 / 28 Threads W1 1/8" * 12 2A RHT	8670- 8670A- 8770- 8770A- 8870- 8870A- 8970
	TRB-FR0115	E3NN3N981AA	Length 72 Cones 23,9 / 27,5 Threads W1 1/4" * 12 2A RHT	5110- 5610 (04/85 >)- 5610S- 5900- 6410- 6610 (04/85 >)- 6610S- 6810- 6810S- 7010- 7610 (04/85 >)- 7610S- 7810- 7810S- 8010
	TRB-FR0116	D5NN3289B	Length 101 Cones 17,5 / 19,5 Threads W13/16" * 16 2A RHT	4600- 4610
	TKR-FR0036	D8NN3289EA/1	Length 160 Cones 16,8 / 19,6 Threads W1" * 16 2A RHT	555
OUTER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0065	1864106 E9NN3278AA	Length 500 Cones 23,9 / 27,4 Tube / Shaft 34,8 Slots 8	5640- 6640- 7740- 7840- TS80- TS90- TS100- TS110
	TRB-FR0099	5178344	Length 902 Cones 19,9 / 22,3 Tube / Shaft 32 Slots 5	8160- 8260- 8360- 8560- SERIE TM; 115- 120- 125- 130- 135- 140- 150- 155- 165
	TRB-FR0101	86502993	Length 387 Cones 25,2 / 28,1 Tube / Shaft 29,9 Slots 7	8670- 8670A- 8770- 8770A- 8870- 8870A- 8970
	TRB-FR0009	D8NN3289EA	Length 200 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 4	5600- 5600O- 5610- 6600- 6600C- 6600O- 6610O- 7600C- 7600O

	TRB-FR0118	D5NN3278A	Length 430 Cones 17,5 / 19,6 Tube / Shaft 19 Slots 7	4600- 4810
OUTER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0016	E1NN3A300BA	Length 228 Cones 17,8 / 20,1 Tube / Shaft 22 Slots 6	4600SU- 4600O- 4610O- 4610NO- 4600NO
	TRB-FR0119	E3NN3278AA	Length 422 Cones 21 / 23,8 Tube / Shaft 30 Slots 7	5610- 5900- 6610- 6810- 7610
	TRB-FR0120	E3NN3278AB	Length 422 Cones 21 / 23,8 Tube / Shaft 31,7 Slots 7	5610- 6610- 7610- 7630- 7810
	TRB-FR0121	D8NN3280GA	Length 390 Cones 16,8 / 19,8 Tube / Shaft 23,4 Slots 7	5600- 5610- 5900- 6600- 6600C- 6600D- 6610- 6610O- 7600- 7600C- 7610
	TRB-FR0121	C7NN3280E	Length 390 Cones 16,8 / 19,8 Tube / Shaft 23,4 Slots 7	5000 (>08/70)- 5100 (>08/70)- 5200 (>08/70)- 5550 (>09/70)- 5600- 5610 (>03/85)- 6550- 6600- 6610 (>03/85)- 7000- 7100- 7550- 7600- 7610 (>03/85)- SKIDDED SERIE; 5190 (>08/70)

OUTER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0122	D8NN3281AA	Length 390 Cones 16,8 / 19,8 Tube / Shaft 23,4 Slots 7	
	TRB-FR0122	C7NN3281A	Length 390 Cones 16,8 / 19,8 Tube / Shaft 23,4 Slots 7	5000 (>09/70)- 5100 (>09/70)- 5200 (>09/70)- 5550 (>09/70)- 5600- 5610 (>03/85)- 6550- 6600- 6610 (>03/85)- 7000- 7100- 7550- 7600- 7610 (>03/85)- SKIDDED SERIE; 5190 (>09/70)
	TRB-FR0002	1822050 C5NN3281A C5NN3281B C7NN3281A	Length 385 Cones 16,8 / 19,8 Tube / Shaft 23,8 Slots 7	5000- 5600- 5610- 6600- 6610- 6710- 7000- 7600- 7610-
INNER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0081	1863802 81863802 E9NN3289BA	Length 130 Cones 27,6 / 31,7 Threads W1 1/8" * 16 RHT	8240- 8340- SERIE TS; 80- 90- 100- 110
	TRB-FR0082	1864100 E9NN3289AA	Length 130 Cones 23,9 / 27,5 Threads W1 1/8" * 16 RHT	5640- 6640- 7740- 7840- SERIE TS; 80- 90- 100- 110
	TRB-FR0083	1864114 E9NN3B539AA	Length 93 Cones 27,5 / 31,3 Threads W7/8" * 14 RHT	5640- 6640- 7740- 7840- SERIE TS; 80- 90- 100- 110
	TRB-FR0086	E7NN3N981BB 81863575	Length 72 Cones 24,1 / 27,4 Threads W7/8" * 14 2A RHT	455C- 455D- 555- 555B- 555C- 555D- 655- 655A- 655C- 655D
INNER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0087	86018347	Length 80 Cones 28,5 / 31,8 Threads W1" * 16 2A RHT	8670- 8770- 8870- 8970

	TRB-FR0093	D4NN3289D 83902603	Length 110 Cones 17 / 18,7 Threads W3/4" * 16 RHT	231- 233- 333- 335- 420- 2310- 2600- 2610- 2810- 2910- 3600- 3610- 3910- 4100- 4110
	TRB-FR0095	E9NN3B539BA 81863813	Length 95 Cones 30 / 34,6 Threads W7/8" * 14 2A RHT	8240- 8340- SERIE TS; 80- 90- 100- 110
	TRB-FR0100	86502995	Length 80 Cones 27,4 / 31,8 Threads W7/8" * 14 2A RHT	8670- 8670A- 8770- 8770A- 8870- 8870A- 8970
	TRB-FR0103	CAPN3300A 81812654	Length 350 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 36	335- 532- 3400- 4410
INNER TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0109	E7NN3B539AB	Length 85 Cones 21 / 23,8 Threads W7/8" * 14 RHT	3230- 3430- 3930- 3930H- 4630- 4630N- 4630O- 4830- 4830N- 4830O- 5030- 5030O
	TRB-FR0114	E3NN3B539AA	Length 91 Cones 23,9 / 27,5 Threads W7/8" * 14 RHT	5110- 5610 (04/85>)- 5610- 5610S- 5900- 6410- 6610S- 6810- 6810S- 7010- 7610S- 7810- 7810S- 8010
	TRB-FR0117	E3NN3289AA	Length 138 Cones 21 / 23,8 Threads W1" * 16 2A RHT Tube / Shaft 32	5110- 5610 (04/85>)- 5610S- 5900- 6410- 6610 (04/85>)- 6610S- 6810- 6810S- 7010- 7610 (04/85>)- 7610S- 7810- 7810S- 8010
	TKR-FR0035	D8NN3B161AA	Length 457 Cones 16,8 / 19,2 Tube / Shaft 32	5600- 5610- 6600- 6610
AXIAL JOINT for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	CAR49001	Length 175 Threads M18 * 1,5 RHT	CARRARO TYPE; 3230- 3430- 3930- 4130- 4630- 4830- 5030- 5110- 5610- 6410- 6610- 6610S- 6810- 6810S- 7010- 7610- 7610S- 7710- 7810- 7810S- 7910- 8010

	TRM-DG0017	85807975	Length 176 Threads M18 * 1,5 RHT	T7540- T7550- TVT170- TVT190- TVT195
	IRM-DG0012	83957095 ZP0501205394	Length 225 Threads M28 * 1,5 RHT	8530- 8630- 8730- 8830- TW25- TW35
	TRM-FR0002	CAR49008	Length 208 Threads M24 * 1,5 LHT	5640- 6640- 7740- 7840- 8210- 8240- 8340
	TRM-FR0003	CAR49013	Length 208 Threads M24 * 1,5 RHT	5640- 6640- 7740- 7840- 8210- 8240- 8340- TW15- TW25- TW5
AXIAL JOINT for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0004	CAR49006	Length 175 Threads M18 * 1,5 LHT	CARRARO TYPE; 3230- 3430- 3930- 4130- 4630- 4830- 5030- 5110- 5610- 6410- 6610- 6610S- 6810- 6810S- 7010- 7610- 7610S- 7710- 7810- 7810S- 7910- 8010
TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0016	81927851	Length 1550 Cones 20 / 22,2 Threads M24 * 1,5 RHT Tube / Shaft 32	5600- 5700- 6600
	TKR-FR0017	83945661 ZP0501205350	Length 523 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	TW5 (03/84>)- TW15 (03/84>)- TW25 (03/84>)
	TKR-FT0038	5165152	Length 1370 Cones 18 / 20,2 Tube / Shaft 32	TL70- TL70A- TL80- TL80A- 4635- 4835- 5635
	TKR-FR0018	D4NN3304A 83903792	Length 927 Cones 17 / 18,3 Tube / Shaft 28	233- 333- 2600- 3600- 4100

	TKR-FR0019	5168941	Length 1375 Cones 19,8 / 22 Threads M24 * 1,5 RHT Tube / Shaft 40	7840- 8160- 8240- 8260- 8340- 8360- 8560- SERIE TM; 115- 120 (Brasil)- 125- 130- 135- 140- SERIE TSA; 100A- 110A (Brasil)- 115A- 125A- 130A- 135A
TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0020	CAR121924	Length 398 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT Tube / Shaft 36	5640- 6640- 7740- 7840- 8240-
	TKR-FR0021	CAR121925 81863218	Length 398 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	5640- 6640- 7740- 7840- 8240-
	TKR-FR0022	CAR125217	Length 449 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	8240 (11/91<=>12/94)- 8340 (11/91<=>12/94)
	TKR-FR0023	CAR125215	Length 447 Cones 23,5 / 26,5 Threads M24 * 1,5 LHT Tube / Shaft 36	8240 (11/91<=>12/94)- 8340 (11/91<=>12/94)
	TKR-FR0024	83961705	Length 510 Cones 27 / 30,5 Threads M28 * 1,5 RHT Tube / Shaft 36	555C- 555D- 555E- 575D- 575E- 655C- 655D- 655E- 675D

TIE ROD for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FR0037	CAR122599	Length 367 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-FR0038	5135076	Length 1370 Cones 18 / 20,2 Threads M20 * 1 RHT Tube / Shaft 30	TD55D- TD60D- TD65D- TD70D
	TKR-MF0013	83953209	Length 523 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	TW5- TW15- TW25
	TKR-MF0015	83956514	Length 467 Cones 20 / 22,2 Threads M22 * 1,5 RHT Tube / Shaft 40	5110- 5610- 6610- 7610- 7710
	TKR-CA0039	CAR124889	Length 315 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD TUBE for FORD / NEW HOLLAND	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-DG0006	81815960	Length 898 Tube / Shaft 26	4000 SERIE
TIE ROD END for JCB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JC0001	42483386	Length 120 Cones 23,5 / 26,5 Threads M30 * 1,5 RHT	
	TRB-LM0003	2350107	Length 100 Cones 17,45 / 19,33	3CX cabine blanche- 3CX cabine grise- 3CX cabine noire- 3CX project 8
OUTER TIE ROD for JCB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-LM0001	2350008	Length 369 Cones 17,6 / 19,6 Tube / Shaft 18,9 Slots 9	
INNER TIE ROD for JCB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRB-DG0021	1262253 part	Length 285 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3CX
	IRB-DG0022	2602419 part	Length 427 Cones 28,8 / 32,3 Threads M28 * 1,5 RHT Tube / Shaft 40	4CX
	TRB-FR0075	10/905227	Length 220 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TRB-LM0002	2350004	Length 473 Cones 17,45 / 19,33 Tube / Shaft 30	
	TRB-CA0001	10/905627	Length 221 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	520.55- 520.55FS
AXIAL JOINT for JCB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRM-DG0009	1262253 part	Length 208 Threads M24 * 1,5 RHT	3CX
	IRM-DG0010	2602419 part	Length 241 Threads M28 * 1,5 RHT	4CX
	IRM-DG0012	44817902	Length 225 Threads M28 * 1,5 RHT	TELESCOPIC LOADER SERIE; 520- 526- 527- 528- 530- 535- 540




	TRM-CA0011	10/905625	Length 175,5 Threads M18 * 1,5 RHT	
TIE ROD for JCB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IKR-DG0016	2602419	Length 607 Cones 28,8 / 32,3 Threads M28 * 1,5 RHT Tube / Shaft 40	4CX
	IKR-DG0018	1262253	Length 440 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3CX
	TKR-FR0015	10905624	Length 361 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	520 55- 520 55FSS
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0007	DE16386	Length 112 Cones 13,7 / 15,8 Threads M20 * 1,5 RHT	820- 830- 920-930- 940- 1020- 1030- 1120- 1130- 1630- 840- 940- 1040V- 1140V- 1350- 1550- 1750V- 1850V
	TRB-JD0151	LVA10727	Length 100 Cones 19,4 / 22,3 Threads W1" * 16 LHT	110- 3120- 3203- 3320- 3520- 3720- 4120- 4200- 4210- 4300- 4310- 4320- 4400- 4410- 4500- 4510- 4520- 4600- 4610- 4700- 4710- 4720
	TRB-JD0152	LVA10728	Length 100 Cones 19,4 / 22,3 Threads W1" * 16 RHT	3120- 3203- 3320- 3520- 3720- 4120- 4200- 4210- 4300- 4310- 4320- 4400- 4410- 4500- 4510- 4520- 4600- 4610- 4700- 4710- 4720
	TRB-JD0154	LVU14549		4200- 4210- 4300- 4310- 4400- 4500- 4600- 4700
	TRB-JD0155	AL37193	Length 100 Threads M24 * 2 RHT	SERIE;40- 50- 55- 6000- 6003- 6005- 6010- 6020- 6030- 7000- 7005- 7020- 7030

TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TRB-JD0157</p>	<p>AL38887 AL178031 AZ28775</p>	<p>Length 106 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT</p>	<p>1040- 1140- 1640- 1840- 2040- 2140- 940- 1550- 1750- 1850- 1950</p>
	<p>TRB-JD0013</p>	<p>AL37523 AL178019</p>	<p>Length 115 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT</p>	<p>1640- 2040- 2040S- 2140- 3040- 3140- 3340- 3050- 3350- 2250- 2450- 2650- 2850</p>
	<p>TRB-JD0167</p>	<p>AH21345</p>	<p>Length 100 Cones 19,9 / 22,65 Threads W1" * 16 2A RHT</p>	
	<p>TRB-JD0172</p>	<p>AL32867</p>	<p>Length 70 Cones 28,8 / 32,3 Threads M24 * 1,5 RHT</p>	
	<p>TRB-JD0173</p>	<p>AL152000 AL177983</p>	<p>Length 120 Cones 24,65 / 28,525 Threads M24 * 1,5 RHT Tube / Shaft ³⁸</p>	

TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0174	AL151995 AL177982	Length 120 Cones 24,65 / 28,525 Threads M24 * 1,5 RHT Tube / Shaft ³⁸	
	TRB-JD0175	RE66622	Length 139 Cones 27,4 / 31 Threads W1 1/8" * 12 2A RHT	7400- 7600- 7800- 7210- 7610- 7710
	TRB-JD0015	AL39029 AT27132 AL178231	Length 92 Cones 16,9 / 19,5 Threads M20 * 1,5 RHT	3120
	TRB-JD0176	RE173541	Length 368 Cones 27,4 / 31 Threads W1 1/4" * 12 2A LHT	8100- 8200- 8300- 8400- 8110- 8210- 8310- 8410- 8120- 8220- 8320- 8420- 8520- 8130- 8330- 8430
	TRB-JD0177	RE173540 RE61401	Length 368 Cones 27,4 / 31 Threads W1 1/4" * 12 2A RHT	8100- 8200- 8300- 8400- 8110- 8210- 8310- 8410- 8120- 8220- 8320- 8420- 8520- 8130- 8330- 8430
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0178	RE66623	Length 139 Cones 27,4 / 31 Threads W1 1/8" * 12 2A LHT	7810
	TRB-JD0016	AH75389 AR63588	Length 95 Cones 16,8 / 20,5 Threads W7/8" * 18 2A RHT	SERIE:30- 40- 50- 5000- 5020- 4055
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0018	AR63590	Length 115 Cones 20,2 / 23,5 Threads W1" * 16 G RHT	4630- 4640

	TRB-JD0187	AZ28777	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 6G RHT	
	TRB-JD0188	AZ28778	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 6G LHT	
	TRB-JD0189	SG05001	Length 90 Cones 16,4 / 18,5 Threads W3/4" * 16 2A RHT	SLC
	TRB-JD0190	SG05002	Length 90 Cones 16,4 / 18,5 Threads W3/4" * 16 2A LHT	SLC
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0034	AL11289	Length 96 Cones 14,4 / 16,25 Threads M16 * 1,5 RHT	D320- D322- D324- D326- D430- D432- D436- D439- D440
	TRB-JD0021	AR27351	Length 100 Cones 16,8 / 19,8 Threads W7/8" * 18 G RHT	2510- 2520- 3010- 3020- 4000- 4010- 4020- 4230- 1020- 1520- 2030
	TRB-CA0050	L39393	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	20 Series: 3120- 30 Series: 3030- 3130
	TRB-JD0002	AL27532 AL37504	Length 95 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT	1640-1 830- 1840- 2030- 2040- 2040S- 2130- 2140- 2250- 2450- 2650- 2850- 3120 (075016) 3030-3130
	TRB-JD0054	AL26880 AL38645 AL178246	Length 95 Cones 20 / 22,2 Threads M24 * 1,5 RHT	3120- 1830- 2030- 2130- 3030- 3130- 1640- 1840- 2040- 2140- 1850- 1950- 2250- 2450- 2650- 2850- 2355
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-JD0064	RE12325	Length 153 Cones 22,75 / 28 Threads W1 1/8" * 12 RHT	
	TRB-JD0065	RE12326	Length 153 Cones 22,75 / 28 Threads W1 1/8" * 12 LHT	4050- 4250- 4450- 4650- 4850- 4055- 4255- 4455- 4755- 4955- 7600- 7700- 7800
	TRB-JD0003	AE10001EX	Length 87 Cones 14,4 / 16,2 Threads M20 * 1,5 RHT	515-717-818
	TRB-JD0075	AL82826 AL177946	Length 95 Cones 20 / 22,65 Threads M24 * 1,5 RHT	3120- 1830- 2030- 2130- 3030- 3130- 1640- 1840- 2040- 2140- 1850- 1950- 2250- 2450- 2650- 2850- 2355
	TRB-JD0082	DE16221	Length 95 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT	3120- 1830- 2030- 2130- 3030- 3130- 1640- 1840- 2040- 2140- 1850- 1950- 2250- 2450- 2650- 2850- 2355
TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0086	AL110074 DE16225 AL177930	Length 106 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT	3120- 1830- 2030- 2130- 3030- 3130- 1640- 1840- 2040- 2140- 1850- 1950- 2250- 2450- 2650- 2850- 2355
	TRB-JD0004	AL39032 AT31327 DE16309 AL178233	Length 92 Cones 13,7 / 15,8 Threads W11/16" * 18 2A RHT	1020V- 1030V- 1040V- 1140V
	TRB-JD0107	AL63612 AL178245	Length 110 Cones 19,9 / 22,25 Threads M28 * 1,5 RHT	1550- 1750- 1850- 2155
	TRB-JD0114	AL69157	Length 95 Cones 16,2 / 18,75 Threads M20 * 1,5 RHT	

	<p>TRB-JD0119</p>	<p>AL37499</p>	<p>Length 123 Cones 28,8 / 32,3 Threads M30 * 1,5 RHT</p>	
<p>TIE ROD END for JOHN DEERE</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-JD0123</p>	<p>AL37498</p>	<p>Length 123 Cones 28,8 / 32,3 Threads M30 * 1,5 LHT</p>	
	<p>TRB-JD0134</p>	<p>AL15134</p>	<p>Length 75 Cones 15 / 15 Threads M16 * 1,5 RHT</p>	
	<p>TRB-JD0138</p>	<p>AZ40007</p>	<p>Length 75 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT</p>	
	<p>TRB-JD0141</p>	<p>AZ39038</p>	<p>Length 75 Cones 20 / 22,2 Threads M24 * 1,5 RHT</p>	
	<p>TRB-JD0144</p>	<p>AZ62041</p>	<p>Length 115 Cones 22,72 / 27,89 Threads M30 * 1,5 RHT</p>	

TIE ROD END for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0145	AZ62042	Length 115 Cones 22,72 / 27,89 Threads M30 * 1,5 LHT	
	TRB-JD0146	AZ35644	Length 106 Cones 20 / 22,2 Threads M24 * 1,5 LHT	
	TRB-JD0148	AZ10850	Length 92 Cones 14,5 / 16,2 Threads M18 * 1,5 RHT	930- 940 955- 965- 968- 975- 985- 1052- 1055- -1144- 1155- 1157- 1158
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0158	AL110130 AL177948	Length 345 Cones 19,9 / 22,25 Tube / Shaft 22	3120- 3030- 3130
	TRB-JD0159	AR63593	Length 477 Cones 16,8 / 20,5 Tube / Shaft 25,3	4030- 4040- 4050- 4055- 4230- 4240- 4250- 4255- 4430- 4440- 4450- 4455- 9920- 9930- 7445
	TRB-JD0161	AL39031 DE16310 AL178232	Length 338 Cones 13,75 / 16 Tube / Shaft 16 Slots 3	1040V- 1140V
	TRB-JD0165	AL68724	Length Tube 665 / Shaft Slots 32,2 9	3040- 3140- 3140- Serie 50- 2950- 3050- 3150- 3150- 3350- 3350- 2955- 3055- 3255- 6000- 6200SE- 6400- 6500L- 6003- 6403- 6603- 6010- 6210SE- 6310- 6410SE- 6510SE- 6610SE- 6020- 6220SE- 6320SE- 6420L- 6420SE- 6520SE- 6030- 6430PR- 6530- 7000- 7500- 7005- 7405- 7425- 7525- 7020- 7420- 7030- 7130- 7230
	TRB-JD0166	AL68726	Length 770 Tube / Shaft 32,2 Slots 8	
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
			Length Tube 480 / Shaft 28	1640- 1840- 2040- 1550- 1750- 1850- 1950- 2250- 2350- 2450- 2550- 2650- 2750- 2850- 2255- 2355- 2755

	TRB-JD0168	AL37204	Slots 6	
	TRB-JD0014	AL39027 AT31325 AL178230	Length 370 Cones 16,9 / 19,5 Tube / Shaft 20 Slots 6	3120
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0017	AR63592	Length 410 Cones 16,8 / 20,5 Tube / Shaft 25,3 Slots 8	4030- 4230- 4430- 4040- 4240- 4440- 4050- 4250- 4450- 4055- 4255- 4455
	TRB-JD0001	AL27533 AL37505 DE16222	Length 322 Cones 20 / 22,2 Tube / Shaft 22 Slots 6	1640-1 830- 1840- 2030- 2040- 2040S- 2130- 2140- 2250- 2450- 2650- 2850- 3120 (075016) 3030-3130
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0184	DE16304	Length 240 Cones 16,2 / 18,7 Tube / Shaft 20 Slots 8	1040- 1140- 1640- 1840- 940- 1950- 2250- 2650
	TRB-JD0185	DE16306	Length 370 Cones 16,2 / 18,7 Tube / Shaft 20 Slots 13	1040
	TRB-JD0019	AR63587	Length 438 Cones 23,58 / 28,5 Tube / Shaft 28,5 Slots 5	4630- 4640
	TRB-JD0022	AR27350 AR51584	Length 322 Cones 16,8 / 19,8 Tube / Shaft 25,3 Slots 11	4030- 4230- 4430- 4040- 4240- 4440- 4050- 4250- 4450- 4055- 4255- 4455
	TRB-JD0023	AT23583	Length 430 Cones 16,3 / 18,53 Tube / Shaft 18,9 Slots 15	1020- 1520- 1530- 2020- 2030- 2040
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-JD0024	AT23885	Length 311 Cones 16,2 / 18,75 Tube / Shaft 20 Slots 11	830- 840- 930- 940- 1020- 2255- 2440- 2630- 2640
	TRB-JD0027	AL82825 AL177945	Length 322 Cones 20 / 22,65 Tube / Shaft 22 Slots 6	1830- 2030- 2130- 1640- 1840- 2040- 2140- 2250- 2450- 2650- 2850
	TRB-JD0068	AL39024 AT27134 AL178098	Length 370 Cones 16,2 / 18,75 Tube / Shaft 20 Slots 13	920- 1020- 1120- 2020- 210- 820- 1030- 1130- 1630- 830- 930- 1040- 1140- 1640- 840- 940- 1350- 1550- 1750- 1850
	TRB-JD0076	AL39019 AL178093	Length 240 Cones 16,2 / 18,75 Tube / Shaft 16 Slots 8	1040- 1140V-1830- 2030- 2130- 2250- 2450- 2650- 2850
	TRB-JD0077	AL39022 AL178096	Length 311 Cones 16,2 / 18,75 Tube / Shaft 16 Slots 11	920- 1020- 1120- 820- 1030- 830- 1040- 840- 1350- 1750- 1950- 2150- 2155- 2255- 2355- 2855
OUTER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0006	AL39034 AT31329 DE16313	Length 210 Cones 13,75 / 16 Tube / Shaft 15 Slots 3	1020V- 1030V- 1040V- 1140V
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0149	RE46000	Length 198 Cones 19,9 / 22,25 Threads M12 * 1,25 RHT Tube / Shaft 48	5200- 5300- 5400- 5500- 5103- 5203- 5303- 5215- 5315- 5415- 5210- 5310- 5410- 5510- 5515- 5615- 5715- 5220- 5320- 5420
	TRB-JD0150	AL161338 AL161301	Length 175 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	6403- 6603- 6215- 6325- 6415- 6425- 6320- 6420- 6520- 6130- 6230- 6330- 6430

	TRB-JD0153	RE204878	Length 200 Cones 19,9 / 22,25 Threads M18 * 1,5 RHT	SERIE;5003- 5004- 5005- 5010- 5015- 5020- 5025
	TRB-JD0156	AL160203 AL160542	Length 225 Cones 28,8 / 32,3 Threads M28 * 1,5 RHT	6820- 6920- 6830- 6930- 7330
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0160	AL119379 AL110923 AL177980	Length 225 Cones 28 / 32,3 Threads M28 * 1,5 RHT	6900- 6910- 6920
		AL82837 DE16224 AL177937	Length 1100 Cones 19,9 / 22,1 Threads M24 * 1,5 6G RHT	
	TRB-JD0162		Tube / Shaft 30	
	TRB-JD0163	AL110957 AL177963	Length 285 Cones 21,55 / 25,3 Threads M22 * 1,5 6G RHT	1640- Serie 6000- 6100- 6100SE- 6200- 6200- 6200SE- 6300- 6300- 6300SE- 6400- 6400- 6400SE
	TRB-JD0164	AL110956 AL177962	Length 285 Cones 21,55 / 25,3 Threads M22 * 1,5 6G RHT	6000- 6100- 6100SE- 6200- 6200- 6200SE- 6300- 6300- 6300SE- 6400- 6400- 6400SE

INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0179	AT23886	Length 148 Cones 16,5 / 18,4 Threads W1" * 16 RHT Tube / Shaft 36	
	TRB-JD0180	AL116022 AL177970	Length 225 Cones 28,80 Threads M28 * 1,5 6G RHT Tube / Shaft 40	6910- 6910S
	TRB-JD0181	AL150906 AL178283	Length 145 Cones 24,7 / 28,6 Threads M24 * 1,5 6G RHT Tube / Shaft 36	6225- 6325- 6415- 6415- 6425- 6525- 6230- 6330- 6430- 7130- 7230- 7330
	TKR-JD0063	AL65090 AL178247	Length 315 Cones 19,9 / 22,3 Threads M24 * 1,5 6G RHT Tube / Shaft 30	1950
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0186	AZ28776	Length 90 Cones 20,00 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0192	RE261926	Length 255 Cones 32,2 / 38,2 Threads W1 1/4" * 12 LHT Tube / Shaft 42	7210- 7510- 7420
	TRB-JD0193	RE261925	Length 255 Cones 32,2 / 38,2 Threads W1 1/4" * 12 RHT Tube / Shaft 42	7210- 7510- 7610- 7710- 7810- 7715- 7815- 7720- 7820- 7920- 7730- 7830- 7930
	TRB-CA0004	RT6000103260	Length 202 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Notes With nut Tube / Shaft 26	5000 series; 5100- 5300- 5400- 5500- 5003 Series; 5103- 5203- 5303- 5403- 5603- 5005 Series; 5425-
	TRB-CA0006	ER350438 RE61836	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	










INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0007	ER350957 RE61833	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0018	T191428	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0026	ER351809	Length 530 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0034	ER352151	Length 97 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0035	ER352152	Length 97 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0039	ER352329	Length 721 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0049	RE54957	Length 173 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 25 Notes With nut	
	TRB-DG0116	AL32866	Length 75 Cones 28,8 / 32,3 Threads M24 * 1,5 RHT	210C- 310C- 315C- 315CH- 410B- 410C- 415B- 482C- 510B- 510C- 515B- 610B- 610C- 1640- 1641- 1840- 2040- 2040S- 2140- 2940- 3040- 3140
	TRB-DG0117	AL66090	Length 80 Cones 20 / 22,2 Threads M24 * 1,5 RHT	2250F- 2450- 2650F- 2650N

	TRB-JD0061	AL63611 AL178244	Length 515 Cones 20 / 22,2 Threads M28 * 1,5 RHT Tube / Shaft 40	
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0062	AL63609 AL178243	Length 515 Cones 20 / 22,2 Threads M28 * 1,5 RHT Tube / Shaft 40	
	TRB-JD0066	AL116740 AL168708	Length 258 Cones 24,6 / 28,47 Threads M24 * 1,5 RHT	SERIE;6000- 6003- 6005- 6010- 6810- 6020- 7005- 7010- 7020
	TRB-JD0067	AL116741 AL168709	Length 258 Cones 24,6 / 28,47 Threads M24 * 1,5 RHT	SERIE;6000- 6003- 6005- 6010- 6810- 6020- 7005- 7010- 7020
	TRB-JD0069	AL39020 AT27130 DE16303 AL178094	Length 148 Cones 16,2 / 18,7 Threads W1/8" * 12 G RHT	920- 1020- 1120- 2020- 210- 820- 1030- 1130- 1630- 830- 930- 1040- 1140- 1640- 840- 940- 1350- 1550- 1750- 1850- 2650
	TRB-JD0070	AL39319 AL168693	Length 284 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 28	1640- 1840- 2040- 2140- 1550- 1750- 1850- 1950- 2250- 2450- 2650- 2850
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0071	AL58013 AL168705	Length 295 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2040- 2140- 3040- 3140- 3340- 3050- 3150- 3350
	TRB-JD0072	AL58014 AL168706	Length 295 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2040- 2140- 3040- 3140- 3340- 3050- 3150- 3350
	TRB-JD0073	AL68254 AL168701	Length 269 Cones 23,5 / 26,5 Threads M28 * 1,5 RHT Tube / Shaft 42	3040- 3140- 3640- 3640S- 3350- 3650 3050-

	TRB-JD0074	AL68255 AL168702	Length 269 Cones 23,5 / 26,5 Threads M28 * 1,5 RHT Tube / Shaft 42	3040- 3140- 3640- 3640S- 3050- 3350- 3650
	TRB-JD0078	RE212814 AL178288	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	508R- 5090R- 5100R- 5620- 5720- 5820
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0088	AL110075 AL177931	Length 433 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0090	AL110076 AL177932	Length 409 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0092	AL110077 AL177933	Length 868 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0094	AL110078 AL177934	Length 970 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0096	AL110079 AL177935	Length 1280 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	


INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0098	AL110080 AL177936	Length 354 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TRB-JD0099	AL39315 AL178072	Length 310 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2140- 3040- 3140
	TRB-JD0100	AL39318 AL178073	Length 310 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2140- 3040- 3140
	TRB-JD0005	AT31328 DE16312	Length 318 Cones 13,75 / 15,55 Tube / Shaft 22	1020V- 1030V- 1040V- 1140V
	TRB-JD0117	AL82834	Length 1000 Cones 19,9 / 22,25 Tube / Shaft 30	
INNER TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-JD0143	AZ62040	Length 92 Cones 22,72 / 27,89 Threads M18 * 1,5 RHT	
AXIAL JOINT for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0012	DQ28534 DQ67133	Length 210 Threads M24 * 1,5 RHT	
	TRM-JD0029	LVU14531	Length 135 Threads W1/2" * 20 RHT	5103- 5203- 5203- 5303- 5503- 5105- 5205- 5425- 5520- 5525- 5625
			Length 122 Threads M18 * 1,5 RHT	5200- 5300- 5400 - 5500- 5103- 5203- 5303- 5215- 5315- 5415- 5210- 5410- 5410- 5510- 5510- 5515- 5715- 5220- 5320









	TRM-JD0031	RE217817 RE45997		
	TRM-JD0032	AL161341	Length 211 Threads M24 * 1,5 RHT	6403- 6603- 6325- 6415- 6425- 6420- 6520- 6130- 6430- 6230- 6330
	TRM-JD0033	AL160202 AL65002	Length 240 Threads M28 * 1,5 RHT	6820- 6920- 6830- 6930- 7330
AXIAL JOINT for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-JD0034	AL160543	Length 234 Threads M28 * 1,5 RHT	6515- 6525- 6615- 6715- 6520- 6620- 6530- 7220- 7130
	TRM-JD0035	AL110918 AL177977	Length 235 Threads M28 * 1,5 RHT	6800- 6810- 6900- 6910- 6920
	TRM-JD0036	RE214056		7010- 7030- 7510- 7930
	TRM-JD0037	RE214055 RE150906		7815- 7510- 7720- 7920- 7930
	TRM-JD0038	AL161302	Length 204 Threads M24 * 1,5 6G RHT	6415- 6320- 6230
AXIAL JOINT for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-JD0039	AL116020 AL177968	Length 240 Threads M28 * 1,5 6G RHT	










	TRM-JD0040	AL150907 AL178284	Length 243 Threads M24 * 1,5 6G RHT	
	TRM-CA0002	ER350400 T191427	Length 209 Threads M24 * 1,5 RHT	3050,John Deere (Front axle 4wd, APL345)- 3350,John Deere (Front axle 4wd, APL345)
	TRM-CA0004	ER350440 RE61835	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0010	ER351940	Length 110 Threads M18 * 1,5 RHT	
AXIAL JOINT for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0002	T191423	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0011	RE204879	Length 175,5 Threads M18 * 1,5 RHT	
	TRM-DG0015	RE212813 AL178287	Length 208 Threads M24 * 1,5 RHT	2140- 3040- 3140- 4400- 4500- 2750- 2950- 3050- 3350- 6300- 6400- 6506- 6600- 6800- 6010- 6110- 6310- 6410- 6510- 6610- 6810- 6020- 6120- 6220- 4400- 4500- 5620- 5720- 5820- 6020 SE- 6120 SE- 6130- 6220 SE- 6230- 6230 Premium- 6330 Premium- 6430 Premium- 5080R- 5080RN- 5090R- 5090RN- 5100R- 5100RN
		AL39320 AL178240	Length 175,5 Threads M18 * 1,5 RHT	1640- 1840- 2040- 2140- 1550- 1750- 1850- 1950- 2250- 2450- 2650- 2850
	TRM-JD0017			
	TRM-JD0018	AL39316 AL60161 AL178074	Length 209 Threads M24 * 1,5 RHT	2140- 3040- 3140
AXIAL JOINT for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO


	TRM-JD0019	AL68253 AL168703	Length 231 Threads M28 * 1,5 RHT	3040- 3140- 3640- 3050- 3350- 3650
	TRM-JD0020	AL80542 AL168711	Length 209 Threads M24 * 1,5	6300- 6400- 6403- 6603- 6215- 6415- 6515- 6605- 6615- 6110- 6410- 6610- 6810- 6910- 6020- 6120- 6220- 6420- 6520- 7425- 7525- 7320- 7420- 7520
	TRM-JD0022	AL80541 AL177964	Length 180 Threads M22 * 1,5	6100- 6100SE- 6200- 6200SE- 6300- 6300SE- 6400-6400SE
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0003	AL39035 AT19807 AL178095	Length 1045 Cones 16,2 / 18,75 Tube / Shaft 28	1830- 2020- 2120- 2030- 2130
	TKR-JD0044	AL55432	Length 380 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2955- 3040- 3050- 3055- 3140- 3150- 3155- 3255- 3350- 3640- 3650
	TKR-JD0045	AL37754	Length 1391 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 31,7	1040- 1140- 1640- 1840- 2040- 2140- 940- 1550- 1750- 1850- 1950
	TKR-JD0046	AL39021	Length 398 Cones 16,2 / 18,75 Threads 1/8" * 12 RHT Tube / Shaft 28 * 3,7	2150- 2155- 2255- 2355- 2755
	TKR-JD0004	AL31090 AL38638 DE16223	Length 1140 Cones 20 / 22,2 Tube / Shaft 30	SERIE:40- 50- 2020- 2120

TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0047	AL37259 AL178018	Length 1475 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 32 * 4,7	2140- 2940- 3040- 3140
	TKR-JD0048	AL119215	Length 398 Cones 28 / 32,3 Threads M28 * 1,5 RHT	6900- 6910- 6920
	TKR-JD0049	AL110342	Length 418 Cones 21,6 / 25,3 Threads M22 * 1,5 RHT	6200- 6300- 6400
	TKR-JD0050	AL110343	Length 418 Cones 21,55 / 25,3 Threads M22 * 1,5 RHT Tube / Shaft 46 * 5,5	6200- 6300- 6400
	TKR-JD0051	AL116559	Length 378 Cones 24,6 / 28,48 Threads M24 * 1,5 RHT	2140- 2750- 2950- 3040- 3140- 3340
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0052	AL56439	Length 438,3 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2140- 2750- 2950- 3040- 3050- 3140- 3150- 3340- 3350
	TKR-JD0053	AL56440	Length 438,3 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 42	2140- 2750- 2950- 3040- 3050- 3140- 3150- 3340- 3350
	TKR-JD0054	AL69817	Length 433,3 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 42	3050- 3350
	TKR-JD0055	DE16307	Length 908 Cones 16,2 / 18,75 Tube / Shaft 28	

TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0056	AL38097	Length 284 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 28	1550- 1750- 1850- 1920- 2250- 2450- 2650- 2850
	TKR-JD0057	AL151999	Length 235 Cones 24,65 / 28,525 Threads M24 * 1,5 RHT Tube / Shaft 38	
	TKR-JD0058	AL151994	Length 235 Cones 24,65 / 28,525 Threads M24 * 1,5 RHT Tube / Shaft 38	
	TKR-JD0005	AL39026 AT26382 AL178092	Length 1315 Cones 16,2 / 18,75 Tube / Shaft 28	3120
	TKR-JD0059	AL160539	Length 403 Cones 28,8 / 32,3 Threads M28 Tube / Shaft 40 * 1,5 6G RHT	6715 - 6520
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0060	AL161363	Length 333 Cones 23,5 / 26,5 Threads M24 Tube / Shaft 36 * 1,5 6G RHT	
	TKR-JD0061	AL82836	Length 1140 Cones 19,9 / 22,3 Threads M24 * 1,5 6G RHT Tube / Shaft 30	1640- 1840- 2040- 2140- 2250- 2450- 2650- 2850
	TKR-JD0062	AL116558	Length 370 Cones 24,6 / 28,475 Threads M24 * 1,5 6G RHT Tube / Shaft 38	6300- 6400- 6500- 6680- 6800- 6900- 6403- 6603- 6205- 6215- 6405- 6505- 6515- 6605- 6615- 6715- 6010- 6110- 6210- 6310- 6410- 6510- 6610- 6810- 6910- 6020- 6120- 6220- 6320- 6420- 6520- 7425- 7525- 7210- 7410- 7220- 7320- 7520
	TKR-CA0004	ER122599	Length 355 Cones 23 / 26 Threads M24 * Tube / Shaft 36 1,5 RHT	

TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0005	ER127456 RE204877	Length 344 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0013	RE212812	Length 354 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0015	AT198602	Length 400 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0023	ER139491	Length 690 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0031	ER143692	Length 223 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0032	ER143693	Length 223 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0039	ER124889 RE55066	Length 315 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0046	AT196175	Length 404 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TKR-DG0045	DE16384	Length 844 Cones 14,4 / 16,1 Tube / Shaft 22	1040v- 1140v
	TKR-JD0006	AL38644	Length 527 Cones 16,9 / 19,5 Threads M20 Tube / Shaft 28	2840- 3030- 3120- 3130
	TKR-JD0007	AL39023	Length 407 Cones 16,2 / 18,75 Threads W1/8" * 12 RHT Tube / Shaft 28 Slots 13	920- 1020- 1120- 2020- 210- 820- 1030- 1130- 1630- 830- 930- 1040- 1140- 1640- 840- 940- 1350- 1550- 1750- 1850
	TKR-JD0008	AL38637 AL82828	Length 428 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30 Slots 6	1830- 2030- 2130- 1640- 1840- 2040- 2140- 2250- 2450- 2650- 2850
	TKR-JD0001	AL41600 AL178241	Length 908 Cones 16,2 / 18,75 Tube / Shaft 28	840- 940- 1040- 1140- 1350- 1550- 1750- 1850
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0024	AL39036 AT19808 AL178097	Length 908 Cones 16,2 / 18,75 Tube / Shaft 28	920- 1020- 1120- 2020- 210- 820- 1030- 1130- 1630- 830- 930- 1040- 1140- 1640- 840- 940- 1350- 1550- 1750- 1850
	TKR-JD0025	AL69818	Length 380 Cones 27 / 30,5 Threads M28 * 1,5 RHT Tube / Shaft 42	2955- 3050- 3055- 3155- 3255- 3350- 3650
	TKR-JD0026	AL69819	Length 380 Cones 27 / 30,5 Threads M28 * 1,5 RHT Tube / Shaft 42	2955- 3050- 3055- 3155- 3255- 3350- 3650
	TKR-JD0027	AL65089	Length 355 Cones 19,9 / 22,25 Threads M24 * 1,5 RHT Tube / Shaft 30	












TKR-JD0028

AL68930

Length 1010
Cones 16,2 / 18,75
Threads M20 * 1,5 RHT
Tube / Shaft 28

TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0029	AL161298	Length 260 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	6215- 6225- 6415- 6020- 6120- 6220- 6320- 6420- 6130- 6230
	TKR-JD0037	RE12324	Cones 22,75 / 25,9 W1 1/8" * 12 G RHT Threads Tube / Shaft ³⁵	4050- 4055- 4250- 4255- 4450- 4455- 4555- 4555- 4560- 4650- 4755- 4760- 4850- 4955- 4960
	TKR-JD0038	AL55433	Length 429,3 Cones 23,5 / 26,5 Threads M28 * 1,5 RHT	2955- 3040- 3050- 3055- 3140- 3150- 3155- 3255- 3350- 3640- 3640S- 3650
	TKR-JD0039	AL39018	Length 275 Cones 23,5 / 26,5 W1 Threads Tube / Shaft 28 Slots 8	1040-1140V
	TKR-JD0002	AT24350	Length 969 Cones 13,7 / 15,8 Tube / Shaft ²²	1020V- 1030V- 1040V- 1140V
TIE ROD for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-JD0040	AZ41390	Length 1880 Cones 20 / 22,2 W1 Threads Tube / Shaft 42	
	TKR-JD0041	AZ41389	Length 750 Cones 20 / 22,2 W1 Threads Tube / Shaft 42	
	TKR-JD0042	AZ41388	Length 750 Cones 20 / 22,2 W1 Threads Tube / Shaft 42	
	TKR-JD0043	AL160111	Length 330 Cones 28,8 / 32,3 Threads M28 * 1,5 RHT	6020- 6820- 6920- 6030- 6830

TIE ROD TUBE for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-JD0030	R114383	Length 193 Threads M18 * 1,5 RHT Tube / Shaft 26 Slots 4	
	TBR-JD0013	L64250	Length 973 Threads M24 * 2 RHT Tube / Shaft 40	6010- 6020- 6100- 6110- 6120- 6200- 6210- 6220- 6300- 6310- 6320- 6400- 6410- 6420- 6510- 6520- 6620
TIE ROD TUBE for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-JD0014	T29106 CE15151	Length 200 Threads W1 1/8" * 12 2A RH Tube / Shaft 28	T
TIE ROD TUBE for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-JD0001	T29109	Length 310 Threads W1 1/8" * 12 G RHT Tube / Shaft 28	840- 940- 1020- 1030- 1350- 1550- 1640-2355- 2555-2755
	TBR-JD0002	L32308	Length 353 Threads M24 * 1,5 RHT Tube / Shaft 30	2355- 2555- 2755
	TBR-JD0006	L32311	Length 389 Threads M24 * 1,5 RHT Tube / Shaft 30	2840- 3030- 3120- 3130- 2350- 2355- 2550- 2950- 2555- 2755- 2955
	TBR-JD0007	L63359	Length 355 Threads M24 * 1,5 RHT Tube / Shaft 30	
	TBR-JD0008	L79885	Length 1413 Threads M24 * 2 RHT Tube / Shaft 40	
TIE ROD TUBE for JOHN DEERE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
			Length 487,5 Threads W1 1/8" * 12 G RHT	4050- 4055- 4250- 4255- 4450- 4455- 4555- 4555- 4560- 4650- 4755- 4760- 4850- 4955- 4960

	TBR-JD0010	R78024	Tube / Shaft 35	
	TBR-JD0011	LVU11249	Length 746 Threads W1" * 16 RHT	
	TBR-JD0012	RE45996	Length 178 Tube / Shaft 37,7 Slots 5	
TIE ROD END for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	CA0087031 CA0870310	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
INNER TIE ROD for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0018	CA0351144	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0023	CA0351705	Length 356 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0027	CA0351887	Length 250 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0028	CA0351976	Length 417 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0030	CA0351968	Length 501 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
INNER TIE ROD for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-CA0037	CA0352296	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TRB-CA0038	CA0352297	Length 410 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	
AXIAL JOINT for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0007	CA0350878	Length 209 Threads M24 * 1,5 RHT	
	TRM-MF0002	CA0351504	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0004	CA0350440	Length 176 Threads M18 * 1,5 RHT	
TIE ROD for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0004	CA0122599	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0020	CA0138334	Length 502 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0024	CA0140265	Length 413 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0025	CA0140803	Length 577 Cones 27,1 / 30 Threads M24 * 1,5 RHT Tube / Shaft 34	



TKR-CA0027

CA0140921






Length 662
Cones 27,1 / 30
Threads M24 *
Tube / Shaft 34
1,5 RHT

TIE ROD for KOMATSU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0036	CA0145481	Length 426 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0047	CA0147889	Length 485 Cones 27,1 / 30 Threads M24 * * 1,5 RHT Tube / Shaft 38	
	TKR-CA0048	CA0147890	Length 485 Cones 27,1 / 30 Threads M24 * * 1,5 RHT Tube / Shaft 38	
TIE ROD END for KUBOTA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	CARR-087031	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
	TRB-DG0139	38440-44790	Length 90 Cones 16,2 / 17,6 Threads M16 * 1,5 LHT	B2150- B8200- B9200- L185- L245- L275- L2050- L2250- L2500- L2850- L3000- L3250
	TRB-DG0105	67121-56520 67950-56520	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 LHT	B1550D- B1550E- B1550HST D- B1550HST E- B1750D- B1750E- B1750HST D- B1750HST E- B5200DT- B5200E- B6200DT- B6200HST D- B7100HST D- B7100HST E- B7200E- B7200HST D- B7200HST E- B1700D- B1700HD- B1700HSD- B1710D- B2100D- B2100HD- B2100HSD- B2110D- B2110HDB- B2400D- B2400HD- B2400HSD- B2410D- B2410HDB- B2410HSD- B2410HSD- B2710HDB- B2710HSD- B2910HSD- B7300HSD- B7800HSD
	TRB-DG0107	38440-44780	Length 90 Cones 12,6 / 14 Threads M16 * 1,5 RHT	
	TRB-DG0108	66711-56550	Length 60 Cones 11,2 / 14 Threads M12 * 1,5 LHT	B5100- B6100
TIE ROD END for KUBOTA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-DG0109	66711-56540	Length 60 Cones 11,2 / 14 Threads M12 * 1,5 RHT	B5100- B6000- B6100- B7100
	TRB-DG0110	67950-56530	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 RHT	B1700D- B1700HD- B1700HSD- B1710D- B2100D- B2100HD- B2100HSD- B2110D- B2110HDB- B2400D- B2400HD- B2400HSD- B2410D- B2410HDB- B2410HSD- B2410HSD- B2410HSD- B2710HDB- B2710HSD- B2910HSD- B7300HSD- B7800HSD
	TRB-DG0111	67121-56530	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 RHT	B1550D- B1550E- B1550HST D- B1550HST E- B1750D- B1750E- B1750HST D- B1750HST E- B5200DT- B5200E- B6200DT- B6200HST D- B7100HST D- B7100HST E- B7200E- B7200HST D- B7200HST E-
INNER TIE ROD for KUBOTA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0087	SP-3290-A1	Length 65 Cones 17,6 / 20 Threads W1" * 16 RHT	
TIE ROD for KUBOTA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DG0041	32430-44612	Length 572 Cones 12,6 / 14 Tube / Shaft 25	B2150- B8200- B9200- L185- L245- L275- L2050- L2250- L2500- L2850- L3000- L3250
	TKR-DG0042	32430-44640	Length 470 Cones 12,6 / 14 Tube / Shaft 25	B2150- B8200- B9200- L185- L245- L275- L2050- L2250- L2500- L2850- L3000- L3250
	TKR-DG0040	6C120-56420	Length 590 Cones 10,8 / 12,2 Tube / Shaft 25	B7400- B7410- B7500- B7510- B7610- B7500D- B7510D
TIE ROD END for LAMBORGHINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0042	3959499	Length 90 Cones 27,5 / 31,3 Threads W7/8" * 18 RHT	R235- R240- R240DT- R350- R350DT- R360- R360DT- R470- R470DT- R480- R480DT

	TRB-MF0030	14861264	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 RHT	
TIE ROD END for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-LN0001	1434482M1		
	TRB-LN0002	974357M1	Length 73 Cones 15,5 / 18 Threads M22 * 1,5 RHT	
	TRB-MF0029	1617829M1	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 LHT	9500- LARGE SERIE; 10000- 12500- 13000- 14500- 16000- 16500
TIE ROD END for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0065	1821234M91	Length 101 Cones 17,6 / 19,8 Threads W13/16" * 16 RHT	ADVANTAGE SERIE- ATLANTIS SERIE- ATLAS SERIE- BLIZZARD SERIE- GHIBLI SERIE- GLOBUS SERIE- MISTRAL SERIE- POWER FARM SERIE- PRIMA SERIE- REX SERIE- TECHNOFARM SERIE- VIGNETI SERIE- VISION SERIE
INNER TIE ROD for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0045	1617826M93 3426660M1	Length 70 Cones 19,2 / 22,5 Threads M18 * 1,5 RHT	5530- 5830- 6030- 6530- 6830- 7530- 7830- 8530- 8840- 6040- 6840- 6550- 7550- 8550- 5500- 6500- 7500- 8500- 9500- 5505- 6505- 7505- 5560- 5860- 6060- 6560- 6860- 7560- 7860- 8560- 5870- 6070- 6870- 7870- 6880- 7880- LARGE SERIE; 10000- 12500- 13000- 14500- PRIMA SERIE; 6000- 7000SPECIAL- 8000DT
	TRB-CA0021	3541412M1	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0022	3541414M1	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	

	TRB-CA0032	3665326M91	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0033	3664960M91	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
INNER TIE ROD for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0050	3426313M1	Length 250 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	ALPINE SERIE- ATLANTIS SERIE- ATLAS SERIE- GHIBLI SERIE- GHIBLI TIER 2 SERIE- GLOBUS SERIE- LARGE SERIE- MYTHOS TIER 2 SERIE- POWER FARM SERIE- VISION SERIE
	TRB-MF0051	3426336M1	Length 200 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	ALPINE SERIE- ATLANTIS SERIE- ATLAS SERIE- GHIBLI SERIE- GHIBLI TIER 2 SERIE- GLOBUS SERIE- LARGE SERIE- MYTHOS TIER 2 SERIE- POWER FARM SERIE- VISION SERIE
	TRB-MF0057	3426276M1	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	12500- 14500- 16500- 17500- 19000- 19500
	TRB-IH0038	247523A1	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT	CS100 (Carraro type E- F)- CS110 (Carraro type E- F)- CS120 (Carraro type E- F)- CS130 (Carraro type E- F)- CS150 (Carraro type E- F)- CVX1170 (Carraro 709)- CVX1190 (Carraro 709)- CVX1195- CVX1175- CVX1195- MX100 (Carraro 709> 2-19 & 20-22 & 20-25s)- MX100C (Carraro 709> 2-19 & 20-22)- MX110 (Carraro 709> 2-19 & 20-22 & 20-25s)- MX120 (Carraro 709> 2-19 & 20-22 & 20-25s)- MX135 (Carraro 709> 2-19 & 20-22 & 20-25s)- MX150 (Carraro 709> 20-25s & 20-29)- MX170 (Carraro 709> 20-25s & 20-29)- MX80C (Carraro 709 > 2-19 & 20-22)- MX90C (Carraro 709> 2-19 & 20-22)
INNER TIE ROD for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0039	411904A1	Length 243 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT Tube / Shaft 34	CS100 (Late models type B- C- D)- CS110 (Late models type B- C- D)- CS120 (Late models type B- C- D)- CS130 (Late models type B- C- D)- CS150 (Late models type B- C- D)- MX150- MX170-
AXIAL JOINT for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0007	3541413M1	Length 209 Threads M24 * 1,5 RHT	




	TRM-MF0002	3665323M91	Length 209 Threads M24 * 1,5 RHT	
	TRM-MF0001	3426312M1 3909379M1	Length 175 Threads M18 * 1,5 RHT	ADVANTAGE SERIE- ALPINE SERIE- ATLANTIS SERIE- ATLAS SERIE- BLIZZARD SERIE- GLOBUS SERIE- LARGE SERIE- MYTHOS SERIE- REX SERIE
	TRM-MF0002	3426255M1	Length 209 Threads M24 * 1,5 RHT	LAND POWER SERIE- LARGE SERIE- LEGEND SERIE- LEGEND NG SERIE
TIE ROD for LANDINI	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0029	3665325M91	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0030	3664959M91	Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	

TIE ROD END for LEYLAND MARSHALL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-LM0003	27H9421	Length 100 Cones 17,45 / 19,33	SERIE:520- 526- 528- 530- 535- 540
OUTER TIE ROD for LEYLAND MARSHALL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-LM0001	27H9425 37H7293	Length 369 Cones 17,6 / 19,6 Tube / Shaft 18,9 Slots 9	3/45- 245- 253-502- 4/65- 255- 262- 270- 272- 282- 285- 344- 384- 602- 702- 802- 2100
INNER TIE ROD for LEYLAND MARSHALL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-LM0002	27H9431	Length 473 Cones 17,45 / 19,33 Tube / Shaft 30	3/45- 245- 253-502- 4/65- 255- 262- 270- 272- 282- 285- 344- 384- 602- 702- 802- 2100
TIE ROD for LINDNER	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0001	3003512	Length 363 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD END for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRB-MU0013	129796	Length 106 Cones 20 / 22,2 Threads M24 * 1,5 RHT	VARIOUS
	IRB-MU0016	108991	Length 106 Cones 19,8 / 22,6 Threads M24 * 1,5 RHT	
	IRB-MU0018	420189	Length 106 Cones 19,6 / 22,66 Threads M24 * 1,5 LHT	
	IRB-MU0002	6060	Length 102 Cones 18 / 20,3 Threads M22 * 1,5 LHT	VARIOUS
TIE ROD END for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	IRB-MU0003	6063	Length 102 Cones 18 / 20,3 Threads M22 * 1,5 RHT	VARIOUS
INNER TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FR0046	561557	Length 165 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	VARIOUS
	IKR-MU0002	474236	Length 250 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 32	VARIOUS
	IRB-MU0004	475940	Length 64 Cones 18 / 20 Threads M20 * 1,5 LHT	VARIOUS
	IRB-MU0005	475937	Length 64 Cones 18 / 20 Threads M20 * 1,5 RHT	VARIOUS
	IRB-MU0006	601211	Length 335 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
INNER TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRB-MU0007	601214	Length 400 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	IRB-MU0008	601215	Length 400 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	IRB-MU0009	601218	Length 295 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS

	IRB-MU0010	601219	Length 295 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	IRB-MU0012	601223	Length 360 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
INNER TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRB-MU0014	561556	Length 160 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	VARIOUS
	IRB-MU0015	601206 601210	Length 335 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	IRB-MU0017	219949	Length 95 Cones 20 / 22,2 Threads W7/8" * 14G RHT Tube / Shaft 29	
	IRB-DG0046	549235	Length 220 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 36	
	IKR-DG0044	474683	Length 413 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 36	VARIOUS
INNER TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0016	549270	Length 195 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
AXIAL JOINT for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	IRM-MU0002	601209	Length 210 Threads M24 * 1,5 RHT	VARIOUS
	TRM-MF0011	600751	Length 210 Threads M24 * 1,5 RHT	VARIOUS
	IRM-MU0004	474235	Length 253 Threads M24 * 1,5 RHT	VARIOUS
TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IKR-MU0003	601220	Length 530 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	IKR-MU0004	601221	Length 530 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 38	VARIOUS
	TKR-CA0004	475284	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0013	549261	Length 354 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD for MANITOU	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0017	602405	Length 457 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0038	477303	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	

TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TRB-MF0107</p>	<p>3188944M91</p>	<p>Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT</p>	
	<p>TRB-MF0108</p>	<p>1648046M3</p>	<p>Length 67,5 Cones 18,2 / 20,4 Threads M18 * 1,5 RHT</p>	
	<p>TRB-MF0122</p>	<p>487336M92</p>	<p>Length 101 Cones 17,6 / 20,5 Threads W13/16" * 16 2A RHT</p>	<p>50X A- 65X- 65R</p>


TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0123	1481338 1481534M91	Length 101 Cones 17,6 / 20,5 Threads M24 * 1,5 RHT	275- 285- 85X- 95X
	TKR-MF0026	1481534/1	Length 155 Cones 17,6 / 20,5 Threads M24 * 1,5 RHT	296
	TRB-MF0140	1809676M91	Length 67 Cones 19 / 22 Threads M18 * 1,5 RHT	174- 174C- 174F- 174S- 174V- 184- 184F- 184S- 194- 194C- 194F- 194S- 595
	TRB-CE0015	3475543M91	Length 106 Cones 19,4 / 22,3 Threads M24 * 1,5 RHT	45- 50H- 50HX 340- 35- 355- 362
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CE0016	043131 3475538M91	Length 106 Cones 19,5 / 22,4 Threads M24 * 1,5 LHT	1100- 1105- 1130- 1135- 1155
	TRB-MF0012	1044294M91	Length 127 Cones 17,4 / 19,8 Threads W11 * 16 RHT	285-245 W/HVY DUTY FRONT
	TRB-MF0013	886802M91	Length 103 Cones 17,6 / 19,8 Threads W13/16" * 16 RHT	595- 1080- 1085
	TRB-DG0186	1482009M1	Length 101 Cones 17,5 / 20 Threads M24 * 1,5 RHT	
	TRB-MF0029	1617829M1	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 LHT	2620- 2640- 2645- 2680- 2685- 2720- 2725- 3505- 3525- 3545- 3610- 3630- 3650

TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0030	1693315M91 1824403M91 3426773M1 3427773M1	Length 106 Cones 18 / 20,2 Threads M24 * 1,5 RHT	275- 298- 365- 375- 390- 398- 399- 575- 590- 595- 698- 699- 2620- 2640- 2645- 2680- 2685- 2720- 2725- 3505- 3525- 3545- 3610- 3630- 3650- 20E- 30E- 30H- 40E
	TRB-MF0023	0011082	Length 92 Cones 17,35 / 19,8 Threads M22 * 1,5 RHT Notes Only for Turkish Models	285
	TRB-MF0032	1851617M2	Length 41 Cones 14,4 / 16,4 Threads W1/2" * 20 G 2A RHT	133- 135- 148- 230- 240- 250
	TPR-MF0001	3186172M92	Length 217 Cones 14,3 / 15,9 Threads M12 * 1,75 RHT	255
	TRB-MF0033	1028268M92 1807259M1	Length 100 Cones 19,2 / 22,5 Threads W1" * 16 2A RHT	592- 595- 1080- 1085- 2620- 2625- 2640- 2645- 2680- 2685- 2720- 2725
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0039	180391M91	Length 103 Cones 16,8 / 18,8 Threads W11/16" * 18 LHT	135- 148- 230- 240- 250- 35- 35X- 835- FE35
	TRB-MF0003	180381M91 1862029M91 194606M91 826751M91 826756M91 968406M91	Length 80 Cones 14,2 / 16,2 Threads W1 1/16" * 18 2A RHT	2620-2640-2680-2720-3505-3525-3545 ALL W/2WD- FE35- TO20- TO30- TO35- MF35- 35X
	TRB-MF0041	1048273M92	Length 101 Cones 17,6 / 19,8 Threads W1" * 16 2A RHT	230
	TRB-MF0042	1033035M91 1033035M92	Length 40 Cones 17,5 / 19,5 Threads W5/8" * 18 G RHT	240- 250- 275- 290- 298- 565- 675- 690

	TRB-MF0047	3045062M91	Length 127 Cones 19,5 / 22,3 Threads W1" * 16 G RHT	2675- 2705
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0004	826752M92 826752M91 193733M91 826852M91 907729M1 969352M1	Length 80 Cones 16,8 / 18,3 Threads W1 1/16" * 18 G LHT	133-135-140-148-155- FE35- TO20- TO30- TO35- 231- 240- 250- 3165- 20D- 20E
	TRB-MF0052	3595527M91	Length 106 Cones 23,8 / 26,4 Threads M28 * 1,5 RHT	365- 375- 390- 390T- 398- 399
	TRB-MF0053	3427168M2	Length 80 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	355- 360- 362- 365- 375- 390- 390T- 398- 399
	TRB-MF0054	3426773M3	Length 106 Cones 18 / 20 Threads M24 * 1,5 RHT	165- 168- 185- 188- 1004- 1014- 1104- 1134- 275- 285- 298- 2620- 2625- 2640- 2680- 2685- 2720- 2725- 350- 360- 365- 375- 390- 398- 399- 3610- 3630- 3650- 575- 590- 592- 595- 698- 698t- 699- 20E- 30E- 30H- 40E
	TRB-MF0055	1026383M91	Length 101 Cones 19,6 / 22,2 Threads W1" * 16 2A RHT	1100- 1105- 1130- 1135- 1150
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0005	884701M92 182534M1 1833676M91 847451M91 884701M91 182524M91	Length 103 Cones 17,45 / 19,8 Threads W13/16" * 16 2A RHT	175 Normal Duty - 178 Normal Duty-175 Heavy Duty - 178 Heavy Duty- 165- 65- 765
	TRB-MF0061	3429731M1	Length 195 Cones 27 / 30,5 Threads M24 * 1,5 RHT	3670-3690- 8150- 8160
			Length 101 Cones 17,6 / 19,8 Threads W13/16" * 16 RHT	154- 174- 175- 178- 184- 194- 250- 253- 254- 263 T- 264- 265- 273- 274- 275- 283- 284- 285- 290- 293- 294- 364- 374- 384- 394- 575- 590- 592- 675- 690- 765-

	TRB-MF0065	1821234M91		2205- 2210- 2220- 2230
	TRB-MF0066	3104945M1	Length 77 Cones 19,7 / 22,2 Threads M24 * 1,5 LHT	3050- 3060- 3065- 3070- 3080- 3085- 3090- 3095- 3115- 3120- 3125- 3140- 3610- 3630- 3635- 3645- 3650- 3655- 3660- 3670- 3680- 3690- 6110- 6120- 6130- 6140- 6150- 6170- 6180- 6190- 6235- 6245- 6255- 6260- 6265- 6270- 6280- 6290- 7110- 8120- 8130- 8140- 8150- 8160- 8210- 8220- 8240
	TRB-MF0067	3427685M3	Length 106 Cones 20 / 22 Threads M24 * 1,5 RHT	340- 350- 355- 360- 362
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0070	3475946M91	Length 110 Cones 19,9 / 22,2 Threads M28 * 1,5 RHT	230- 240- 253- 340- 342- 350- 352- 355- 360- 362- 362N- 372- 4215- 4220- 4315- 4320
	TRB-MF0071	126920M91	Length 80 Cones 14,2 / 16,2 Threads W3/8" * 19 G RHT	TE20- TEA20- TED20- TEF20- FF30DS
	TRB-MF0072	893607M91	Length 73,5 Cones 17 / 18,9 Threads W3/8" * 19 G LHT	TE20- TEA20- TED20- TEF20- FF30DS
	TRB-MF0089	3033244M2	Length 101 Cones 19,4 / 22 Threads W1" * 16 2A RHT	592- 595- 1080- 1085- 2620- 2625- 2640- 2645- 2680- 2685- 2720- 2725
	TPR-MF0002	3443036M91 3774728M91	Length 215 Cones 18 / 20,2 Threads W1/2" * 28 RHT	230- 240- 253- 340- 342- 350- 352- 355- 360- 362- 362N- 4215- 4220
TIE ROD END for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0095	1623288M91	Length 101 Cones 18 / 20,3 Threads M24 * 1,5 RHT	

	<p>TRB-MF0096</p>	<p>645682M92</p>	<p>Length 100 Cones 16,5 / 18 Threads W3/4" * 16 G 2A RHT</p>	
<p>OUTER TIE ROD for MASSEY FERGUSON</p>	<p>TM CODE</p>	<p>OEM</p>	<p>DIMENSIONS</p>	<p>MODELS FIT TO</p>
	<p>TRB-MF0009</p>	<p>1860412M2</p>	<p>Length 202 Cones 14,5 / 16,5 Tube / Shaft 19,7 Slots 7 Notes Only for Turkish Models</p>	<p>133- 135- 140- 148- 155- 235- 240- 245- 255- 260</p>
	<p>TRB-MF0103</p>	<p>1807258M1</p>	<p>Length 395 Cones 19,2 / 22,2 Tube / Shaft 23,8 Slots 7</p>	<p>592- 595- 1080- 1085</p>
	<p>TRB-MF0104</p>	<p>1808893M1</p>	<p>Length 165 Cones 14,4 / 16,3 Tube / Shaft 16 Slots 7</p>	<p>133- 135- 135V- 140- 145- 145V- 152- 152F- 152S- 152V- 155- 158- 230- 240- 245- 250- 255- 260</p>
	<p>TRB-MF0109</p>	<p>1808432M1</p>	<p>Length 174 Cones 14,4 / 16,1 Tube / Shaft 15,8 Slots 7</p>	<p>133- 135- 135V- 140- 145- 145V- 152- 152F- 152S- 152V- 155- 158- 230- 240- 245- 250- 255- 260</p>
	<p>TRB-MF0010</p>	<p>1860408M2</p>	<p>Length 202 Cones 14,5 / 16,5 Tube / Shaft 19,7 Slots 7 Notes Only for Turkish Models</p>	<p>165M III- 168- 188- 175 Heavy Duty- 178 Heavy Duty (from 724937)- 265- 275- 285- 290- 565- 575- 590- 675- 690- 698</p>

OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0113	906537M1	Length 165 Cones 14,2 / 16,2 Tube / Shaft 16 Slots 7	133- 135- 135V- 140- 145- 145S- 145V- 152- 152F- 152S- 152V- 155- 158- 230- 240- 245- 250- 255- 260
	TRB-MF0127	487327M91 1481950M92	Cones 17,6 / 20,5	50X- 65X- 235- 375- 290
	TRB-MF0128	1481537M93	Cones 17,6 / 20,5	235- 265- 275- 290- 292- 295- 297- 299- 425- 435- 440- 445- 460
	TRB-MF0129	1484294M91	Length 395 Cones 17,6 / 20,5 Tube / Shaft 22 Slots 7	
	TRB-MF0011	1044298M91	Length 395 Cones 17,6 / 19,8 Tube / Shaft 23,8 Slots 7	3070-3090-3120-3140-3630-3650-3655-3660-3680-3690-6150-6170-6180-8120-8140-8150-8160 ALL W/ 2WD
OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0019	182507M91 186063M91 186236M91 880003M1 880008M92 880088M91 881884M91	Length 369 Cones 17,45 / 19,8 Tube / Shaft 18,9 Slots 6	65- 765- 175- 178
	TRB-MF0014	1044295M91	Length 395 Cones 17,6 / 19,8 Tube / Shaft 23,8 Slots 7	285-245 W/HVY DUTY FRONT
	TRB-MF0018	186235M91 880009M92 881883M91	Length 369 Cones 17,45 / 19,8 Tube / Shaft 18,9 Slots 6	65- 765- 175- 178
			Length 328 Cones 17,45 / 19,8	165- 168- 175 Heavy Duty- 178 Heavy Duty- 185- 188- 255- 265- 270- 275- 282- 283- 285- 290- 565- 575- 590- 675- 690- 698- 765

	TRB-MF0021	881736M92	Cones 18,9 Tube / Shaft 6 Slots Only for Turkish Models Notes	
OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0024	0011081	Length 320 Cones 17,35 / 19,8 Tube / Shaft 19,7 Slots 6 Notes Only for Turkish Models	285
	TRB-MF0001	881736M92 898050M91 1833675M91	Length 369 Cones 17,45 / 19,8 Tube / Shaft 18,9 Slots 7	165- 168- 175 Heavy Duty- 178 Heavy Duty- 185- 188- 255- 265- 270- 275- 282- 283- 285- 290- 565- 575- 590- 675- 690- 698- 765
	TRB-MF0034	1692144M1 1692144M2 1860565M2	Length 202 Cones 17,35 / 19,8 Tube / Shaft 14,8 Slots 7	135- 148- 230- 240- 250- 255
	TRB-MF0036	1028265M91 1028265M92	Length 395 Cones 19,6 / 22 Tube / Shaft 23,8 Slots 7	180- 185- 592- 595- 1080- 1085- 1105- 1115- 1135
	TRB-MF0037	1028262M91	Length 383 Cones 17,4 / 19,8 Tube / Shaft 18,8 Slots 7 Notes Only for USA Models	165- 168- 185- 188- 265- 275- 290
OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0040	1048272M91	Length 830 Cones 17,6 / 19,8 Tube / Shaft 23,8 Slots 7	230- 245
	TRB-MF0043	1860564M2	Length 202 Cones 17,35 / 19,8 Tube / Shaft 14,8 Slots 7	135- 135V- 148- 230- 240- 250- 550
	TRB-MF0046	3033243M3	Length 730 Cones 19,4 / 22 Tube / Shaft 23,8 Slots 7	2620- 2625- 2640- 2645- 2680- 2685- 2720- 2725- 3505- 3525- 3545

	TRB-MF0048	3040676M92	Length 527 Cones 19,6 / 22,3 Tube / Shaft 35 Slots 7	2675- 2705
	TRB-MF0049	3038564M92	Length 335 Cones 24,5 / 28,5 Tube / Shaft 28,5 Slots 6	2675- 2705- 2745
OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0056	1026382M93	Length 416 Cones 19,6 / 22,2 Tube / Shaft 23,8 Slots 7	1100- 1105- 1130- 1135- 1150
	TRB-MF0006	1860412M2	Length 202 Cones 14,5 / 16,5 Tube / Shaft 14,8 Slots 7	133- 135- 140- 148- 155- 235- 240- 245- 255- 260
	TRB-MF0069	3475945M91	Length 740 Cones 19,9 / 22,2 Tube / Shaft 26 Slots 7	230- 240- 253- 340- 342- 350- 352- 355- 360- 362- 362N- 4215- 4220- 4315- 4320
	TRB-MF0090	1678023M1	Length 265 Cones 19,4 / 22 Tube / Shaft 23,8 Slots 4	298- 698- 698T- 699
	TRB-MF0091	1678024M1	Length 361 Cones 19,4 / 22,2 Tube / Shaft 28 Slots 6	298- 698- 698T- 699
OUTER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0007	1860408M2	Length 202 Cones 14,5 / 16,5 Tube / Shaft 14,8 Slots 7	165M III- 168- 188- 175 Heavy Duty- 178 Heavy Duty (from 724937)- 265- 275- 285- 290- 565- 575- 590- 675- 690- 698
	TRB-MF0093	922716M91	Length 165 Cones 14,2 / 15,9 Tube / Shaft 16 Slots 7	

	TRB-MF0097	3027647M1	Length 190 Cones 18,2 / 20,4 Tube / Shaft 15 Slots 3	235- 255
	TRB-MF0098	3027646M1	Length 190 Cones 18,2 / 20,4 Tube / Shaft 15 Slots 3	235
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0099	3429173M1 3429173M3	Length 178 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	240- 253- 263- 342- 352- 362N- 372N- 382N- 4215- 4220- 4225- 4235- 4240- 4245- 4255- 4265- 4300- 4315- 4320- 4325- 4335- 4345- 4355
	TRB-MF0101	1891734M91	Length 90 Cones 17,4 / 19,8 Threads W3/4" * 20 RHT	550
	TRB-MF0112	3428818M2	Length 270 Cones 19,7 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	362- 362N- 372N- 382N- 4225- 4235- 4240- 4315- 4320- 4325- 4335
	TRB-IH0031	3764132M1	Length 238 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3635- 3645- 3655- 5465- 6260- 6270- 6280- 6465- 6475- 7465- 7475- 8110- 8120- 8130- 8140
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0001	0112129U1M	Length 221 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	266- 277- 3075
	TRB-CA0004	061353R1	Length 202 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	3000 Series; 3050- 3060- 3065
	TRB-CA0018	053831R1 3903686M1	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	3125- 3650- 3655- 3660- 3670- 3680- 3690- 6290- 6480- 6485- 6490- 6495- 6497- 7465- 7475- 7480- 7485- 7490- 7495- 8210- 8220- 8240- 8250










	TRB-CA0024	3907160M1	Length 240 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	3635- 3645- 3655- 5465- 6260- 6270- 6280- 6465- 6475- 7475- 8110- 8120- 8130- 8140
	TRB-CA0036	00112326U1M	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	3105
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0040	3789572M1	Length 238 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	6497- 6499- 8240XTRA- 8250XTRA
	TRB-MF0015	1044297M91	Length 430 Cones 17,8 / 20,1 Tube / Shaft 32	1135- 1100- 1105- 1130- 1155
	TRB-MF0022	886797M91	Length 400 Cones 17,4 / 19,7 Tube / Shaft 26 Notes Only for Turkish Models	285
	TRB-MF0025	0011084	Length 400 Cones 17,4 / 19,8 Tube / Shaft 26 Notes Only for Turkish Models	285

INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0026	182510M91 186061M91	Length 390 Cones 17,4 / 19,7 Tube / Shaft 26	175- 178
	TRB-MF0027	1810366M91 881741M92 898053M91	Length 500 Cones 17,4 / 19,7 Tube / Shaft 26	165- 168- 175- 178- 185- 188- 235- 240- 245- 255- 260
	TRB-MF0028	1028098M1	Length 127 Cones 17,6 / 19,6 Threads W1" * 16 G RHT Tube / Shaft 32	165- 168- 185- 188- 265- 275- 290
	TRB-MF0031	1851618M2	Length 34 Cones 14,4 / 16,4 Threads W1/2" * 20 G RHT	135- 148- 230- 240- 250- 550
	TRB-MF0002	1833678M91 886797M91	Length 397 Cones 17,45 / 19,8 Tube / Shaft 26	595-1080-1105-1115-1135
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0044	1028264M91	Length 510 Cones 17,45 / 19,7 Tube / Shaft 26	165- 168- 175- 185- 188- 255- 265- 275- 285- 290
	TRB-MF0045	1617826M94 3314437M1 3426660M1 1617826M93	Length 70 Cones 19,2 / 22,5 Threads M18 * 1,5 RHT	165M III- 168- 188- 168- 188DT- 265- 275- 285- 290- 565- 575- 590- 675- 690- 698
	TRB-MF0050	3426313M1	Length 250 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	3070- 3075- 3080- 3085- 3090- 3095- 3115- 3120
	TRB-MF0051	3426336M1	Length 200 Cones 20 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	3050- 3060- 3065

	TRB-MF0057	3426276M1	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3125- 3650- 3655- 3660- 3670- 3680- 3690- 6290- 6480- 6485- 6490- 6495- 7465- 7475- 7480- 7485- 7490- 7495- 8210- 8220- 8240- 8250
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0058	3764286M1	Length 238 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3635- 3645- 3655- 6190- 6290- 6480- 7480- 8110- 8120- 8130- 8140- 8210- 8220- 8240- 8250
	TRB-MF0059	3764162M1	Length 240 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3635- 3645- 3655- 8110- 8120- 8130- 8140
	TRB-MF0060	3764027M1	Length 220 Cones 23,5 / 26 Threads M18 * 1,5 RHT Tube / Shaft 36	265S- 275- 285S- 290- 3050- 3060- 3065- 365- 375- 390- 390T- 396- 4225- 4235- 4245- 4255- 4260- 4265- 4270-4325- 4335- 4345- 4355- 4360- 4365- 4370- 5425- 5435- 5445- 5455- 6110- 6120- 6130- 6140- 6235- 6445- 6455
	TRB-MF0063	3764028M2	Length 285 Cones 23,5 / 26,5 Threads M18 * 1,5 RHT Tube / Shaft 36	398- 399- 4245- 4255- 4260- 4270- 4345- 4355- 4360- 4370- 5460- 6150- 6160- 6255- 6260- 6265- 6460- 6470
	TRB-MF0064	3764024M1 053962R1	Length 258 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	3095- 3120- 6170- 6180- 6270- 6280
INNER TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-MF0068	3599679M91 3599679M92	Length 106 Cones 23,9 / 26,4 Threads M28 * 1,5 RHT Tube / Shaft 36	365- 375- 383- 390- 390T- 398- 399- 4225- 4235- 4245- 4255- 4260- 4270- 4325- 4335- 4345- 4355- 4360- 4370- 5425- 5435- 5445- 5455- 5460- 6445- 6455- 6460- 6470
	TRB-MF0094	1028264M91 1028264V91	Length 513 Cones 17,6 / 19,8 Tube / Shaft 26	165- 168- 185- 188- 265- 275- 290- 2640- 3610- 3630- 3650- 3505- 3525- 3545
AXIAL JOINT for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	061352R1	Length 175 Threads M18 * 1,5 RHT	250- 265- 275- 283- 290- 292- 297- 298- 299- 398- 399- 410- 415- 420- 425- 435- 440- 445- 460- 465- 475- 481- 492- 3050- 3060- 3065- 3070- 3075- 3080- 3085- 3090- 3095- 3115- 3120- 3120T- 4245- 4255- 4260- 4265- 4270- 4345- 4355- 4360- 4365- 4370- 5460- 6255- 6260-

				6265- 6445- 6455- 6460- 6470-
	TRM-MF0009	3428268M1	Length Threads 177 M18 * 1,5 RHT	240- 253- 263- 342- 352- 362N- 372N- 382N- 4215- 4220- 4225- 4235- 4240- 4245- 4255- 4265- 4300- 4315- 4320- 4325- 4335- 4345- 4355
	TRM-MF0012	3176383M1	Length Threads 210 M24 * 1,5 RHT	
	TRM-CA0001	00112127U1M	Length Threads 178 M18 * 1,5 RHT	266- 277- 3075
	TRM-CA0007	0012324U1M	Length Threads 209 M24 * 1,5 RHT	
AXIAL JOINT for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0010	068833R1	Length Threads 110 M18 * 1,5 RHT	
	TRM-MF0002	065410R1 3903684M1	Length Threads 209 M24 * 1,5 RHT	
	TRM-MF0001	3426312M1 3909379M1	Length Threads 175 M18 * 1,5 RHT	SERIE; 200- 300- 3000- 3100- 3200- 3300- 4200- 4300- 6100- 6200
	TRM-MF0002	3426255M1	Length Threads 209 M24 * 1,5 RHT	1114- 1134- 3095- 3120- 3125- 3610- 3630- 3635- 3645- 3650- 3655- 3670- 3680- 3690- 6170- 6180- 6190- 6270- 6280- 6290- 8110- 8120- 8130- 8140- 8150- 8160- 8210- 8220- 8240- 8250- 8260
TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
			Length Cones 500 17,6 / 20,5	

	TKR-MF0021	1481380 1481947M92	Tube / Shaft 25,4	
	TKR-MF0022	3176379 3588185M1	Length 450 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 40	290- 292- 297- 299- 610- 650
	TKR-MF0024	040668R1	Length 373 Cones 19,9 / 22,3 Threads M24 * 1,5 RHT Tube / Shaft 40	275- 290- 283- 5275- 5285
	TKR-MF0001	886800M92	Length 575 Cones 17,35 / 19,8 Threads M22 * 1,5 RHT Notes Only for Turkish Models	298- 698- 699 ALL 2WD
TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-MF0025	040669R1	Length 368 Cones 19,9 / 22,3 Threads M24 * 1,5 RHT Tube / Shaft 40	235- 275- 283- 5275
	TKR-MF0027	1481381 1481948M92	Length 613 Cones 17,6 / 20,5 Threads W13/16" * 16 2A RHT Tube / Shaft 25,4	
	TKR-MF0028	3176380 3588180M1	Length 463 Cones 23,7 / 26,7 Threads M24 * 1,5 RHT Tube / Shaft 40	
	TKR-MF0029	1484765	Length 554 Cones 17,6 / 20,5 Threads M24 * 1,5 RHT Tube / Shaft 32	
	TKR-MF0030	1484764	Length 498 Cones 17,6 / 20,5 Tube / Shaft 32	
TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
			Length 530 Cones 17,6 / 20,5	

TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0015	053832R1	Length 400 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0021	3907158M91	Length 395 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	3635-3645-3655-5465-6260-6270-6280-6465-7465-7475-8110-8120-8130-8140-
	TKR-CA0022	062330R1 3785554M1	Length 425 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	6290-6480-6485-6490-6495-6497-7465-7475-7480-7485-7490-7495-8210-8220-8240-8250
	TKR-CA0038	053961R1 3785463M1 34055700	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	6260-6270-6280
TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0052	00112323U91M	Length 426 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes Only for Turkish Models	3105
	TRB-MF0016	182519M91	Length 150 Cones 20 / 22,3 Threads W13/16" * 16 RHT	362-372-382-4425-4235-4240-342-352-362N-372-382N-4225-4245-4255 ALL 4WD W/A66-240 4WD W / SN A20286
	TKR-FR0037	041064R1	Length 367 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	290-292-400-445-460-465-475-600-610-640-650
	TRB-MF0017	186077M91 186077M92 186145M91 186145M92 894654M91	Length 170 Cones 20 / 22,3 Threads W13/16" * 16 RHT	165M III-168-188-175 Heavy Duty-178 Heavy Duty (from 724937)-185-265-275-285-290-565-575-590-675-690-698
	TKR-MF0002	1860407M92	Length 1020 Cones 16,8 - 14,5 / 18,4 - 16,5 Threads M22 * 1,5 RHT Tube / Shaft 26	230-240-245-250

TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-MF0003	1860411 1860411M92 964339M96	Length 1020 Cones 16,8 - 14,5 / 18,4 - 16,5 Threads M22 * 1,5 RHT Tube / Shaft 26	230-240-245-250
	TKR-MF0004	885549M91	Length 1175 Cones 17,4 / 19,8 Tube / Shaft 32	168 MKII- 175- 175 S- 178- 188- 290- 390 E
	TKR-MF0005	884797M91	Length 1107 Cones 17,4 / 19,8 Tube / Shaft 32	50- 50B- 50B MKII- 165- 168- 175- 175 S- 178- 185- 265- 275- 290- 375 E
	TKR-MF0006	886796M92	Length 475 Cones 17,4 / 19,8 Tube / Shaft 26 Notes Only for Turkish Models	285- 255- 165- 281- 283
	TRB-MF0038	881889M91 897541M91 897541M92 881889M1	Length 165 Cones 20 / 21,8 Threads W1" * 16 RHT	65- 165- 175- 175S- 178-
TIE ROD for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-MF0011	3595181M92	Length 940 Cones 19,9 / 22,2 Threads M28 * 1,5 RHT Tube / Shaft 35	240UK- 253UK- 350UK- 360UK- 362UK
TIE ROD TUBE for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-MF0001	1044296M91	Length 472 Threads W1" * 16 RHT Tube / Shaft 32	285-245 W/HVY DUTY FRONT
	TBR-MF0002	182517M91	Length 465 Threads W13/16" * 16 G RHT Tube / Shaft 26	168- 188DT- 595- 1080- 1105- 1115- 1135- 3505- 3525- 3545- 3610- 3630- 3650 (Power steering)










	TBR-MF0003	186065M91	Length 485 Threads W13/16" * 16 G RHT Tube / Shaft 26	MH50-65 GAS SN-671680/DIESEL SN-667918-50 SN-528163-765 SN 526080
	TBR-MF0004	964340M91 964341M91	Length 960 Threads W11/16" * 18 LHT Tube / Shaft 22	235-240-245-255-260-133-135-148-230-240-250- 550
TIE ROD TUBE for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-MF0005	0011082	Length 450 Threads M22 * 1,5 RHT Tube / Shaft 26 Notes Only for Turkish Models	285
	TBR-MF0006	1028266M91	Length 422 Threads W1" * 16 G RHT Tube / Shaft 32	1100- 1105- 1130- 1135- 1150- 1155
	TBR-MF0007	1048271M91	Length 840 Threads W1" * 16 G RHT Tube / Shaft 32	20C- 230- 245
	TBR-MF0008	1028099M91	Length 347 Threads W1" * 16 G RHT Tube / Shaft 26	31- 165- 168- 175- 185- 188- 255- 265- 275- 290
	TBR-MF0009	886801M91 963917M91	Length 451 Threads W13/16" * 16 2A RHT Tube / Shaft 26	165- 168- 185- 188- 265- 275- 285- 290- 565- 575- 590- 675- 690
BALL JOINT for MASSEY FERGUSON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRT-MF0001	1695045M91	Length - Cones 27 / 30,5 Threads M24 * 1,5 RHT	365- 375- 390- 390T- 398- 399
TIE ROD END for MATBRO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-CA0050	CA087031	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
INNER TIE ROD for MATBRO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0012	707110040	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for MATBRO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	707110038	Length 176 Threads M18 * 1,5 RHT	
TIE ROD for MATBRO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0004	501548	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0009	707110037	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD END for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0010	1537872C1	Length 95 Cones 15,4 / 18,2 Threads W7/8" * 16 G RHT	3210- 3220- 3230- 4210- 4220- 4230- 4240- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 258- 268- 288- C50- C60- C70- C80- C90- CX100- CX50- CX60- CX70- CX80- CX90- MX100C- MX80C- MX90C- 238- 248- 258- 268- 288
OUTER TIE ROD for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0009	1332805C2	Length 365 Cones 15,4 / 18,2 Tube / Shaft 20,5 Slots 6	3210- 3220- 3230- 4210- 4220- 4230- 4240- 385- 485- 485XL- 585- 585XL- 685- 685XL- 785- 785XL- 885- 885XL- 395- 495- 495XL- 595- 595XL- 695- 695XL- 895- 895XL- 995- 995XL- 258- 268- 288- C50- C60- C70- C80- C90- CX100- CX50- CX60- CX70- CX80- CX90- MX100C- MX80C- MX90C- 238- 248- 258- 268- 288
INNER TIE ROD for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0006	112510A1	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	



	TRB-CA0021	340482A1	Length 267 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0040	706768A1	Length 238 Cones 27 / 30,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-IH0038	247523A1	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT	CS100 (Carraro type E- F)- CS110 (Carraro type E- F)- CS120 (Carraro type E- F)- CS130 (Carraro type E- F)- CS150 (Carraro type E- F)- CVX1170 (Carraro 709)- CVX1190 (Carraro 709)- CVX1195- CVX175- CVX195- MX100 (Carraro 709-> 2-19 & 20-22 & 20-25s)- MX100C (Carraro 709-> 2-19 & 20-22)- MX110 (Carraro 709-> 2-19 & 20-22 & 20-25s)- MX120 (Carraro 709-> 2-19 & 20-22 & 20-25s)- MX135 (Carraro 709-> 2-19 & 20-22 & 20-25s)- MX150 (Carraro 709-> 20-25s & 20-29)- MX170 (Carraro 709-> 20-25s & 20-29)- MX80C (Carraro 709 > 2-19 & 20-22)- MX90C (Carraro
INNER TIE ROD for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-IH0039	411904A1	Length 243 Cones 23,5 / 26,5 Threads M24 * 1,5 6G RHT Tube / Shaft 34	CS100 (Late models type B- C- D)- CS110 (Late models type B- C- D)- CS120 (Late models type B- C- D)- CS130 (Late models type B- C- D)- CS150 (Late models type B- C- D)- MX150- MX170-
AXIAL JOINT for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CE0001	311446A1	Length 209 Threads M24 * 1,5 RHT	MX- 150- 170- MTX- TTX- XTX- ZTX
	TRM-CA0002	247522A1	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0003	112514A1	Length 138 Threads M18 * 1,5 RHT	
	TRM-CA0007	700545A1	Length 209 Threads M24 * 1,5 RHT	
	TRM-DG0017	112509A1	Length 176 Threads M18 * 1,5 RHT	MTX SERIE; 155- 165- 175- 185- 200- TTX SERIE; 190- 210- 230- XTX SERIE; 185- 200- 215- ZTX SERIE ; 230- 260- 280

TIE ROD for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0018	340503A1	Length 427 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
	TKR-CA0020	313260A1	Length 502 Cones 19,9 / 22,3 * 1,5 RHT Threads M18 Tube / Shaft 26	
	TKR-CA0021	B509620	Length 395 Cones 23 / 26 1,5 RHT Threads M24 * Tube / Shaft 34	
	TKR-CA0022	311445A1	Length 425 Cones 23 / 26 1,5 RHT Threads M24 * Tube / Shaft 34	
	TKR-CA0029	406604A1	Length 425 Cones 2,5 / 26 1,5 RHT Threads M24 * Tube / Shaft 34	
TIE ROD for McCORMICK	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0030	406601A1	Length 425 Cones 2,5 / 26 1,5 RHT Threads M24 * Tube / Shaft 34	
	TKR-CA0036	700544A1	Length 426 Cones 23,5 / 26,5 * 1,5 RHT Threads M24 Tube / Shaft 34	
	TKR-CA0038	D142916	Length 420 Cones 23,5 / 26 1,5 RHT Threads M24 * Tube / Shaft 34	
	TKR-CA0039	1537620C2	Length 315 Cones 19,9 / 22,2 * 1,5 RHT Threads M18 Tube / Shaft 26	

	TRB-DG0171	039681	Length 240 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	P25.7- P27.7- P28.7EVS- P28.7EVT- P28.9EVS- P30.7- P32.7EVT
	TRB-DG0171	A05221	Length 240 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	
AXIAL JOINT for MERLO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	IRM-DG0011	802917 28173	Length 209 Threads M22 * 1,5 RHT	EV SERIE- KT SERIE- SP SERIE
AXIAL JOINT for RANDON	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0001	RK219000971	Length 175 Threads M18 * 1,5 RHT	
TIE ROD END for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-RN0003	670098	Length 103 Cones 14,5 / 16,2 Threads M22 * 1,5 RHT	
	TRB-RN0004	7700681808	Length 92 Cones 14,2 / 16,2 Threads M16 * 1,5 LHT	Serie: 30- 32- 50- 32- 60- Serie: 300- 301- 51M- 361- Serie: 400- 421M- 461M- Serie: Classique: 50- 56- 60- 60S- 70- 70S- 80- 80S- N71- Super 5- Super 7
	TRB-RN0005	7700505786 7700681811	Length 80 Cones 18 / 20,2 Threads M16 * 1,5	Serie: 100- 103- 12- 103- 52- 113- 12- Serie: 400- 461- 461M- 461S- Serie: 50- 58- 12LS- 58- 32- Serie: 500- 521S- 551- 551S- Serie: 60- 61- 12RA- 61- 12RS- 5- 12LS- 65- 32M- 68- 12RA- 68- 12RS- Serie: 600- 651- 651S- 681- 681S- Serie: 70- 70,12F- 70,12LB- 70,12SP- 70,12V- 70,32PA- 70,32PE- 70,32PS- 70,32PX- 75,12LS- 75,12RA- 75,12RS- 75,12TS- 75,32M- 75,32TX- 77,12TS- Serie: 700- 751- 751S- Serie: 80- 80,12F- 80,12SP- 80,12TX- 80,12V- 85,12LS- 85,2TS- 85,12TX- 85,32M- Celtis426- Celtis436- Celtis446- Serie: Ceres- Ceres310- Ceres320- Ceres325- Ceres325X- Ceres330- Ceres335- Ceres340- Ceres345- Ceres345X- Ceres65- Ceres70X- Ceres75- Ceres75X- Ceres85- Ceres85X- Ceres95- Ceres95X- Serie: Classique: 91- 92- 94- 96- 98-
	TRB-RN0006	7700681810	Length 103 Cones 18 / 20,2 Threads M16 * 1,5 RHT	Serie: 100- 103,12- 103,52- 113,12- Serie: 400- 461- 461M- 461S- Serie: 50- 58,12LS- 58,32- Serie: 500- 521S- 551- 551S- Serie: 60- 61,12RA- 61,12RS- 65,12LS- 65,32M- 68,12RA- 68,12RS- Serie: 600- 651- 651S- 681- 681S- Serie: 70- 70,12F- 70,12LB- 70,12SP- 70,12V- 70,32PA- 70,32PE- 70,32PS- 70,32PX- 75,12LS- 75,12RA- 75,12RS- 75,12TS- 75,32M- 75,32TX- 77,12TS- Serie: 700- 751- 751S- Serie: 80- 80,12F- 80,12SP- 80,12TX- 80,12V- 85,12LS- 85,12TS- 85,12TX- 85,32M- 85,32TX- Serie: 800- 851- 851L- 851- 851S- Serie: 90- Celtis426- Celtis436- Celtis446- Serie: Ceres- Ceres310- Ceres320- Ceres325- Ceres325X- Ceres330- Ceres335- Ceres340- Ceres345- Ceres345X- Ceres65- Ceres70X- Ceres75- Ceres75X- Ceres85- Ceres85X- Ceres95- Ceres95X- Serie: Classique : 91- 92- 94- 96- 98-











	TRB-RN0008	6000188759	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 LHT	1151,4-751,4-851,4-951,4-
	TRB-RN0009	7700654420	Length 110 Cones 20 / 22,2 Threads M28 * 1,5 LHT	Serie: 100- 103,14- 103,54- 106,14SP- 106,54- 110,14- 110,54- 113,14- 120,14- 120,54- 133,14- 133,54- 145,14- 145,54- 155,54- 160,94- 175,74- 180,94- Serie: 700- 782,4- Serie: 800- 851,4S- Serie: 90- 95,14-
	TRB-RN0011	7700658834	Length 95 Cones 18 / 20,2 Threads M24 * 1,5 LHT	Serie: 50- 58,14LS- 58,32- 58,34- Serie: 60- 65,14LS- 65,32M- 65,34M68- 14RA- 68,14RS- Serie: 600- 681,4- 681,4S- Serie: 70- 70,14F- 70,14LB- 70,14SP- 70,14V- 70,32PA- 70,32PE- 70,32PS- 70,32PX- 70,34PA- 70,34PE- 70,34PS- 70,34PX- 75,14LS- 75,14RA- 75,14RS- 75,14TS- 75,32M- 75,32TX- 75,34M- 75,34TX- Serie: 700- 751,4S- 782- Serie: 80- 80,14F- 80,14SP- 80,14TX- 80,14V- 80,32P- 80,34P- 85,14LS- 85,14TS- 85,14TX- 85,32M- 85,32TX- 85,34M- 85,34TX- Serie: 90- 90,32M- 90, 32TX- 90,34M- 90,34TX- Serie: Ergos- Ergo s 105- Ergos 85- Ergos 95-
	TRB-RN0012	7700654419	Length 110 Cones 20 / 22,2 Threads M28 * 1,5	Serie: 100- 103,14- 103,54- 106,14SP- 106,54- 110,14- 110,54- 113,14- 120,14- 120,54- 133,14- 133,54- 145,14- 145,54- 155,54- 160,94- 175,74- 180,94- Serie: 700- 782,4- Serie: 800- 851,4S- Serie: 90- 95,14-
	TRB-RN0013	7700658833	Length 95 Cones 18 / 20,2 Threads M24 * 1,5	Serie: 50- 58,14LS- 58,32- 58,34- Serie: 60- 65,14LS- 65,32M- 65, 34M- 68,14RA- 68, 14RS- Serie: 600- 681,4- 681,4S- Serie: 70- 70,14F- 70,14LB- 70,14SP- 70,14V- 70,32PA- 70,32PE- 70,32PS- 70,32PX- 70,34PA- 70,34PE- 70,34PS- 70,34PX- 75, 14LS- 75,14RA- 75,14RS- 75,14TS- 75,32M- 75,32TX- 75,34M- 75,34TX- Serie: 700- 751,4S- 782- Serie: 80- 80,14F- 80,14SP- 80,14TX- 80,14V- 80,32P- 80,34P- 85,14LS- 85,14TS- 85,14TX- 85,32M- 85,32TX- 85,34M- 85,34TX- Serie: 90- 90,32M- 90,32TX- 90,34M- 90,34TX- Serie: Ergos- Ergos 105- Ergos 85- Ergos 95-
	TRB-RN0014	7700679127 7700504270 7700504271 7700689127	Length 103 Cones 14,5 / 16,2 Threads M16 * 1,5 LHT	CLASSIQUE; 91- 92- 94- 96- 98
TIE ROD END for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-RN0015	7700693255	Length 100 Cones 18,2 / 20,2 Threads M22 * 1,5	Serie: 600- 651,4-
	TRB-RN0016	6000100833	Length 95 Cones 16,2 / 18,3 Threads M20 * 1,5	Serie: 50- 50,12V- 55,12V- Serie: 70- 70,12V- Serie: 80- 80,12V- Serie: Dionis- Dionis110- Dionis120- Dionis130- Dionis140- Serie: Fructus- Fructus110- Fructus120- Fructus130- Fructus140- Serie: 2000- 2120(Carraro)- 2130(Carraro)- 2140(Carraro)- 2150(Carraro)- Serie: P-J- PJ55(All models)- PJ65(All models)- PJ75(All models)- PJN55(All models)- PJN65(All models)- PJN75 (All models)- P-JV55(All models)- P-JV65(All models)- P-JV75(All models)-
	TRB-DG0072	6000148973	Length 54 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT	50 12LB- 50 12V- 55 12F- 55 12LB- 55 12V- 55 14LB- 55 14V- 55 14S- 70 12F- 70 12LB- 70 12SP- 70 14F- 70 14LB- 70 14SP- 70 14V- 701 4F- 80 12F- 80 12SP- 80 12TX- 80 12V- 80 14F- 80 14SP- 80 14TX- 80 14V- DIONIS SERIE: 110- 120- 130- 140
			Length 54	50 12LB- 50 12V- 55 12F- 55 12LB- 55 12V- 55 14LB- 55 14V- 55 14S- 70 12F- 70 12LB- 70 12SP- 70 14F- 70 14LB- 70 14SP- 70 14V- 701 4F- 80 12F- 80 12SP- 80 14LB- 70 14SP- 70 14V- 701 4F- 80 12F- 80 12SP- 80 14LB- 70 14SP- 70 14V- 701 4F- 80 12F- 80 12SP- 80

	TRB-DG0073	6000148972	Cones 19,9 / 22,2 Threads M18 * 1,5 LHT	12TX- 80 12V- 80 14F- 80 14SP- 80 14TX- 80 14V- DIONS SERIE: 110- 120- 130- 140
	TRB-DG0105	6712156520 6795056520	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 LHT	
TIE ROD END for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0107	3844044780	Length 90 Cones 12,6 / 14 Threads M16 * 1,5 RHT	
	TRB-SA0004	6000198855	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 6G LHT	551-4- 651-4- 751-4
	TRB-DG0108	6671156550	Length 60 Cones 11,2 / 14 Threads M12 * 1,5 LHT	
	TRB-DG0109	6671156540	Length 60 Cones 11,2 / 14 Threads M12 * 1,5 RHT	
	TRB-DG0110	6795056530	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 RHT	
TIE ROD END for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0111	6712156530	Length 75 Cones 10,7 / 12,1 Threads M12 * 1,25 RHT	
	TRB-DG0140	6000198854	Length 100 Cones 16,2 / 18,2 Threads M22 * 1,5 RHT	551 4- 651 4- 751 4

	<p>TRB-IH0022</p>	<p>6000187031</p>	<p>Length 106 Cones 19,7 / 22,2 Threads M24 * 1,5 6G RHT</p>	<p>1151-4-751-4-851-4-951-4</p>
	<p>TRB-RN0001</p>	<p>7700693256</p>	<p>Length 100 Cones 18 / 20,2 Threads M22 * 1,5 LHT</p>	<p>555-4-SERIE;651-4</p>

TIE ROD END for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-RN0002	7700681806	Length 90 Cones 14,4 / 16,2 Threads M16 * 1,5	<small>Serie; 30- 32- 50- 32- 60- Serie; 300- 301- 351M- 361- Serie; 400- 421M- 461M- Serie; Classique; 50- 56- 60- 80S- 70- 70S- 80- 80S- N71- Super 5- Super 7</small>
INNER TIE ROD for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-RN0010	6000103324	Length 260 Cones 30 / 26,5 Tube / Shaft 34	<small>Serie; 100- 103,54- 106,54- Serie; Ares- Ares 540- Ares 550- Ares 610- Ares 620- Ares 630- Ares 640- Ares 710- Ares 720- Ares 725- Ares 735- Ares 815- Ares 825- Serie; Temis- Temis 550- Temis 610- Temis 630- Temis 650-</small>
	TRB-CA0005	6000103042	Length 260 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	<small>70.14F- 80.14F- 55.14V- 70.14V- 80.14V- Dionis; 110.4- 120.4- 130.4- 140.4</small>
	TRB-CA0006	6000103037	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	<small>70.14F- 80.14F- 55.14V- 70.14V- 80.14V</small>
	TRB-CA0007	6000104954	Length 145 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0012	6005018332	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
INNER TIE ROD for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0024	6000103523	Length 240 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0032	6000104513	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-JD0153	6000103260	Length 200 Cones 19,9 / 22,25 Threads M18 * 1,5 RHT	<small>CELTIS 426- 436- 446- 456-CERES 310- 316- 320- 326- 330- 335- 336- 340- 345- 346- 65- 65 4X4- 75- 75X- 85- 85X- 95- 95X Cergos 335, Cergos 340, Cergos 345, Cergos 350, Ergos 105, Ergos 436, Ergos 446, Ergos 456, Ergos</small>

				466, Ergos 85, Ergos 95,
	TRB-CA0033	6000104516	Length 265 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-DG0002	6005009894	Length 209 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	CERES SERIE; 310- 320- 330- 340- 65- 70- 70X- 75- 75X- 85- 85X- 95- 95X- CERGOS SERIE; 330- 340- 350
AXIAL JOINT for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-FR0004	6000149006	Length 175 Threads M18 * 1,5 LHT	
	TRM-MF0002	6000103325	Length 209 Threads M24 * 1,5 RHT	103 54- 106 54- ARES SERIE; 540- 550- 610- 620- 630- 640- 710- 720- 725- 735- 815- 825- TEMIS SERIE; 550- 610- 630- 650
	TRM-RN0001	6005009895	Length 204 Threads M22 * 1,5 RHT	Serie; Ceres- Ceres 310- Ceres 310 4x4- Ceres 320- Ceres 330- Ceres 340- Ceres 65- Ceres 65 4X4- Ceres 70- Ceres 70X- Ceres 75- Ceres 75X- Ceres 85- Ceres 85X- Ceres 95- Ceres 95X- Serie; Cergos- Cergos 330- Cergos 340- Cergos 350-
	TRM-JD0017	6000149001	Length 175,5 Threads M18 * 1,5 RHT	SERIE;CELTIS- CERES- CERGOS- ERGOS
	TRM-CA0002	6000103524	Length 209 Threads M24 * 1,5 RHT	Serie; 1000- 1114(2423U38037->)1134- Serie; 3000- 3095(C320039->AG125)- Serie; 3100- 3120(C320039->AG125)- 3125- Serie; 3600- 3610(V289025->)- 3630(V289025->)- 3635- 3645- 3650(V289025->)- 3655- 3670- 3680- 3690- Serie; 6100- 6170- 6180- 6190- Serie; 6200- 6270- 6280- 6290- Serie; 8100- 8110- 8120- 8130- 8140- 8150- 8160- Serie; 8200- 8210- 8220- 8240- 8250- 8260- Serie; 2000- 2096- Serie; 5000- 5120- 5130- 5140- 5150- 5220- 5230- 5240- 5250- Serie;96- 1896- Serie; MX- MX100- MX100C- MX110- MX120-MX135- MX150- MX170- MX80C- MX90C-
AXIAL JOINT for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-MF0002	6000104512	Length 209 Threads M24 * 1,5 RHT	
			Length 175,5 Threads M18 * 1,5 RHT	Ceres Series; 65- 75- 85- 95- Cergos Series; 340- 350- Ergos Series; 85- 95- 105

	TRM-CA0011	6000103261 6000149001		
	TRM-DG0012	6000103044	Length 140 Threads M18 * 1,5 LHT	50 12LB-50 12V-55 12F-55 12LB-55 12V-55 14LB-55 14V-55 14S-70 12F-70 12LB-70 12SP-70 14F-70 14LB-70 14SP-70 14V-70 14F-80 12F-80 12SP-80 12TX-80 12V-80 14F-
	TRM-DG0013	6000103045	Length 140 Threads M18 * 1,5 RHT	50 12LB-50 12V-55 12F-55 12LB-55 12V-55 14LB-55 14V-55 14S-70 12F-70 12LB-70 12SP-70 14F-70 14LB-70 14SP-70 14V-70 14F-80 12F-80 12SP-80 12TX-80 12V-80 14F-
	TRM-DG0017	6000103040	Length 176 Threads M18 * 1,5 RHT	70 14F-80 14F- FRUCTUS SERIE; 130- 140
TIE ROD for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0002	6000102199	Length 228 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0003	6000102198	Length 228 Cones 19,9 / 22,2 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0005	6000103259	Length 344 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	Ceres 310,4(Renault(20.14)- Ceres 320,4320X,4 (20.14)- Ceres 325,4- 325X,4(20.16)- Ceres 330,4- 330X,4(20.14)- Ceres 335,4- 335X,4(20.16)- Ceres 340,4- 340X,4(20.14)- Ceres 345,4- 345X,4- (20.16)- Ceres 355 355X- (20.16)- Ceres 65,4- 20.14)- Ceres 75,4- 75X,4, 20.14)- Ceres 85,4- 85X,4, 20.14)- Ceres 95,4- 95X,4, 20.14)- Cergos 330, 20.16)- Cergos 335, 20.16)- Cergos 340, 20.16)- Cergos 345, 20.16)- Cergos 350, 20.16)- Cergos 355, 20.16)-
	TKR-CA0009	6005018333	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	Serie: 9000-9076(RX) 9000M-9007(RX) 9000M-9009(RX) Serie: 9100-9100M- Serie: M- M9078(->12/98)- M9078(01/99->)- M9083- M9086(->12/98)- M9086(01/99->)- M9094(->12/98)- M9094(01/99->)- M968(01/99->)- M975(->12/98)-
	TKR-CA0021	6000103518	Length 395 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	Serie: MX- MX150- MX170-
TIE ROD for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
			Length 425 Cones 2,5 / 26 Threads M24 * 1,5 RHT	540- 546- 550- 556- 566- 610- 616- 620- 626- 630- 636- 640- 696- 715- 725- 735- 815- 816- 826- 836-

	TKR-CA0030	6000104515	Tube / Shaft 34	
	TKR-CA0038	6000103323	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	Ares 540 - Renault (Front axle 4wd, A86-1) Ares 546 - Renault (Front axle 4wd, A86-1) Ares 550 - Renault (Front axle 4wd, A86-1) Ares 556 - Renault (Front axle 4wd, A86-1) Ares 566 - Renault (Front axle 4wd, A87-2) Ares 610 - Renault (Front axle 4wd, A86-1) Ares 610 - Renault (Front axle 4wd, A87-2) Ares 616 - Renault (Front axle 4wd, A87-2) Ares 616 - Renault (Front axle 4wd, A87-2) Ares 620, Renault (Front axle 4wd, A87-2) Ares 626, Renault (Front axle 4wd, A87-2) Ares 630, Renault (Front axle 4wd, A87-2) Ares 636, Renault (Front axle 4wd, A87-2) Ares 656, Renault (Front axle 4wd, A87-2) Ares 710, Renault (Front axle 4wd, A88-1) Ares 715, Renault (Front axle 4wd, 20.29 -136673)- Ares 720, Renault (Front axle 4wd, A88-1)-
	TKR-DG0040	6C12056420	Length 590 Cones 10,8 / 12,2 Tube / Shaft 25	
	TKR-DG0041	3243044612	Length 572 Cones 12,6 / 14 Tube / Shaft 25	
TIE ROD for RENAULT	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DG0042	3243044640	Length 470 Cones 12,6 / 14 Tube / Shaft 25	
	TKR-DG0052	6000104511	Length 412 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	ARES SERIE: 540- 546- 550- 556- 566- 610- 616- 620- 626- 630- 636- 640- 696- 715- 725- 735- 815- 816- 826- 836
INNER TIE ROD for RENAULT (INDIA)	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0004	21000009AA	Length 202 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
TIE ROD END for SAME	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-SA0002	14642374	Length 82 Cones 20 / 22,2 Threads M20 * 1,5 6G RHT	Aurora 45- Condor 55- Condor 55 Synchro- Condor C- Delfino 32- Delfino 35- Falcon- Falcon Cingolato- Frutteto 60- Frutteto 75- Frutteto 85- Frutteto 60 II- Frutteto 75 II- Frutteto 85 II- Minitauro- Minitauro 60- Minitauro 60 C- Ranger 45- Sirennetta- Sirennetta 32- Vigneron 35- Vigneron 45- Vigneron 50- Vigneron 60- Vigneron 62- Vigneron 70- Vigneron 75
	TRB-DG0170	1004864	Length 95 Cones 16,2 / 18,3 Threads M18 * 1,5 RHT	Argon; 55- 65- 75

	TRB-SA0003	13543454	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 6G RHT	
	TRB-SA0005	13542374	Length 100 Cones 16,2 / 18,7 Threads M18 * 1,5 RHT	
TIE ROD END for SAME	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0075	S1354237	Length 92 Cones 16,2 / 18 Threads M18 * 1,5 RHT	Argon 55/65/75F- Aster 60/70- Atlanta 45- Aurora 45- Centauro 70- Condor 55- Corsaro 70- Delfino 32/35- Dorado 55/65/75/85- Drago 100/120- Falcon- Fruzzeto 60/60 II/75/ 75 II/85/85 II- Golden 60/60V/65/75/75V/85- Italia 35- Leone 70/75- Leopard 85/90- Minitauro 60/60C
	TRB-DG0076	S1354345	Length 101 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	Antares 100 (2RM) - Centauro 70- Corsaro 70- Drago 100/120- Explorer II/ 60 II (2RM) / 70 II (2RM) / 80 II (2RM) / 90 II (2RM) / II SP/ 60SP II (2RM) / 70SP II (2RM) / 80SP II (2RM) - Leone 70/ 75- Leopard 85/ 90- Saturno 80/ 80 SY- Silver 80/ 90/ 100.4/ 100.6/
	TRB-DG0077	S1486126	Length 101 Cones 18 / 20,4 Threads M24 * 1,5 RHT	
OUTER TIE ROD for SAME	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-SA0006	16963763	Length 337,5 Cones 23,5 / 26,5 Threads M16 * 1,5 6G RHT Tube / Shaft 22	Centauro 70 Export- Centauro 70 Special- Centurion 75 Special- Jaguar 100- Jaguar 95- Mercury 85- Panther 90- Panther 95- Tiger Six 105- Tiger 100- Trident 130
	TRB-SA0007	17663603	Length 340 Cones 20 / 22,35 Threads M16 * 1,5 RHT Tube / Shaft 22	
AXIAL JOINT for SAME	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-DG0016	04401801	Length 240 Threads M28 * 1,5 RHT	DIAMOND SERIE; 230- 260- DIAMOND II; 230- 260
TIE ROD END for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	<p>TRB-FE0059</p>	<p>5198880</p>	<p>Length 120 Cones 23,5 / 26 Threads M24 * 1,5 RHT</p>	<p>MXM135- MXM150- MXM165- MXM180- MXM120- MXM130- MXM140- MXM155- MXM175- MXM190</p>
	<p>TRB-IH0028</p>	<p>292430718</p>	<p>Length 95 Cones 16,2 / 18,2 Threads M20 * 1,5 LHT</p>	
	<p>TRB-SY0001</p>	<p>292430737</p>	<p>Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT</p>	<p>768 TR</p>
	<p>TRB-SY0002</p>	<p>292430721</p>	<p>Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 LHT</p>	<p>768 TR</p>
	<p>TRB-SY0003</p>	<p>520043003</p>	<p>Length 100 Cones 16,2 / 18,3 Threads M24 * 1,5 RHT</p>	<p>8073 TR</p>

TIE ROD END for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-SY0004	500430018	Length 100 Cones 16,2 / 18,3 Threads M24 * 1,5 LHT	8073TR
OUTER TIE ROD for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-SY0005	292430738	Length 185 Cones 16,2 / 18,3 Tube / Shaft 18,9 Slots 4	768- 8073 TR
	TRB-SY0006	292430779	Length 690 Cones 16,2 / 18,3 Tube / Shaft 18,8 Slots 11	768- 8073 TR
INNER TIE ROD for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-SY0009	133743002	Length 110 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	968
	TRB-SY0010	133743619	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	9125- 9145
	TRB-SY0011	135700431003	Length 95 Cones 20 / 22,2 Threads M24 * 1,5 RHT	8060A- 8065A S TURBO- 8065 A/AP TURBO- 8070A- 8075A-A-S-AP- 8080A TURBO- 8085A S AS TUBO-8090TD
	TRB-SY0012	133743601	Length 143 Cones 20 / 22,8 Threads M18 * 1,5 LHT	SERIE:9000- 9100- CVT
	TRB-CA0012	133743603	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Notes Tube / Shaft 26 With nut	M9078- M9086- M9094- M975
INNER TIE ROD for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO


	TRB-SY0007	133743010	Length 183 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT	
	TRB-SY0008	133743617	Length 280 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT	9105- 9115- 9125- 9145
AXIAL JOINT for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-SY0001	133743011	Length 204 Threads M22 * 1,5 RHT	
	TRM-SY0002	133743003	Length 161,5 Threads M22 * 1,5 RHT	
	TRM-SY0004	135700431012	Length 176 Threads M18 * 1,5 RHT	SERIE:9000- 9100- M
	TRM-CA0012	133743613	Length 209	9105- 9115- 9125- 9145- CVT120- CVT130- CVT150- CVT170
TIE ROD TUBE for STEYR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TBR-MF0011	1861212M01	Length 960 Threads W11/16" * 18 LHT Tube / Shaft 22	Başak 2073
TIE ROD END for TEREX	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0050	CA087031	Length 106 Cones 19,6 / 22,6 Threads M24 * 1,5 RHT	
INNER TIE ROD for TEREX	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-CA0012	707110040	Length 143 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for TEREX	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	707110038	Length 176 Threads M18 * 1,5 RHT	
TIE ROD for TEREX	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0004	501548	Length 355 Cones 23 / 26 Threads M24 * 1,5 RHT Tube / Shaft 36	
	TKR-CA0009	707110037	Length 285 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD END for TÜMOSAN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TPR-FT0013	08278057400	Length 361 Cones 18 / 20 Threads M14 * 1,5 RHT Tube / Shaft 22	
AXIAL JOINT for TÜMOSAN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0011	10/905625	Length 175,5 Threads M18 * 1,5 RHT	82 80- 74 80DT
TIE ROD for TÜMOSAN	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-FT0058	7255812	Length 210 Cones 16,1 / 18,2 Threads M18 * 1,5 RHT Tube / Shaft 26	50 45- 55 50
TIE ROD END for UNIVERSAL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0032	588310U	Length 100 Cones 14,7 / 16 Threads M22 * 1,5 RHT	640- 650

	TRB-DG0084	TX10812	Length 85 Cones 14,6 / 16 Threads M20 * 1,5 RHT	300- 340- 350- 445- 500- 530- 550- 640- 350DT- 445DT- 500DT- 530DT- 550DT- 640DT
OUTER TIE ROD for UNIVERSAL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0029	596196U	Length 322 Cones 14,7 / 16 Tube / Shaft 21,5 Slots 5	650
	TRB-DG0080	TX10823	Length 378 Cones 14,6 / 16 Tube / Shaft 22 Slots 7	300- 340- 350- 445- 500- 530- 550- 640
INNER TIE ROD for UNIVERSAL	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0030	596200U	Length 435 Cones 14,7 / 16 Tube / Shaft 30	650
INNER TIE ROD for UNIVERSAL HEMA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-HE0001	86031418	Length 165 Cones 17,1 / 19,02 Threads M22 * 1,5 RHT	3855- 3860- 5875
	TRB-HE0005	56031655	Length 96 Cones 17,1 / 18,77 Threads W3/4" * 16 RHT	3855- 3860- 5875
	TRM-HE0001	86031418	Length 212 Threads M22 * 1,5 RHT	3855- 3860- 5875
TIE ROD for UNIVERSAL HEMA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-UN0001	H45330303	Length 1020 / 1270 Cones 18 / 18,15 / 20 / 20,15 Tube / Shaft 30	453- 533
TIE ROD END for UNIVERSAL UTB	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-DG0078	UTB074 TX17334 3130044	Length 101 Cones 18 / 20,4 Threads M22 * 1,5 RHT	
TIE ROD END for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0006	30405610	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 RHT	505- 605- 705- 805- 905
	TRB-FT0007	30405210	Length 100 Cones 16,2 / 18,3 Threads M22 * 1,5 LHT	505- 605- 705- 805- 905
	TRB-DG0146	609404	Length 100 Cones 16,2 / 18,3 Threads M20 * 1,5 RHT	305- 405
	TRB-DG0147	688911 720885	Length 106 Cones 20 / 22,2 Threads M24 * 1,5 LHT	505 4- 60 4- 705 4- 805 4- 905 4- 655 4- 702 4- 703 4- 755 4- 802 4- 803 4- 855 4- 903 4- 700- 702- 900- 910- 1100
TIE ROD END for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0026	720886 827482	Length 106 Cones 19,9 / 22,2 Threads M24 * 1,5 RHT	505 605- 702/4- 702S/4- 703/4- 705- 805- 905
	TRB-DG0150	585270	Length 80 Cones 13 / 15,2 Threads W3/8" * 19 RHT	33- 359- 361 2- 500- 565
	TRB-DG0152	585290	Length 80 Cones 13 / 15,2 Threads W3/8" * 19 LHT	33- 359- 361 2- 500- 565
	TRB-MF0054	827480	Length 106 Cones 18 / 20 Threads M24 * 1,5 RHT	505- 605- 705- 805- 900

OUTER TIE ROD for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-VA0001	30002200	Length 522 Cones 18 / 20,2 Tube / Shaft 22 Slots 10	
	TRB-VA0003	698930 698430	Length 313 Cones 18,2 / 20,5 Tube / Shaft 22 Slots 6	
	TRB-DG0067	609408	Length 310 Cones 16,2 / 18,3 Tube / Shaft 18 Slots 5	305- 405
	TRB-DG0068	609409	Length 310 Cones 16,2 / 18,3 Tube / Shaft 18 Slots 5	305- 405
	TRB-DG0142	821030	Length 313 Cones 18,2 / 20,2 Tube / Shaft 22 Slots 5	900
INNER TIE ROD for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0008	A350496	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0009	A350961	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-VA0002	31798600	Length 209 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Notes With nut	505- 6000- 605- 6100- 6300- 6400- 655- 6600- 6800- 705- 755- 8000- 805- 8050- 8100- 8150- 8200- 8400- 8550- 905- 615- 615M- 6250- 6350- 6550- 6650- 6850- 8350- 8950- T120- T130- T140- T160- T170- T190
	TRB-VA0004	31798610	Length 205 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36 Notes With nut	



TRB-VA0005

31952500

Length 160
Cones 23,5 / 26,5 **Threads**
M22 * 1,5 RHT **Tube / Shaft** 36
Notes With nut

INNER TIE ROD for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-VA0006	31059900	Length 235 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	865- 205- 255- 355- 365- 415M- 465- 555- 565- 665- 865- 305- 405- 415- 455
	TRB-DG0148	31882210	Length 295 Cones 29 / 32,2 Threads M22 * 1,5 RHT 40 Tube / Shaft	6000- 6100- 6200- 6250- 6300- 6350- 6400- 6550- 6600- 6650- 6800- 6850- 6900- 8000- 8050- 8100- 8150- 8200- 8350- 8400- 8450- 8550- 8750- 8950- T120- T130- T140- T160- T170- X100- X110- X120
	TRB-DG0149	3137240	Length 294 Cones 20 / 22,2 Threads M18 * 1,5 RHT 26 Tube / Shaft	205- 305- 405- 415- 415M- 255- 355- 455- 555- 365- 365FOR- 365OC- 365S- 465- 465FOR- 465OC- 465S- 565- 565FOR- 565OC- 665S- 865- 865S
	TRB-DG0151	31882200	Length 290 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	6000 SERIE- 8000 SERIE
INNER TIE ROD for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0173	37947900	Length 260 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	6000 SERIE- 8000 SERIE- C SERIE- M SERIE- N SERIE- T SERIE- T1 SERIE- T2 SERIE- TC/TCH SERIE
	TRB-MF0064	34051700	Length 258 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 36	6000 SEIE- 8000 SERIE- M SERIE- T SERIE- X SERIE
AXIAL JOINT for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0003	A350449	Length 138 Threads M18 * 1,5 RHT	
	TRM-CA0004	A350440	Length 176 Threads M18 * 1,5 RHT	



	TRM-DG0015	34051500	Length 208 Threads M24 * 1,5 RHT	6000 SEIE- 8000 SERIE- M SERIE- T SERIE- X SERIE
	TRM-JD0017	31059800	Length 175,5 Threads M18 * 1,5 RHT	205- 305- 405- 415- 255- 355- 455- 555- 365- 465- 565- 665- 865
TIE ROD for VALMET	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0007	A128471	Length 276 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0008	A128472	Length 276 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0038	34055700	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD END for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-FT0026	720886	Length 106 Cones 19,9 / 22,2 Threads M24 * 1,5 RHT	505- 605- 705- 805- 905- 655- 755- 855- 1100- 1102- 1110- 700- 702- 703- 900- 910
	TRB-JD0190	2052920	Length 90 Cones 16,4 / 18,5 Threads W3/4" * 16 2A LH	T
	TRB-CE0015	3475543M91	Length 106 Cones 19,4 / 22,3 Threads M24 * 1,5 RHT	
	TRB-JD0189	205270	Length 90 Cones 16,4 / 18,5 Threads W3/4" * 16 2A RH	T

OUTER TIE ROD for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0053	247150	Length 280 Cones 16,4 / 18,5 Tube / Shaft 19 Slots 5	
	TRB-CA0054	247180	Length 280 Cones 16,4 / 18,5 Tube / Shaft 19 Slots 5	
INNER TIE ROD for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0008	A350496	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0009	A350961	Length 134 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-DG0173	37947900	Length 260 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT Tube / Shaft 36	6000 SERIE- 8000 SERIE- C SERIE- M SERIE- N SERIE- T SERIE- T1 SERIE- T2 SERIE- TC/TCH SERIE
AXIAL JOINT for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0003	A350449	Length 138 Threads M18 * 1,5 RHT	
	TRM-CA0004	81243200 A350440	Length 176 Threads M18 * 1,5 RHT	
	TRM-FR0004	81243500	Length 175 Threads M18 * 1,5 LHT	

	TRM-MF0001	81243200	Length 175 Threads M18 * 1,5 RHT	
	TRM-MF0012	80604200	Length 210 Threads M24 * 1,5 RHT	345- 350
TIE ROD for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0007	A128471	Length 276 Cones 19,9 / 22 Threads M18 * Tube / Shaft 26 1,5 RHT	
	TKR-CA0008	A128472	Length 276 Cones 19,9 / 22 Threads M18 * Tube / Shaft 26 1,5 RHT	
	TKR-CA0038	053961R1 34055700	Length 420 Cones 23,5 / 26 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD for VALTRA	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0051	80406600	Length 420 Cones 16,4 / 18,5 Tube / Shaft 25	
	TKR-MF0024	81330000	Length 373 Cones 19,9 / 22,3 Threads M24 Tube / Shaft 40 * 1,5 RHT	685- 785
	TKR-MF0025	81329800	Length 368 Cones 19,9 / 22,3 Threads M24 Tube / Shaft 40 * 1,5 RHT	685- 785
	TKR-MF0028	80604400	Length 463 Cones 23,7 / 26,7 Threads M24 Tube / Shaft 40 * 1,5 RHT	350- 885- 980

INNER TIE ROD for VOLVO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0018	11709456	Length 263 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34 Notes With nut	
	TRB-CA0019	11712503	Length 278 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0013	11988567	Length 263 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for VOLVO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0002	11709458	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0002	11709458	Length 209 Threads M24 * 1,5 RHT	
	TRM-CA0004	11988565	Length 176 Threads M18 * 1,5 RHT	
	TRM-CA0007	11988157	Length 209 Threads M24 * 1,5 RHT	
TIE ROD for VOLVO	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0010	11988564	Length 407 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	

	TKR-CA0015	11709455	Length 400 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
	TKR-CA0016	11712459	Length 422 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0036	11988150	Length 426 Cones 23,5 / 26,5 Threads M24 * 1,5 RHT Tube / Shaft 34	
TIE ROD END for WHITE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0083	72161865	Length 101 Cones 19,8 / 22,7 Threads W1" * 16 2A RHT	125- 140- 145- 1870
TIE ROD for WHITE	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-DG0038	72161866	Length 975 Cones 14,4 / 16,3 Tube / Shaft 22	100- 120- 125- 135 2- 145 2-155
TIE ROD END for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DZ0013	953548	Length 103 Cones 16,2 / 18,5 Threads M16 * 1,5 6G RHT	UR I- 2011- 2511- 3011- 3511- 3513- 4011- 4511- 4712- 4718- 4911 (4901)- 4911 (5001)- 5511- 5516- 5611- 5711- 5718- 5911 (4701)- 5911 (5001)- 5911 (5901)- 5911 (6201)- 6711 (6001)- 6711 (6201)- 6711 (6701)- 6718 (6001)- 6718 (6201)- 6718 (6701)- 6911 (5201)- 6911 (6001)- 6911 (6901)
	TRB-ZE0009	55113565	Length 100 Cones 17,9 / 20,3 Threads M18 * 1,5 RHT	UR I- 5011 (5001)- 5011 (5201)- 5211 (5001)- 5211 (5201)- 6011 (5901)- 6011 (6001)- 6011 (6201)- 6011 (6701)- 6211- 7011- 7211
	TRB-ZE0010	67453504	Length 115 Cones 17,9 / 20,3 Threads M18 * 1,5 RHT	3340- 4340- 5245- 5340- 5945- 6045- 6245- 6340- 6745- 6748- 6945- 7045- 7245- 7340- 7745

	<p>TRB-ZE0011</p>	<p>67453503</p>	<p>Length 115 Cones 18 / 20,2 Threads M18 * 1,5 LHT</p>	
	<p>TRB-ZE0012</p>	<p>55113915</p>	<p>Length 101 Cones 21,9 / 24 Threads M18 * 1,5 RHT</p>	<p>UR I- 3320- 4320 (4701)- 4320 (6201)- 4911 (4901)- 4911 (5001)- 5011 (5001)- 5011 (5201)- 5211 (5001)- 5211 (5201)- 5320 (5001)- 5320 (5201)- 5320 (7201)- 5511- 5545- 5611- 5645- 5647- 5711- 5718- 5745- 5748- 6011 (5901)- 6011 (6001)- 6011 (6201)- 6011 (6701)- 6211- 6320- 6711 (6001)- 6711 (6201)- 6711 (6701)- 6718 (6001)- 6718 (6201)- 6718 (6701)- 6911 (5201)- 6911 (6001)- 6911 (6901)- 7011- 7211- 7711- 7711T</p>

TIE ROD END for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-ZE0013	55113905	Length 105 Cones 18 / 20,2 Threads M18 * 1,5 LHT	
	TRB-ZE0015	953519	Length 80 Cones 16,2 / 18,5 Threads M16 * 1,5 LHT	UR I- 2011- 2511- 3011- 3511- 3513- 4011- 4511- 4712- 4718- 4911 (4901)- 4911 (5001)- 5511- 5516- 5611- 5711- 5718- 5911 (4701)- 5911 (5001)- 5911 (5901)- 5911 (6201)- 6711 (6001)- 6711 (6201)- 6711 (6701)- 6718 (6001)- 6718 (6201)- 6718 (6701)- 6911 (5201)- 6911 (6001)- 6911 (6901)
	TRB-ZE0002	80220019	Length 127 Cones 18,1 / 20,5 Threads M24 * 2 RHT	10111- 10211- 11211- 12011- 12111- 8011- 8111- 9111- 9211
	TRB-ZE0003	67453521 83221019 84221019 88221019 88221119	Length 120 Cones 19,9 / 22,3 Threads M27 * 2 RHT	UR I- 5245 (5001)- 5245 (5201)- 6045 (5901)- 6045 (6001)- 6045 (6201)- 6045 (6701)- 6245 (6001)- 6245 (6201)- 6245 (6701)- 7045- 7045H- 7245 (7001)- 7245 (7201)- 7245H- 7745- 7745H- 7745T
	TRB-ZE0004	67453520 83221009 84221009 88221009 88221109	Length 120 Cones 19,9 / 22,3 Threads M27 * 2 LHT	UR I- 5245 (5001)- 5245 (5201)- 6045 (5901)- 6045 (6001)- 6045 (6201)- 6045 (6701)- 6245 (6001)- 6245 (6201)- 6245 (6701)- 7045- 7045H- 7245 (7001)- 7245 (7201)- 7245H- 7745- 7745H- 7745T
TIE ROD END for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-ZE0005	140264	Length 92 Cones 13,5 / 16,8 Threads M18 * 1,5 RHT	
	TRB-ZE0006	55113531 67143531	Length 102 Cones 17,9 / 20,3 Threads M18 * 1,5 LHT	UR I- 2011- 2511- 3011- 3511- 3513- 4011- 4511- 4712- 4718- 4911 (4901)- 4911 (5001)- 5511- 5516- 5611- 5711- 5718- 5911 (4701)- 5911 (5001)- 5911 (5901)- 5911 (6201)- 6711 (6001)- 6711 (6201)- 6711 (6701)- 6718 (6001)- 6718 (6201)- 6718 (6701)- 6911 (5201)- 6911 (6001)- 6911 (6901)
	TRB-ZE0008	67143535 55113535	Length 100 Cones 17,9 / 20,3 Threads M18 * 1,5 RHT	
OUTER TIE ROD for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-ZE0001	80220029	Length 340 Cones 18 / 20,2 Tube / Shaft 23 Slots 8	UR II- 10211- 12211- 8011- 8211- 9211-
	TRB-ZE0007	80220009	Length 340 Cones 18 / 20,2 Tube / Shaft 23,8 Slots 8	
INNER TIE ROD for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-CA0014	930131	Length 328 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0015	930137	Length 328 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
	TRB-CA0017	930818	Length 318 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26 Notes With nut	
AXIAL JOINT for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRM-CA0004	930819 930133 72113703	Length 176 Threads M18 * 1,5 RHT	UR1 Series; 3320- 3321- 3341- 4320- 4321- 4341- 5320- 5321- 5341- 6320- 6321- 6341- 7320- 7321- 7341- UR3 Series; 10540- 10641- 11641- 7540- 8540- 8641- 9540- 9641
TIE ROD for ZETOR	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TKR-CA0011	930134	Length 470 Cones 19,9 / 22 Threads M18 * 1,5 RHT Tube / Shaft 26	
	TKR-CA0014	930820	Length 469 Cones 19,9 / 22,3 Threads M18 * 1,5 RHT Tube / Shaft 26	
TIE ROD END for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO

	TRB-DG0138	37063080016	Length 53 Cones 16,2 / 18,5 Threads M18 * 1,5 RHT	
	TRB-DG0182	3130016	Length 96 Cones 18 / 20 Threads M22 * 1,5 RHT	
	TRB-DG0182	31242000	Length 96 Cones 18 / 20 Threads M22 * 1,5 RHT	
	TRB-DG0183	812045	Length 82 Cones 15 / 17 Threads M20 * 1,5 LHT	
	TRB-DG0183	7321200001	Length 82 Cones 15 / 17 Threads M20 * 1,5 LHT	
TIE ROD END for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0184	7377100001	Length 82 Cones 15 / 17 Threads M20 * 1,5 RHT	
OUTER TIE ROD for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	TRB-DG0114	21833130	Length 152 Cones 14,2 / 15,9 Tube / Shaft 16 Slots 5	
	TRB-DG0042	341114-0	Length 506 Cones 16,2 / 18,3 Tube / Shaft 28 Slots 6	
	TRB-DG0051	30076080006	Length 390 Cones 18 / 20,2 Tube / Shaft 22 Slots 3	

OUTER TIE ROD for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TRB-DG0070</p>	<p>271645-2</p>	<p>Length 530 Cones 17,5 / 20 Tube / Shaft 28 Slots 6</p>	
INNER TIE ROD for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TRB-DG0041</p>	<p>341110-0</p>	<p>Length 100 Cones 16,2 / 18,4 Threads M22 * 1,5 RHT</p>	
	<p>TRB-DG0113</p>	<p>341996 2802335</p>	<p>Length 90 Cones 23,5 / 26,5 Threads M22 * 1,5 RHT</p>	
TIE ROD for VARIOUS	TM CODE	OEM	DIMENSIONS	MODELS FIT TO
	<p>TKR-DG0034</p>	<p>9849250</p>	<p>Length 205 Cones 16,2 / 18,3 Tube / Shaft 22</p>	
	<p>TKR-DG0043</p>	<p>9849260</p>	<p>Length 205 Cones 18 / 19,9 Tube / Shaft 22</p>	